

Repositório ISCTE-IUL

Deposited in *Repositório ISCTE-IUL*:

2022-03-17

Deposited version:

Accepted Version

Peer-review status of attached file:

Peer-reviewed

Citation for published item:

Possidónio, C., Piazza, J., Graça, J. & Prada, M. (2022). An appetite for meat? Disentangling the influence of animal resemblance and familiarity. *Appetite*. 170

Further information on publisher's website:

[10.1016/j.appet.2021.105875](https://doi.org/10.1016/j.appet.2021.105875)

Publisher's copyright statement:

This is the peer reviewed version of the following article: Possidónio, C., Piazza, J., Graça, J. & Prada, M. (2022). An appetite for meat? Disentangling the influence of animal resemblance and familiarity. *Appetite*. 170, which has been published in final form at <https://dx.doi.org/10.1016/j.appet.2021.105875>. This article may be used for non-commercial purposes in accordance with the Publisher's Terms and Conditions for self-archiving.

Use policy

Creative Commons CC BY 4.0

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a link is made to the metadata record in the Repository
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

1 **An Appetite for Meat?**

2 **Disentangling the Influence of Animal Resemblance and Familiarity**

3 Catarina Possidónio^a, Jared Piazza^b, João Graça^{c,d}, Marília Prada^a

4

5 ^a Iscte-Instituto Universitário de Lisboa, CIS_Iscte, Lisboa, Portugal

6 ^b Lancaster University, Lancaster, UK

7 ^c Center for Language and Cognition Groningen (CLCG), Groningen, The Netherlands

8 ^d Instituto de Ciências Sociais da Universidade de Lisboa, Lisboa, Portugal

9

10 26 November 2021

11

12 Address for correspondence: Catarina Possidónio, Iscte-Instituto Universitário de

13 Lisboa, Av. das Forças Armadas, 1649-026, Lisboa, Portugal.

14 E-mail: catarina_rocha_possidonio_silva@iscte-iul.pt

15

16 This research was funded by a grant from Fundação para a Ciência e Tecnologia

17 (PD/BD/135440/2017) awarded to the first author.

18

Abstract

19 Consumers in modern society are often less exposed to meat that resembles the animal,
20 and thus are less familiar with it, making it difficult to disentangle the influence of these
21 two inputs (familiarity vs. animal resemblance) on meat appetite. Across three studies,
22 we sought to systematically disentangle the impact of familiarity and animal
23 resemblance on meat appetite using inductive (Study 1) and experimental (Studies 2a-
24 2b) approaches. In Study 1 ($N = 229$) we separated familiarity and animal resemblance
25 into orthogonal dimensions using 28 meat products. Participants provided free
26 associations and rated the products on familiarity, animal resemblance, and appetitive
27 appeal. In Studies 2a and 2b ($N = 514$) we experimentally examined the independent
28 contributions of familiarity and animal resemblance, using stimuli normed in Study 1.
29 We hypothesized that animal resemblance has its most pronounced influence on
30 appetite when meat products are unfamiliar. Participants' free associations and ratings
31 of the products were in line with this conditional hypothesis (Study 1), as were the
32 experimental manipulations of familiarity and animal resemblance (Studies 2a-2b),
33 confirmed by a mini meta-analysis. In all three studies, familiarity had a pervasive
34 influence on appetite. These findings suggest that product familiarity can attenuate the
35 psychological impact that animal reminders have on appetite. Thus, interventions aimed
36 at eliciting animal associations with meat should consider the familiarity of the products
37 employed.

38 **Keywords:** Meat consumption, animal resemblance, familiarity, association, appetite

39

1. Introduction

40
41 Meat that highly resembles the animal source can be off-putting for some
42 consumers, possibly because it reminds people of its animal origins or triggers thoughts
43 of animal slaughter (Benningstad & Kunst, 2020; Rothgerber, 2013; Tian et al., 2016),
44 The modernization of meat production has aided consumers in avoiding animal
45 reminders by providing consumers physical and psychological distance from the
46 potentially upsetting sights and smells of animal slaughter (Bastian & Loughnan, 2017;
47 Rozin et al., 1997; Segers, 2012). Many meat products purchased at market, particularly
48 in Western cultures, lack a strong resemblance to the animal source (Hoogland et al.,
49 2005). Presumably, this distance serves to preserve appetite for meat by preventing
50 consumers from recurrently associating meat with its animal origins or, perhaps, the
51 violence of animal slaughter (Benningstad & Kunst, 2020; Kunst & Hohle, 2016).

52 Indeed, several studies have shown that getting consumers to think about the
53 animal origins of meat can disrupt the pleasure derived from meat consumption
54 (Benningstad & Kunst, 2020). Studies have found that, all else equal, presenting raw
55 meat reduces appetite for meat products, relative to cooked meat (Kubberød et al., 2008;
56 Shimp & Stuart, 2004). Raw meat, arguably, resembles a living animal more than
57 cooked meat, which might explain higher levels of distaste at raw meat (Rozin &
58 Fallon, 1987). Red meat tends to elicit more disgust than white meat, which might be
59 due to its greater animal resemblance, or other aspects of its appearance (e.g., a greater
60 presence of blood; Fessler et al., 2003; Kubberød et al., 2006). Including reminders of
61 the animal source can reduce appetite for meat, relative to suitable control conditions.
62 For example, presenting a picture of an animal, alongside a recipe for a meat dish,
63 reduces willingness to consume the meat (Kunst & Hohle, 2016; Tian et al., 2016).
64 Including the head of the animal (e.g., a pig's head for roasted ham) relative to no head,

65 or using “animal terms” instead of “food terms” to describe meat (e.g., “cow” instead of
66 “beef”), have also been shown to reduce appetite for meat products by eliciting thoughts
67 of and/or concern for the animal source (Earle et al., 2019; Kunst & Hohle, 2016; Kunst
68 & Haugstad, 2018). Finally, qualitative studies of meat avoiders have documented
69 reports that vegetarians and vegans often associate the sensorial aspects of meat (e.g.,
70 raw flesh, the smell of blood) with the animal and their slaughter (Hamilton, 2006).
71 These studies point to an underlying psychological process whereby thinking about the
72 animal origins of meat can disrupt appetite for meat, whereas *dissociating* meat from
73 the animal source appears to sustain appetites.

74 Although meat-animal dissociation seems to be an effective mechanism for
75 maintaining consumers’ interest in meat, there are some reasons to question its ubiquity
76 as a lever of meat appetite. First, meat-animal dissociation as a self-standing theoretical
77 framework struggles to explain why many meat products that highly resemble animals
78 (e.g., whole roasted turkey in the United States and the UK; “pig leg” [jamon serrano]
79 in Spain; whole cooked fish in Portugal) are highly popular dishes (Díaz-Caro et al.,
80 2019; Einstein & Hornstein, 1970; Madsen & Chkoniya, 2019). Observing food
81 practices across diverse cultural contexts suggests that there may be instances in which
82 consumers find a meat product highly enjoyable *despite* noticing the link between a
83 product and its animal origins.

84 Second, experimental manipulations of dissociation via animal reminders (e.g.,
85 presenting the head of a cooked animal) may conflate animal resemblance with
86 familiarity. A roasted ham with the pig’s head attached (Kunst & Hohle, 2016, Study
87 2a/b) or an uncooked, bloody steak (Kubberød et al., 2008) resemble animals more than
88 a headless ham or well-cooked steak. Critically, however, such high-resemblance
89 products are often less familiar to consumers—that is, they are encountered and

90 consumed less often. Thus, experimental manipulations of meat-animal dissociation
91 may be problematically conflating animal reminders and familiarity, obfuscating their
92 discriminant impact on appetite. This observation is critical in light of the pervasive role
93 familiarity has on food enjoyment, generally, and meat enjoyment, specifically (Foroni
94 et al., 2013; Prada et al., 2017).

95 Familiarity, or the perceived frequency of encountering a product, is a key
96 determinant of consumer enjoyment of meat as it reduces uncertainty about the risks
97 and taste (Cooke & Wardle, 2005; Pliner & Stallberg-White, 2000). Familiar meat
98 products tend to be rated more favorably on measures of appearance and taste than less
99 familiar meats (Borgogno et al., 2015), and frequent exposure to foods in childhood is
100 directly associated with food preferences in adulthood (Wadhera et al., 2015).

101 Conversely, the *lack* of familiarity with meat of a particular animal (e.g., meat
102 alternatives, such as insect protein or **cultured** meat) is a principal hurdle to consumer
103 interest (**Bryant & Barnett, 2018**; Hoek et al., 2011; Possidónio et al., 2019, 2021; Tan
104 et al., 2016).

105 The status of meat as a potential pathogen vector may explain the strong link
106 between familiarity and appetite—familiarity likely serves as a proximal signal to
107 consumers that a given product is safe to consume, increasing its appeal (Aldridge et al.,
108 2009; Fessler et al., 2003; Navarrete & Fessler, 2003). People who work in the meat
109 industry (e.g., butchers) tend to adapt fairly quickly to the sight and smells of meat
110 products (**Piazza et al., 2021**). This familiarization or habituation process tends to
111 reduce a person’s concern for the animals slaughtered and sustains the appeal of meat,
112 even when it highly resembles the animal source (**Piazza et al., 2021**). Likewise,
113 individuals from societies that frequently consume meat products with visible reminders
114 of the animal (e.g., the head or limbs intact) tend to show reduced effects of animal

115 reminders on their appetite for meat, relative to consumers from societies where
116 exposure to such images are less common (Kunst & Haugestad, 2018).

117 In short, familiarity with meat products increases their appeal, and it is possible
118 that familiarity may attenuate the psychological impact that animal reminders have on
119 appetite.

120 **1.1 Overview of the Present Research and Hypotheses**

121 Since many instances of meat-animal association naturalistically coincide with
122 lower levels of food familiarity, methodological efforts to separate the constructs of
123 animal resemblance and familiarity would offer useful insights into how animal
124 resemblance impacts meat appetite. In the current research we conducted three studies
125 designed to disentangle animal resemblance and meat familiarity in a more systematic
126 manner than in previous studies of meat-animal dissociation. Study 1 used an inductive
127 or “bottom-up” method for separating the two dimensions using participant ratings of a
128 large set of meat products. We presented participants with 28 naturalistic meat products
129 that putatively differed along the two dimensions of interest: familiarity and animal
130 resemblance. Participants provided spontaneous associations to the products and,
131 subsequently, rated each product on measures of familiarity, animal resemblance, and
132 appeal as food. The free association task allowed us to unobtrusively explore the extent
133 to which different meat products elicit thoughts of the animal source. The rating task
134 was used to generate a two-dimensional circumplex of the products and examine how
135 each dimension independently contributes to appetite for meat.

136 Study 1 provided a basis for identifying products unconfounded along the
137 dimensions of interest that could then be used experimentally. In two subsequent pre-
138 registered studies (Studies 2a and 2b), we utilized four products from Study 1 that were
139 normed to represent exemplars from each of the four circumplex quadrants (i.e., high

140 vs. low; familiarity x animal resemblance). Participants were randomly assigned to one
141 of the four products and rated them on familiarity, animal resemblance, and appeal. This
142 enabled us to test the independent contribution of each dimension in a 2x2-crossed
143 experimental design. The images used for Study 2a were based solely on the normed
144 ratings from Study 1, whereas images used for Study 2b had the additional strength of
145 providing some control over the animal source.

146 We theorized that previous work, by often not de-confounding animal
147 resemblance and familiarity, may have overestimated the extent to which meat-animal
148 associations impact on appetite for meat. Here, we tested an alternative view of meat-
149 animal association that considers how animal resemblance might be *conditioned upon*
150 familiarity. Specifically, we hypothesized that animal resemblance is likely to exert an
151 influence on appetite for meat primarily when meat products are unfamiliar, but less so
152 when a meat product is familiar. We reasoned that familiar meat products involve high
153 levels of psychological adaptation (e.g., Piazza et al., 2021), thus, when meat products
154 are highly familiar, appetites are likely dominated by this familiarity. Conversely, when
155 meat is unfamiliar, the psychological impact of an animal reminder is likely to be
156 greater, since there has not been sufficient exposure for psychological adaptation to
157 occur. By contrast, we did not expect that the impact of familiarity on appetite would be
158 conditioned on animal resemblance. Rather, we expected that familiarity would enhance
159 appetite for meat *independent* of a product's level of animal resemblance.

160 All research materials and datasets for the studies are available at
161 https://osf.io/6z9sk/?view_only=ced9d396f349447ca8f8e27351b076dc. The studies
162 obtained ethics approval from the Faculty of Science and Technology Ethics Committee
163 at Lancaster University (FSTREC).

164

2. Study 1

165 **2.1 Method**

166 **2.1.1 Participants**

167 Participants were recruited via Prolific Academic (Peer et al., 2017).
168 Participation was restricted to individuals living in the United Kingdom. Vegetarian and
169 vegan participants were removed from the analyses ($n = 20$) since they were likely to
170 exhibit extremely low appetite ratings toward the target products. The final sample
171 included 229 UK participants (65.9% female) aged between 18 and 75 years old ($M_{\text{age}} =$
172 38.32 , $SD = 12.75$). Most participants self-identified as meat-lovers or omnivores (i.e.,
173 individuals who included meat, fish, and/or seafood in their diets - 74.7%); 20.1%
174 followed a semi-vegetarian diet (restricted meat or certain meats from their diet),
175 whereas 5.2% were pescatarians (i.e., individuals who included fish and/or seafood in
176 their diets, but no other meats).

177 **2.1.2 Procedure**

178 Data collection took place on 17th December 2020. Participants were invited to
179 take part in a study on the “perception of meat products.” Participants were provided a
180 hyperlink to the study on Prolific Academic and were asked to tick a captcha box to
181 screen out bots. After providing informed consent, participants were directed to the
182 survey hosted by Qualtrics, which involved a free-association task, followed by an
183 image rating task. After providing demographic information, participants were
184 debriefed, thanked, and paid.

185 **2.1.3 Measures and materials**

186 **Image selection.** The images were retrieved from open-source online databases
187 (e.g., Pexels; Pixabay). The selection criteria were to select images (1) depicting a
188 single meat product, (2) presenting the meat product as it would be eaten, (3) without
189 people or other foods visible (e.g., hands; garnishes). The images were resized (371 x

190 309 pixels), edited to eliminate or blur other elements besides the meat product, and
191 edited on contrast and brightness. The goal was to select images depicting naturally
192 occurring meat products hypothesized to fall into one of the four quadrants of the
193 familiarity with animal resemblance circumplex, and therefore to cover these four
194 quadrants with images varying on these two dimensions.

195 Each image was given a brief descriptive caption that identified: (a) the name of
196 the meat product (e.g., “chicken liver pate”), (b) its geographic origins and prevalence
197 (e.g., “Northern and central European cuisines”), and (c) how it is typically prepared,
198 cooked and/or eaten (e.g., “Chicken livers are ground down and mixed with butter,
199 spices and herbs”). This was done to increase participants’ capacity to identify the
200 product beyond what they could discern from the image alone. See Supplemental
201 Materials (Table S1) for all 28 images and their descriptive captions.

202 **Free association task.** First, we presented the 28 images, without the descriptive
203 caption, one at a time, in a randomized order. Participants were asked to write in a text
204 box what was the first thing that came to their minds when viewing the image.

205 **Image rating task.** Participants viewed the same 28 images a second time, in a
206 new randomized order, this time with the corresponding descriptive caption. For each
207 image, participants were asked to evaluate the product on three dimensions, measured
208 on 7-point rating scales: (1) familiarity - “How often do you encounter this product in
209 your everyday life?” (1 = *Never*, 4 = *On occasion*, 7 = *Very frequently*); (2) animal
210 resemblance - “How much does this product resemble an animal?” (1 = *Not at all*, 4 =
211 *Moderately like an animal*, 7 = *Very much like an animal*); and (3) appetite -
212 “Hypothetically speaking, how positive or negative would you feel about eating the
213 meat depicted in the photo?” (1 = *Very negative*, 4 = *Neutral*, 7 = *Very positive*). The
214 measures were presented below the image/caption.

215 **2.1.4 Data analysis plan**

216 ***Free associations.*** The data retrieved from the word association task were
217 analyzed based on the procedure used in Graça, Oliveira, et al. (2015) and Possidónio et
218 al. (2021). A total of 6412 associations were retrieved (i.e., associations from 229
219 participants x 28 products). Separate association lists were generated for each meat
220 product. To ensure that the meanings expressed by the participants were maintained,
221 associations with the same meaning were grouped (e.g., “nice” with “delicious”), and
222 related words/concepts were merged into semantic categories (e.g., “unappealing” with
223 “odd” to create a category of negatively valenced associations). Conceptually relevant
224 categories that were mentioned by at least 10% of the participants were retained for the
225 analysis and interpretation of themes and clusters (i.e., 81 categories that were
226 mentioned 6128 times; see Supplemental Material, Table S2).

227 ***Clustering of products defined by animal resemblance and familiarity.*** All
228 analyses were performed using SPSS Statistics (version 23, IBM©). To group and
229 organize the meat products within the two-dimensional space (circumplex) organized by
230 the key variables, a hierarchical cluster analysis (HCA) was performed with the ratings
231 of familiarity and animal resemblance as the organizing dimensions. Next, a k-means
232 cluster analysis was conducted to obtain the cluster membership of each product and its
233 distance from the cluster center.

234 ***Dimensions predicting appetite.*** Correlations were calculated to explore the
235 relationship between the three measured variables. To analyze how strongly each
236 dimension independently predicts appetite for meat, a regression was conducted with
237 familiarity and animal resemblance as simultaneous predictors of appetite ratings. This
238 analysis modeled the contribution of each dimension at the level of the different meat
239 products to capture variability in the perception of familiarity and animal resemblance

240 between the different products. We also ran a second regression analysis using the
241 participant-level ratings to examine the contribution of each dimension at the level of
242 *individual (participant) tendencies* to perceive familiarity and animal resemblance
243 across all 28 products.

244 **2.2. Results**

245 **2.2.1 Free Associations**

246 ***Categories identified across the meat products.*** Based on the pattern of
247 participants' association responses across the 28 meat products, we identified six main
248 categories (in order of prevalence): *negatively valenced associations*, which referred to
249 negative sensorial and emotional responses (e.g., “unappealing”, “odd”; emerging in
250 82.1% of the products, 37.6% of associations); *positively valenced associations*,
251 comprised of positive hedonic and emotional responses (e.g., “nice”, “appealing”,
252 “appetizing”; 67.9% of the products, 27.6% of associations); associations about the
253 *identification/naming of the animal* (64.3% of the products, 22% of associations);
254 associations concerning *sensory attributes* of the meat (50% of products, 8.2% of
255 associations); associations related to the category *ethics* and *health issues* (e.g.,
256 “nutritious”, “diseases”; < 15% of products, 2.5% and 2.1% of associations,
257 respectively). In short, the most common associations referred to sensorial and affective
258 features in response to the meat products. Animal-related associations were also
259 common (see Table 1).

260 ***Hierarchical cluster analysis of the familiarity and animal resemblance***
261 ***ratings and categories identified across clusters.*** The two predictive dimensions,
262 familiarity, and animal resemblance were not significantly correlated but had a largely
263 orthogonal relationship, $r(27) = -.16$, $p = .422$, which ruled out any concerns about
264 multicollinearity. Figure 1 presents the results of the hierarchical cluster analysis using

265 familiarity and animal resemblance ratings as the organizing dimensions. Cluster 1
266 contained products categorized with high resemblance and low familiarity. It included
267 animals not conventionally used as food in the local food practices (e.g., scorpion,
268 crocodile, octopus), often presented whole. This cluster showed the biggest presence of
269 negatively valenced associations from all the clusters. As expected, this set of products
270 also produced a high level of identification and naming of the animal, emerging in
271 100% of its products (see Table 1).

272 Cluster 2 contained products categorized with high resemblance and high
273 familiarity. This included four whole-cooked animals, conventionally used as food in
274 the local food practices (e.g., turkey, chicken, fish). Positively valenced associations
275 dominated this cluster, emerging in all four products. This cluster also had high levels
276 of identification and naming of the animal, among 100% of the products.

277 Cluster 3 contained products categorized with low resemblance and low
278 familiarity. It included less conventional products, where the identification of the animal
279 was less apparent (e.g., insect powder, kangaroo biltong, fried snake). Negatively
280 valenced associations dominated this cluster. Associations related with sensory
281 attributes and health were also common.


282 Finally, cluster 4 contained products with low resemblance and high familiarity.
283 This included meat products conventionally used in the local food practices, again
284 where the identification of the animal was less apparent (e.g., nuggets, burger, sausage).
285 This cluster, like cluster 2, tended to elicit positively valenced associations. Half of the
286 products also induced associations related with sensory attributes.

287

288 **Figure 1**

289 *Projection of the four clusters on the circumplex between animal resemblance and*

290 *familiarity*



291

292

293

294

295

296

Note. Each cluster represents a group of products grouped by the circumplex between animal resemblance and familiarity. The border of each group is represented by a specific pattern: Cluster 1 — (n = 10); Cluster 2 --- (n = 4); Cluster 3 (n = 6); Cluster 4 (n = 8).

297 **Table 1**

298 *Frequencies and Percentage of Mentions (%) of the Categories Identified in the Free-*
 299 *Association Task across Clusters*

		Familiarity Low				Familiarity High				Total			
		<i>n</i>	%	<i>f</i>	% <i>f</i>	<i>n</i>	%	<i>f</i>	% <i>f</i>	<i>n</i>	%	<i>f</i>	% <i>f</i>
High Resemblance	Negative valence	10	100.0	1406	53.1	3	75.0	182	18.3	13	92.9	1588	25.9
	Positive valence	4	40.0	204	7.7	4	100.0	402	40.4	8	57.1	606	9.9
	Animal identification	10	100.0	699	26.4	4	100.0	360	36.2	14	100.0	1059	17.3
	Ethics	3	30.0	153	5.8	0	0.0	0	0.0	3	21.4	153	2.5
	Sensory attributes	4	40.0	186	7.0	2	50.0	51	5.1	6	42.9	237	3.9
	Health	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Low Resemblance	Negative valence	5	83.3	419	47.1	5	62.5	297	18.6	10	71.4	716	11.7
	Positive valence	3	50.0	214	24.1	8	100.0	870	54.5	11	78.6	1084	17.7
	Animal identification	0	0.0	0	0.0	4	50.0	291	18.2	4	28.6	291	4.7
	Ethics	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Sensory attributes	4	66.7	156	17.5	4	50.0	112	7.0	8	57.1	268	4.4
	Health	3	50.0	100	11.2	1	12.5	26	1.6	4	28.6	126	2.1
Total	Negative valence	15	93.8	1825	51.6	8	66.7	479	18.5	23	82.1	2304	37.6
	Positive valence	7	43.8	418	11.8	12	100.0	1272	49.1	19	67.9	1690	27.6
	Animal identification	10	62.5	699	19.8	8	66.7	651	25.1	18	64.3	1350	22.0
	Ethics	3	18.8	153	4.3	0	0.0	0	0.0	3	10.7	153	2.5
	Sensory attributes	8	50.0	342	9.7	6	50.0	163	6.3	14	50.0	505	8.2
	Health	3	18.8	100	2.8	1	8.3	26	1.0	4	14.3	126	2.1

300 *Note.* *n* – number of products where the category emerged; % - proportion in which the category is
 301 presented in the quadrant; *f* – number of associations related with that category mentioned in the
 302 quadrant; %*f* - proportion in which the associations related with that category were mentioned in the
 303 quadrant.
 304

305 **2.2.2 Familiarity and animal resemblance as predictors of appetite**

306 *Rating dimensions of the four clusters.* Table 2 presents the mean ratings of

307 familiarity, animal resemblance, and appetite for the four clusters. Ratings for each meat

308 product are available as Supplementary Material (see Table S3). Repeated-measures

309 comparisons of the mean appetite scores showed that clusters 2 and 4, defined by high

310 familiarity, did not differ in their level of appeal, $MD = -.07$, $SE = .06$, $p = 1.000$, 95%

311 CI [-.24, -.10]. Both clusters revealed higher appetite ratings in comparison with

312 clusters 1 and 3, defined by low familiarity (all comparisons, $ps < .001$). Cluster 1,

313 defined by high resemblance and low familiarity, as expected, had the lowest appetite

314 score (see Table 2; all comparisons, $ps < .001$). This is consistent with the conditional
 315 hypothesis that we test further in Studies 2a-2b: variation in animal resemblance did not
 316 significantly impact on appetite within clusters where familiarity was high. However,
 317 when familiarity was low (clusters 1 and 3), high animal resemblance was associated
 318 with lower appetites than when animal resemblance was low, $MD = -.29$, $SE = .06$, $p =$
 319 $<.001$, 95% CI [-.46, -.13] (see Table 2).

320 **Table 2**

321 *Mean Familiarity, Animal Resemblance, and Appetite Scores by Cluster*

	Familiarity				Animal resemblance				Appetite			
	<i>M</i>	<i>SD</i>	95% IC for Mean		<i>M</i>	<i>SD</i>	95% IC for Mean		<i>M</i>	<i>SD</i>	95% IC for Mean	
			<i>LB</i>	<i>UP</i>			<i>LB</i>	<i>UP</i>			<i>LB</i>	<i>UP</i>
Cluster 1	1.80	0.60	1.72	1.88	6.26	0.80	6.15	6.36	2.54 ^a	1.08	2.40	2.68
Cluster 2	5.01	1.06	4.87	5.15	6.15	0.74	6.05	6.25	5.15 ^b	1.27	4.98	5.31
Cluster 3	1.16	0.34	1.11	1.20	1.42	0.56	1.35	1.49	2.83 ^c	1.24	2.67	2.99
Cluster 4	5.04	1.06	4.90	5.18	1.67	0.86	1.56	1.78	5.22 ^b	1.08	5.08	5.36

322 *Note.* Different superscripts (^{a,b}) indicate mean differences between clusters on appetite ratings.

323

324 ***Product-level analysis.*** Correlations at the level of the 28 meat products

325 revealed that familiarity and appetite ratings were highly positively correlated, $r(27) =$

326 $.95$, $p < .001$, such that the more familiar the meat product, the greater its appeal.¹

327 Although marginal, animal resemblance and appetite revealed a weak to moderate,

328 negative relationship, $r(27) = -.30$, $p = .062$.

329 When familiarity and animal resemblance were entered together into a

330 regression model predicting appetite ratings across the 28 meat products, this analysis

331 revealed familiarity to be a strong independent predictor of appetite, $\beta = .93$, $t(25) =$

332 16.48 , $p < .001$. Animal resemblance was also a significant independent predictor in this


333 analysis, with greater animal resemblance associated with lower appetite ratings, $\beta = -$

¹ The strong correlation between familiarity and appetite holds when omitting dishes from Clusters 1 and 3 that scored very low on familiarity, $r(14) = .94$, $p < .001$.

334 .15, $t(25) = -2.69$, $p = .013$. The overall model was significant, $F(2, 25) = 150.19$, $p <$
 335 .001, and explained 92.3% of the variation in appetite.² A Fisher's Z test revealed that
 336 the relative size of the relationships with appetite differed significantly, $Z = 7.52$, $p <$
 337 .001. The tighter fit between familiarity and appetite, than between animal resemblance
 338 and appetite, can be visually observed through the pattern of means displayed in Figure
 339 2.

340 **Figure 2**

341 *Mean Familiarity, Animal Resemblance, and Appetite Scores by Cluster (N = 28 meat*
 342 *products)*



343

344 *Note.* Error-bars represent ± 1 standard error from the mean.

345

346

347

Participant-level analysis. We conducted a secondary analysis, using the

348

participant-level ratings to examine the contribution of each dimension at the level of

² In a mixed-effect linear model that included cluster alongside animal resemblance and familiarity as independent fixed effects, only familiarity emerged as a significant predictor of appetite, $F(1, 24) = 69.31$, $p < .001$ (resemblance: $F[1,24] = 0.95$, $p = .34$; cluster: $F[1,24] = 0.10$, $p = .75$).

349 *individual tendencies*. The results were quite consistent with the product-level analysis
350 and can be found in Supplementary Materials (S4).

351 **2.3. Discussion**

352 Study 1 revealed that familiar meat products tended to elicit more positive
353 associations than less familiar meat products. By contrast, the relationship between
354 animal resemblance and appetite for meat was weak. Nonetheless, animal resemblance
355 did significantly reduce appetite ratings, when focused on unfamiliar meat products, and
356 high-resemblance meat products elicited more animal associations than low-
357 resemblance products. These initial findings suggest that animal resemblance does
358 generate animal associations, but its impact on appetite may be more noticeable when
359 the meat is unfamiliar.

360 Study 1 generated a set of meat products normed on the two dimensions, which
361 allowed us to subsequently test the conditional hypothesis more directly in Studies 2a-
362 2b by testing for interaction effects between the familiarity and animal resemblance
363 within a targeted 2x2 design. In these studies, we switched to a between-subjects
364 design, to help reduce the possibility that participants might infer the aims of the study
365 and modify their ratings accordingly. Finally, we included a direct measure of meat-
366 animal association alongside our measure of animal resemblance from Study 1 to
367 further confirm that the perception of animal resemblance and meat-animal association
368 co-occur.

369 For Studies 2a and 2b, we preregistered the conditional hypothesis that animal
370 resemblance would have a stronger impact on appetite for unfamiliar meat products than
371 for products that are familiar. Specifically, we expected to observe a significant
372 interaction of Familiarity x Animal Resemblance, with animal resemblance consistently
373 reducing appetite ratings for unfamiliar meat products. However, when meat products

374 were familiar, we expected appetite ratings to be less swayed by the level of animal
375 resemblance and dominated by their appraised familiarity. By contrast, we predicted
376 that familiarity would enhance appetite ratings, independent of animal resemblance.

377 **3. Study 2a**

378 **3.1 Method**

379 **3.1.1 Participants**

380 Recruitment occurred again on Prolific so that we could target a similar
381 population as in Study 1. Again, participation was restricted to individuals living in the
382 UK. However, this time we used Prolific's prescreening questions to recruit only those
383 who followed "no specific diet" (omnivores) or a "pescatarian diet", to avoid recruiting
384 vegetarian and vegan participants who did not eat meat and/or fish. Pescatarians were
385 eligible since at least one of the meat products involved fish (whole fish). Individuals
386 who had participated in Study 1 were not eligible. Most participants self-identified as
387 meat-lover or omnivore (89.5%), 8.2% semi-vegetarian and 2.3% pescatarian. Two
388 vegetarian participants who slipped through the prescreening were removed from the
389 analysis. The final sample included 257 UK-based participants (61.9% female) aged
390 between 18 and 70 years old ($M_{\text{age}} = 36.03$, $SD = 13.50$).

391 **3.1.2 Procedures, measures, and materials**

392 Data collection took place on 29th March 2021. Participants took part in a study
393 on "perceptions of meat products" with similar procedures as Study 1. A 2x2 between-
394 subjects design was used, such that participants were randomly assigned to one of four
395 conditions: familiarity (low; high) x animal resemblance (low; high). Participants were
396 equally distributed across conditions (samples varying between 63 and 65 participants
397 per condition).

398 **Table 3**

399 *Multiple Comparisons Between the Images Used to Represent the Conditions Defined*
 400 *by Familiarity and Animal Resemblance for Study 2a.*

Familiarity		Low	High
		Whole crocodile $M = 1.10; SD = 0.43$	Whole fish $M = 4.89; SD = 1.69$
Low	Alligator bites $M = 1.13; SD = 0.53$	$p = 1.00$	$p < .001$
High	Chicken nuggets $M = 5.13; SD = 1.60$	$p < .001$	$p = .524$

Animal resemblance		Low	High
		Alligator bites $M = 1.34; SD = 0.86$	Whole crocodile $M = 6.69; SD = 1.07$
Low	Chicken nuggets $M = 1.38; SD = 1.02$	$p = 1.00$	$p < .001$
High	Whole fish $M = 6.82; SD = 0.50$	$p < .001$	$p = .376$

401
 402 *Note.* Grey cells are meant to differ significantly. Comparisons based on means derived from Study 1.

403 Participants were asked to evaluate one of four meat images from Study 1. The
 404 images were selected based on the ratings derived from Study 1, normed on the two
 405 dimensions of interest. For example, high familiarity image ratings did not differ from
 406 each other but were significantly higher than the low familiarity images (see Table 3 for
 407 the relevant comparisons). This led to the selection of the following images: (1) whole
 408 crocodile (high resemblance; low familiarity), (2) whole fish (high resemblance; high
 409 familiarity), (3) alligator bites (low resemblance; low familiarity), and (4) chicken
 410 nuggets (low resemblance; high familiarity).

411 The images were presented with the same descriptive caption from Study 1 (i.e.,
 412 product label, its origin, and preparation/cooking information). Participants evaluated
 413 each product on three measures: the familiarity and animal resemblance items from
 414 Study 1, plus one additional measure of animal resemblance, derived from Kunst and
 415 Hohle (2016). This measure relates more directly to the *psychological state* of meat-
 416 animal association that animal resemblance has been empirically linked to: “How much
 417 does the picture above remind you of a living being?” (1 = *not at all* to 7 = *very much*).
 418 On a separate page, participants rated their appetite for the product, as in Study 1.
 419 Participants provided demographic information, were debriefed, thanked, and paid.

420 3.1.3 Preregistered Analysis Plan

421 The analysis plan for Study 2a can be viewed here:

422 <https://aspredicted.org/blind.php?x=4hr2bf>. The animal resemblance and meat-animal
 423 association items were highly correlated, $r(255) = .783, p < .001$. Thus, as preregistered,
 424 we aggregated the items to form an index of animal resemblance and conducted a 2x2
 425 ANOVA on appetite scores, with follow-up contrasts (Tukey's HSD tests).

426 3.2. Results

427 Examining the familiarity and animal resemblance means for each condition
 428 (Table 4) revealed that our manipulation of animal resemblance was successful, though
 429 the whole crocodile was rated as resembling the animal at significantly higher levels
 430 than the whole fish. By contrast, the manipulation of familiarity was not as successful as
 431 we expected, based on the prior ratings observed in Study 1. Specifically, the whole fish
 432 was not perceived as familiar as the chicken nuggets, and its rated familiarity was quite
 433 low ($M = 2.84$). This somewhat limits the conclusions we might infer from the
 434 manipulation. Thus, in our analysis, we also sought to compare the *degree* of familiarity
 435 and animal resemblance perceived within this (intended) "High x High" condition in
 436 predicting appetite ratings.

437 Table 4

438 *Mean Scores for Familiarity, Animal Resemblance, and Appetite by Condition (Study*
 439 *2a).*

Familiarity	Animal resemblance	Familiarity		Animal resemblance		Appetite	
		<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>
Low	Low (Alligator bites)	1.22 ^a	0.78	2.22 ^a	1.17	3.91 ^b	1.71
	High (Whole crocodile)	1.10 ^a	0.43	6.44 ^d	0.95	2.67 ^a	1.46
High	Low (Chicken nuggets)	4.08 ^c	1.54	1.70 ^b	0.74	4.95 ^c	1.39
	High (Whole fish)	2.84 ^b	1.66	5.88 ^c	1.11	4.19 ^b	1.77


440 *Note.* $N = 257$; Different superscripts (^{a,b,c,d}) within a given column indicate mean differences on ratings
 441 between products.

442

443 A two-way ANOVA 2 (familiarity: low; high) x 2 (animal resemblance: low;
 444 high) was conducted. As expected, it revealed a main effect of familiarity on appetite,
 445 $F(1,253) = 41.83, p < .001, \eta_p^2 = .14$, with participants in high familiar conditions
 446 reporting higher appetite means in comparison with low familiar conditions, and a main
 447 effect of animal resemblance on appetite, $F(1,253) = 25.58, p = .001, \eta_p^2 = .09$, with
 448 participants in low resemblance conditions reporting higher appetite means in
 449 comparison with **high** resemblance conditions. Against predictions, the interaction of
 450 familiarity and animal resemblance was not significant, $F(1,253) = 1.43, p = .233, \eta_p^2 =$
 451 $.006$ (Figure 3).

452 **Figure 3**

453 *Effects of Familiarity and Animal Resemblance on Appetite (Study 2a).*



454

455 *Note.* Different superscripts (^{a,b,c}) indicate mean differences on appetite between conditions defined by
 456 animal resemblance and familiarity (interaction effect). Error-bars represent ± 1 standard error from the
 457 mean.

458

459 Despite the non-significant interaction, we continued with our preregistered plan

460

to analyze the simple effects for appetite scores (Tukey's HSD comparisons). As

461

expected, familiarity increased appetite for meat products both when animal

462 resemblance was high (whole meat), $t(125) = -5.28$, $p < .001$, $MD = -1.52$, $SE = 0.28$,
463 95% CI [-2.09, -.95], $d = -0.936$, and when resemblance was low (bites/nuggets), $t(128)$
464 $= -3.83$, $p < .001$, $MD = -1.05$, $SE = 0.28$, 95% CI [-1.59, -.51], $d = -0.672$ (see Table 4).
465 Also as expected, when familiarity was low, animal resemblance had a significant effect
466 on meat appetite, $t(126) = -4.41$, $p < .001$, $MD = -1.24$, $SE = 0.28$, 95% CI [-1.80, -.68],
467 $d = -0.779$, with animal resemblance reducing appetite for unfamiliar meat (see Table
468 4). Unexpectedly, animal resemblance also significantly reduced appetite for familiar
469 meat (whole fish), $t(127) = -2.74$, $MD = -0.77$, $SE = 0.28$, $p = .007$, 95% CI [-1.32, -
470 .21], $d = -0.482$. However, as noted earlier, our high familiar / high resemblance
471 condition (whole fish) was somewhat problematic, due to its quite low familiarity
472 ratings. Because of this issue, we also ran a focused regression for this condition,
473 contrasting ratings of familiarity and animal resemblance as predictors of appetite.³
474 Results revealed a significant model, $F(2,61) = 10.00$, $p < .001$, with the predictors
475 explaining 24.7% of the variation in appetite. Both familiarity, $B = .395$, $t = 3.51$, $p =$
476 $.001$, and animal resemblance, $B = -.243$, $t = -2.16$, $p = .035$, were significant
477 predictors.

478 3.3. Discussion

479 Study 2a provided partial, initial support for the conditional hypothesis regarding
480 animal resemblance. Though the predicted interaction effect of familiarity and animal
481 resemblance was not significant, animal resemblance had a relatively larger effect on
482 appetite for unfamiliar products than familiar products. Scrutiny of the familiarity
483 ratings for the whole fish revealed that it was not rated as familiar as in our previous
484 study ($M = 2.84$ vs. 4.89), despite sampling from a population quite similar to that we
485 based our selection criteria upon. In Study 2a, we incidentally sampled relatively fewer

³ We did not run comparable regression analyses in the other conditions since at least one of the dimensions has ratings at floor, making comparative analysis unfeasible.

486 semi-vegetarians and pescatarians than in Study 1, which could have contributed to this
487 difference. As a result, the whole fish was not rated as familiar as the chicken nuggets,
488 which complicated their comparison. The whole fish was also, overall, rated as
489 resembling an animal less than the whole crocodile (see Table 4), though the
490 resemblance mean rating for whole fish was quite high and not as problematic as its
491 familiarity rating.

492 As a first step towards correcting this limitation, we explored the ratings of
493 familiarity and animal resemblance as predictors of appetite for the whole fish
494 condition. Both familiarity and resemblance ratings independently predicted appetite
495 ratings in this condition. To more fully address this limitation, in Study 2b we replaced
496 the whole fish image with a different stimulus from Study 1 (whole roasted chicken)
497 that might better typify the high resemblance x high familiarity condition. This selection
498 had the added advantage of standardizing the type of animal along the familiarity
499 dimension (i.e., high familiarity = chicken vs. low familiarity = alligator), whereas
500 Study 2a held constant animal type only within the low familiarity condition (alligator).

501 **4. Study 2b**

502 **4.1 Method**

503 **4.1.1 Participants**

504 The sample included 257 UK participants (58.4% female) aged between 18 and
505 88 years old ($M_{\text{age}} = 36.12$, $SD = 14.97$). Participation was restricted to individuals
506 living in the UK who followed “no specific diet”. Vegetarians and vegans were not
507 eligible to participate. Pescatarians were also not eligible, as there were no seafood
508 products in Study 2b. The invitation for this study was not shown to participants who
509 had taken part in Studies 1 and 2a. Most participants self-identified as meat-lover or

510 omnivore (89.5%) and 10.5% followed a semi-vegetarian diet. Two participants
 511 identified as pescatarian or vegetarian, and thus were removed from the analysis.

512 **4.1.2 Procedures, measures, and materials**

513 Data collection took place on 1st April 2021. Procedures were the same as in
 514 Study 2a. As before, participants were randomly assigned to one of four conditions,
 515 with participants equally distributed across conditions (samples varying between 63 and
 516 65 participants per condition). The main difference was the replacement of the high
 517 familiar x high resemblance meat product (i.e., whole fish in Study 2a vs. whole
 518 chicken selected from Study 1). The rationale for this replacement was two-fold: (a) to
 519 select a product that would have suitably high familiarity and animal resemblance
 520 ratings and (b) control for the type of animal within each level of familiarity (i.e., high
 521 familiarity = chicken; low familiarity = alligator). All other materials were identical to
 522 those used in Study 2a.

523 **4.1.3 Preregistered Analysis Plan**

524 The analysis plan was identical to Study 2a and can be viewed here:
 525 <https://aspredicted.org/blind.php?x=xj4yj8>. As before, the two animal resemblance/
 526 meat-animal association items correlated highly, $r(255) = .885, p < .001$, and therefore
 527 were aggregated.

528 **4.2. Results**

529 **Table 5**

530 *Mean Scores for Familiarity, Animal Resemblance, and Appetite by Condition (Study*
 531 *2b).*

Familiarity	Animal resemblance	Familiarity		Animal resemblance		Appetite	
		<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>
Low	Low (Alligator bites)	1.08 ^a	0.32	2.04 ^a	1.18	3.58 ^a	1.79
	High (Whole crocodile)	1.14 ^a	0.56	6.04 ^c	1.34	3.03 ^a	1.70
	Low (Chicken nuggets)	4.19 ^b	1.78	1.53 ^a	0.69	4.90 ^c	1.69


High	High (Whole chicken)	6.00 ^c	1.10	4.48 ^b	1.40	5.69 ^b	1.31
------	----------------------	-------------------	------	-------------------	------	-------------------	------

532 *Note.* $N = 257$. Different superscripts (^{a,b,c}) within a given column indicate significant mean differences on
 533 ratings between products.

534 The manipulation of high familiarity/ high resemblance (whole chicken) was
 535 more successful in producing high familiarity ratings, compared to Study 2a (see Table
 536 5), with ratings even higher than in the other High Familiarity condition (chicken
 537 nuggets). The animal resemblance ratings for the whole chicken condition were not as
 538 high as in Study 1 ($M = 4.48$ vs. 5.71) and were significantly lower than when compared
 539 with the other high resemblance condition (whole crocodile; see Table 5). As in Study
 540 2a, we conducted a regression analysis, focused on the High/High condition, to contrast
 541 the contribution of familiarity and resemblance ratings on appetite in this condition.

542 The two-way ANOVA revealed, as expected, a main effect of familiarity on
 543 appetite, with participants in the high familiar conditions reporting higher appetite
 544 means in comparison with low familiar conditions, $F(1,253) = 96.05$, $p < .001$, $\eta_p^2 = .28$.
 545 Different from Study 2a, there was no main effect of animal resemblance on appetite,
 546 $F(1,253) = 0.35$, $p = .556$, $\eta_p^2 = .001$. However, this time the predicted interaction effect
 547 was significant, $F(1,253) = 10.76$, $p = .001$, $\eta_p^2 = .04$ (see Figure 4).

548

549 **Figure 4**550 *Interaction Effect between Familiarity and Animal Resemblance on Appetite (Study 2b)*

551

552 *Note.* Different superscripts (^{a,b,c}) indicate mean differences on appetite between conditions defined by
 553 animal resemblance and familiarity (interaction effect). Error-bars represent ± 1 standard error from the
 554 mean.

555

556

Simple-effects tests were carried out in accordance with the analysis plan.

557 Animal resemblance significantly increased appetite when meat was familiar (meat

558 from chicken, $t(126) = 2.95$, $p = .004$, $MD = .79$, $SE = 0.29$, 95% CI [.30, 1.32], $d =$

559 0.522. This effect is opposite than what would be expected if animal resemblance

560 exerted an effect on appetite independent of familiarity. Also different from Study 2a,

561 when meat was unfamiliar (i.e., meat from alligator), animal resemblance did not

562 significantly impact on appetite, $t(127) = -1.78$, $p = .077$, $MD = 0.55$, $SE = 0.31$, 95%563 CI [-1.15, .06], $d = -0.314$, though the pattern of means was in a similar direction as in

564 Study 2a. As in Study 2a, familiarity reliably increased appetite for meat at both levels

565 of animal resemblance – high (whole meat): $t(128) = -10.02$, $p < .001$, $MD = -2.66$, SE

566 = .27, 95% CI [-3.19, -2.14], $d = -1.753$; low (bites/nuggets): $t(125) = -4.29$, $p < .001$,
567 $MD = -1.33$, $SE = 0.31$, 95% CI [-1.94, -.71], $d = -0.758$ (see Table 5).

568 A regression analysis was used to further explore the High/High (i.e., whole
569 chicken) condition. Results revealed a significant model, $F(2,62) = 6.84$, $p = .001$, with
570 the predictors explaining 18.1% of the variation in appetite. Familiarity ratings
571 independently predicted appetite ratings, $B = .409$, $t = 3.56$, $p = .001$, whereas animal
572 resemblance did not, $B = -.11$, $t = -0.96$, $p = .340$.

573 **5. Mini meta-analysis**

574 Studies 2a and 2b presented slightly different results for the effect of animal
575 resemblance on appetite within the low familiarity (alligator bites vs. whole crocodile)
576 and High Familiarity (chicken nuggets vs. whole fish/chicken) conditions. Hence, we
577 ran a mini meta-analysis, to obtain weighted mean scores across the studies, and get a
578 better sense of the estimated size of the effect of resemblance for these two
579 comparisons, using procedures suggested by Goh et al. (2016). Consistent with the
580 conditional hypothesis, animal resemblance had a moderate size, negative impact on
581 meat appetite when familiarity was low, $r = -.264$, $p < .001$, and a non-significant effect
582 when familiarity was high, $r = .006$, $p = .891$ (see Table 6). Additionally, the effect of
583 animal resemblance on appetite was highly heterogenous when the meat products were
584 familiar, but less heterogenous for low familiar products.

585

586 **Table 6**587 *Meta-Analysis: Effects of Animal Resemblance on Meat Appetite at Low and High*588 *Levels of Familiarity*

		<i>t</i>	<i>df</i>	<i>p</i>	<i>Cohen's d</i>	<i>r</i>
Low familiarity						
Study 2a (<i>N</i> = 257)	Whole crocodile -alligator bites	-4.41	126	< .001	-0.779	-.366
Study 2b (<i>N</i> = 257)	Whole crocodile -alligator bites	-1.78	127	.077	-0.314	-.156
<i>M r_z</i>						-.270
<i>M r</i>						-.264
Combined <i>Z</i>						-4.181***
<i>I²</i>						98.03
High familiarity						
Study 2a (<i>N</i> = 257)	Whole fish - chicken nuggets	-2.74	127	.007	-0.482	-.236
Study 2b (<i>N</i> = 257)	Whole chicken - chicken nuggets	2.95	126	.004	0.522	.254
<i>M r_z</i>						.009
<i>M r</i>						.006
Combined <i>Z</i>						0.891
<i>I²</i>						144.1

589 *Note.* *M r_z* = weighted mean correlation (Fisher's *z* transformed). *M r* = weighted mean correlation
590 (converted from *r_z* to *r*). Positive Cohen's *d* and positive correlation coefficients indicate that high animal
591 resemblance meat products have higher appetite ratings than low animal resemblance meat products. *I²*
592 index was generated using a spreadsheet by Neyeloff, Fuchs and Moreira, (2012) and should be
593 interpreted with caution when based on few studies.
594 ****p* < .001, two-tailed.

595

6. General Discussion

596

The present studies sought to disentangle familiarity and animal resemblance as

597

naturally co-occurring inputs into meat appetite. Our findings showed that animal

598

resemblance had a limited role in appetite for meat once familiarity was accounted for.

599

This suggests that product familiarity can attenuate the psychological impact that animal

600

reminders have on appetite, and possibly account for some of the effects ostensibly

601

attributed to animal resemblance in the psychological literature.

602

Study 1 had participants evaluate meat products. It was found that meat products

603

that highly resemble the animal source tended to elicit more animal-identification

604

associations than meat products with a low animal resemblance. This is consistent with

605

the idea that animal resemblance is indeed a source of animal association. Though it is

606

worth noting that the rate of animal associations, even within the high-resemblance

607 products, was below 50%. On the one hand, this may suggest that animal associations
608 are not very common even for high-resemblance products. On the other hand, it might
609 also have been the case that participants were aware of the animal association but did
610 not report it in the free association task because other associations (e.g., hedonic sensory
611 experiences) were more prominent.

612 Efforts to inductively separate the two dimensions of interest in Study 1 were
613 largely successful. The image ratings returned a two-dimensional circumplex with
614 images falling into one of four clusters, representing products appraised as high or low
615 in familiarity and high or low in animal resemblance. Exploration of the features of the
616 four clusters produced initial evidence for the conditional hypothesis: animal
617 resemblance reduced appetite for meat products, but only when familiarity with the
618 product was low. Appetite ratings were thus highly influenced by product familiarity,
619 but the influence of animal resemblance was more conditional. Animal resemblance
620 affected appetite mainly when the meat product was unfamiliar.

621 Studies 2a-2b drew upon the normed familiarity and animal resemblance ratings
622 gathered in Study 1, to identify products suitably separated on the dimensions of interest
623 and applied a 2x2 experimental design. In Study 2a, animal resemblance *reduced*
624 appetite for familiar meat, whereas in Study 2b it *enhanced* appetite for familiar meat.
625 Notably, these differences coincided with the degree of familiarity attributed to the
626 “familiar” meat used in each study (i.e., higher levels of familiarity in 2b than in 2a). A
627 mini meta-analysis of the two studies suggested that the effect of animal resemblance on
628 appetite was moderate and significant for unfamiliar meat (i.e., *reducing* the appeal of
629 unfamiliar meat), but nonsignificant for familiar meat (the weighted mean *r* was close to
630 zero). By contrast, product familiarity consistently and robustly increased appetite for
631 meat.

632

633 Implications for Theory and Practice

634 Our findings help unite and clarify two lines of research on meat appeal. The
635 first line of research has shown that when people psychologically associate meat with its
636 animal origins, their appetite wanes (Benningstad & Kunst, 2020; Earle et al., 2019;
637 Kunst & Hohle, 2016; Tian et al., 2016). Yet another line of research has found that
638 individuals can become desensitized to animal reminders with repeated exposure to
639 them, such that when exposed to high-resembling meat products, consumers show
640 diminished appetite disruption than consumers with less exposure to such products
641 (Kunst & Haugstad, 2018; Piazza et al., 2021). The present findings help reconcile
642 these two lines of research by illuminating how familiarity and animal resemblance
643 interact to impact on appetite. Our findings suggest two novel conclusions: (1) animal
644 resemblance has its greatest impact on appetite when familiarity with meat products is
645 low; and (2) animal resemblance loses its influence on appetite when familiarity is high
646 not because animal associations are suppressed, but because they seem to be
647 unproblematic for appetite.

648 That animal resemblance had its strongest influence on appetite when meat
649 products were unfamiliar can be understood in terms of the uncertainty surrounding
650 unfamiliar products. When a food product is familiar, consumers can trust it will meet
651 their expectations (Borgogno et al., 2015; Tuorila et al., 1994), which are anchored on
652 past sensory experiences. By contrast, the uncertainty caused by unfamiliar products
653 requires consumers to use other aspects, for example, related to a product's appearance
654 or description, to inform taste expectations. In the domain of meat, animal resemblance
655 is one such aspect that can impact on consumer enjoyment. Indeed, as shown in our

656 mini meta-analysis, it is when meat products were unfamiliar that animal resemblance
657 most consistently exerted an impact on appetite.

658 The present findings also give insight into the mechanism by which animal
659 resemblance loses its impact on meat appeal. We observed that high animal-resembling
660 meat products can retain their appeal to consumers even though they remain as
661 reminders of the animal. That is, familiarity did not dispel the meat-animal
662 association—at least, not fully—as observed in the free associations and meat-animal
663 association ratings of the high-resembling products. Participants in our studies appeared
664 to be aware of which products resembled animals and which did not. Despite the animal
665 association being active, it often failed to disrupt participants' appetite for familiar
666 products. This finding is interesting because it suggests that familiarity softens or
667 neutralizes the psychological power of meat-animal associations rather than preventing
668 them from emerging.

669 If this view is correct, it has important implications for how researchers and
670 advocates might approach meat-reduction interventions, particularly interventions
671 aimed at inducing meat-animal associations (e.g., Kwasny, Dobernig & Riefler, 2021;
672 Mathur et al., 2021). The current findings suggest that it is not enough to evoke a meat-
673 animal association because not all meat-animal associations are problematic for meat
674 consumers. We have seen here that, for familiar meat products, meat-animal
675 associations are not uncommon, yet they have lost their potency to disrupt appetites.
676 Thus, interventions aimed at inducing meat-animal associations should consider the
677 existing relationship consumers have with the meat product. The fact that familiarity
678 had its strongest effects when animal resemblance was high highlights the need to
679 consider familiarity when examining the impact of animal resemblance on appetite.

680 What, on the surface, may look like an effect of animal resemblance may often be at
681 least partly attributed to the degree of familiarity of the animal reminder.

682 We would recommend that interventions utilizing animal reminders consider
683 ways of making either the animal reminder or the meat seem less familiar or more
684 unusual. Some animal reminders themselves are unusual (e.g., presenting a roasted ham
685 or chicken with the head attached; Kunst & Hohle, 2016), and so their application to a
686 product would likely reduce its appeal by making it less familiar. But such interventions
687 may be of limited practical value since most consumers will likely avoid products that
688 include such unfamiliar alterations. Other animal reminders are orthogonal to the meat
689 itself (e.g., presenting a photo of a cow at the deli counter or alongside a recipe; Tian et
690 al., 2016). The efficacy of such interventions will likely hinge on the nature of the meat
691 product—how familiar it is to the consumer—but also the familiarity of the animal
692 reminder in relation to the product. If the animal reminder is commonly paired with the
693 product (e.g., commonly seeing an image of a cow at the deli counter), the inclusion of
694 the reminder within an intervention is likely to be ineffective at lowering appetites
695 because the consumer will be habituated to such an association. Thus, effective meat-
696 animal association interventions will consider not only the experience the consumer has
697 with the product but also the animal reminder in relation to the product.

698 **Limitations and Future Directions**

699 There were several limitations with the current methods. We struggled to find
700 products that reliably represented the high resemblance x high familiarity quadrant. This
701 quadrant may be empirically limited because familiarity with high-resemblance meat,
702 such as whole fish or pig roast, may be highly variable across cultures and within.
703 Future studies should continue to explore this dimensional space for suitable stimuli.

704 Another limitation is that we could not standardize the animal across all four
705 quadrants, and, in our experimental studies, animal type covaried with familiarity (i.e.,
706 familiar meat was from a different animal than unfamiliar meat). In Study 2a, animal
707 type was not held constant within the high-familiar condition, because the products used
708 were based on the normative ratings from Study 1. Our approach was to select four
709 products that had suitable distance within the “resemblance x familiarity” circumplex.
710 This empirically-driven selection for Study 2a incidentally led to animal type being
711 standardized for low-familiar meat, but not high-familiar meat. We did not see this as a
712 substantive problem. Nevertheless, we recognized that it was a potential limitation
713 which needed to be addressed in Study 2b. More generally, the coincidence of
714 familiarity and animal type is a genuine empirical constraint that should be recognized
715 when studying meat appetite. We did manage to observe some exceptions to this rule in
716 Study 1 (e.g., butelo and hog roast were unfamiliar meat from pigs, whereas pork steak
717 and pork sausage were familiar). The broad coverage of naturalistic meat products in
718 Study 1 provides us with some assurance that differences in animal type cannot fully
719 account for the influence familiarity has on meat appetite. Nonetheless, continued effort
720 is needed to identify materials that can suitably manage this issue.

721 Our findings are also limited to the animals that we were able to include in our
722 methods. Many of the animals we used as unfamiliar meat (e.g., alligator, octopus,
723 insects) are animals that individuals have little to moderate moral concern for (see
724 Possidónio et al., 2019). It would be beneficial to extend the current findings with more
725 dishes from mammals as they are animals individuals tend to care a lot about. We
726 avoided using meat from unfamiliar sources that people have high concern for (e.g.,
727 dogs, chimpanzees, whales, elephants) because the meat from these animals would be
728 likely rated at floor levels among our UK-based participants, yielding limited variability

729 in the appetite ratings to use in the analyses. Importantly, there could also be practical
730 barriers in finding real images of such meat that are openly available and can be used in
731 research. We chose to use real stimuli to strengthen the ecological validity of our
732 methods, instead of trying to convince participants they were viewing meat from legally
733 protected animals. Given the great variability in cuisine in different cultures, care will
734 be required to develop stimuli that are suitably anchored to the culture of interest, when
735 determining whether our findings might generalize to populations beyond the UK-based
736 samples we investigated.

737 Our conclusions are also limited to the variables we focused on. One extraneous
738 variable that we did not consider that might impact on meat appetite is the perceived
739 nutritional value of the product. For example, chicken nuggets would likely have been
740 rated lower in nutritional value than the whole chicken, which might partly explain their
741 discrepant appetite ratings. Nonetheless, there are many instances where the less healthy
742 product (e.g., high-caloric ‘junk food’) is rated more desirable than the perceived
743 healthier product (e.g., Pursey et al., 2017). Thus, future research should examine such
744 third variables as their impact on meat appetite is far from clear.

745 Finally, as highlighted by Benningstad and Kunst (2020), more research is
746 needed to better understand which aspects of meat-animal associations are problematic
747 for consumers. Research by Kunst and Hohle (2016) suggests that meat-animal
748 associations often elicit empathy for the slaughtered animal, and Hamilton (2006)
749 observed that vegetarians and vegans often associate meat with violence and death.
750 Thus, it may be that representations of slaughter and violence done to animals are
751 particularly off-putting for consumers, as opposed to representations of the living
752 animal. Working out which aspect of the association is particularly problematic is an

753 important direction for better understanding how to construct the most effective
754 interventions.

755 **Conclusion**

756 Connecting meat to animals can be psychologically problematic for some
757 consumers. We have observed that this is most likely to be true when a meat dish is
758 novel and unfamiliar. Meat products that are familiar, that consumers have habituated
759 to, and, thus, have clear expectations about, are less likely to be disrupted by meat-
760 animal associations. For such products, the sensory experience of the dish and its animal
761 resemblance is psychologically integrated in a manner that the product retains its appeal
762 despite its animal connection. This happens not because the animal origins fade from
763 view but because, when it comes to food, “familiarity breeds contentment”, and this is
764 true even for food with a face.

765

766 Author Contributions: Conceptualization, C.P., J.P., J.G. and M.P.; methodology, C.P.,
767 J.P., J.G. and M.P.; images search and edition, C.P. and J.P.; formal analysis, C.P. and
768 J.P.; writing—original draft preparation, C.P. and J.P.; writing—review and editing,
769 C.P., J.P., J.G. and M.P. All authors have approved the final version.

770

References

- 771 Aldridge, V., Dovey, T. M., & Halford, J. C. G. (2009). The role of familiarity in
772 dietary development. *Developmental Review*, 29(1), 32–44.
773 <https://doi.org/10.1016/j.dr.2008.11.001>
- 774 Bastian, B., & Loughnan, S. (2017). Resolving the meat-paradox: A motivational
775 account of morally troublesome behavior and its maintenance. *Personality and*
776 *Social Psychology Review: An Official Journal of the Society for Personality*
777 *and Social Psychology, Inc*, 21(3), 278–299.
778 <https://doi.org/10.1177/1088868316647562>
- 779 Bastian, B., Loughnan, S., Haslam, N., & Radke, H. (2012). Don't mind meat? The
780 denial of mind to animals used for human consumption. *Personality & Social*
781 *Psychology Bulletin*, 38, 247–256. <https://doi.org/10.1177/0146167211424291>
- 782 Benningstad, N. C. G., & Kunst, J. R. (2020). Dissociating meat from its animal origins:
783 A systematic literature review. *Appetite*, 147, 104554.
784 <https://doi.org/10.1016/j.appet.2019.104554>
- 785 Borgogno, M., Favotto, S., Corazzin, M., Cardello, A. V., & Piasentier, E. (2015). The
786 role of product familiarity and consumer involvement on liking and perceptions
787 of fresh meat. *Food Quality and Preference, Complete*(44), 139–147.
788 <https://doi.org/10.1016/j.foodqual.2015.04.010>
- 789 Bratanova, B., Loughnan, S., & Bastian, B. (2011). The effect of categorization as food
790 on the perceived moral standing of animals. *Appetite*, 57(1), 193–196.
791 <https://doi.org/10.1016/j.appet.2011.04.020>
- 792 Bryant, C., & Barnett, J. (2018). Consumer acceptance of cultured meat: A systematic
793 review. *Meat science*, 143, 8-17. [10.1016/j.meatsci.2018.04.008](https://doi.org/10.1016/j.meatsci.2018.04.008)

- 794 Cawthorn, D.-M., & Hoffman, L. C. (2016). Controversial cuisine: A global account of
795 the demand, supply and acceptance of “unconventional” and “exotic” meats.
796 *Meat Science*, *120*, 19–36. <https://doi.org/10.1016/j.meatsci.2016.04.017>
- 797 Cooke, L. J., & Wardle, J. (2005). Age and gender differences in children’s food
798 preferences. *The British Journal of Nutrition*, *93*(5), 741–746.
799 <https://doi.org/10.1079/bjn20051389>
- 800 De Backer, C., Erreygers, S., De Cort, C., Vandermoere, F., Dhoest, A., Vrinten, J., &
801 Van Bauwel, S. (2020). Meat and masculinities. Can differences in masculinity
802 predict meat consumption, intentions to reduce meat and attitudes towards
803 vegetarians? *Appetite*, *147*, 104559. <https://doi.org/10.1016/j.appet.2019.104559>
- 804 Díaz-Caro, C., García-Torres, S., Elghannam, A., Tejerina, D., Mesias, F. J., & Ortiz, A.
805 (2019). Is production system a relevant attribute in consumers’ food
806 preferences? The case of Iberian dry-cured ham in Spain. *Meat Science*, *158*,
807 107908. <https://doi.org/10.1016/j.meatsci.2019.107908>
- 808 Earle, M., Hodson, G., Dhont, K., & MacInnis, C. (2019). Eating with our eyes
809 (closed): Effects of visually associating animals with meat on
810 antivegan/vegetarian attitudes and meat consumption willingness. *Group*
811 *Processes & Intergroup Relations*, *22*(6), 818–835.
812 <https://doi.org/10.1177/1368430219861848>
- 813 Einstein, M. A., & Hornstein, I. (1970). Food preferences of college students and
814 nutritional implications. *Journal of Food Science*, *35*(4), 429–436.
815 <https://doi.org/10.1111/j.1365-2621.1970.tb00950.x>
- 816 Fessler, D. M. T., Arguello, A. P., Mekdara, J. M., & Macias, R. (2003). Disgust
817 sensitivity and meat consumption: A test of an emotivist account of moral

- 818 vegetarianism. *Appetite*, *41*(1), 31–41. <https://doi.org/10.1016/S0195->
819 [6663\(03\)00037-0](https://doi.org/10.1016/S0195-6663(03)00037-0)
- 820 Foroni, F., Pergola, G., Argiris, G., & Rumiati, R. I. (2013). The FoodCast research
821 image database (FRIDa). *Frontiers in Human Neuroscience*, *7*.
822 <https://doi.org/10.3389/fnhum.2013.00051>
- 823 Goh, J. X., Hall, J. A., & Rosenthal, R. (2016). Mini meta-analysis of your own studies:
824 Some arguments on why and a primer on how: Mini Meta-Analysis. *Social and*
825 *Personality Psychology Compass*, *10*(10), 535–549.
826 <https://doi.org/10.1111/spc3.12267>
- 827 Graça, J., Calheiros, M. M., & Oliveira, A. (2016). Situating moral disengagement:
828 Motivated reasoning in meat consumption and substitution. *Personality and*
829 *Individual Differences*, *90*, 353–364. <https://doi.org/10.1016/j.paid.2015.11.042>
- 830 Graça, J., Calheiros, M., & Oliveira, A. (2015). Attached to meat? (Un)Willingness and
831 intentions to adopt a more plant-based diet. *Appetite*, *95*, 113–125.
832 <https://doi.org/10.1016/j.appet.2015.06.024>
- 833 Graça, J., Oliveira, A., & Calheiros, M. M. (2015). Meat, beyond the plate. Data-driven
834 hypotheses for understanding consumer willingness to adopt a more plant-based
835 diet. *Appetite*, *90*, 80–90. <https://doi.org/10.1016/j.appet.2015.02.037>
- 836 Hamilton, M. (2006). Eating Death: Vegetarians, meat and violence. *Food, culture and*
837 *society: An International Journal of Multidisciplinary Research*, *9*, 155–177.
838 <https://doi.org/10.2752/155280106778606053>
- 839 Hoek, A. C., Luning, P. A., Weijzen, P., Engels, W., Kok, F. J., & de Graaf, C. (2011).
840 Replacement of meat by meat substitutes. A survey on person- and product-
841 related factors in consumer acceptance. *Appetite*, *56*(3), 662–673.
842 <https://doi.org/10.1016/j.appet.2011.02.001>

- 843 Hoogland, C., Boer, J., & Boersema, J. (2005). Transparency of the meat chain in the
844 light of food culture and history. *Appetite*, *45*, 15–23.
845 <https://doi.org/10.1016/j.appet.2005.01.010>
- 846 Kubberød, E., Ueland, Ø., Dingstad, G. I., Risvik, E., & Henjesand, I. J. (2008). The
847 effect of animality in the consumption experience—a Potential for disgust.
848 *Journal of Food Products Marketing*, *14*(3), 103–124.
849 <https://doi.org/10.1080/10454440801985985>
- 850 Kubberød, E., Ueland, Ø., Risvik, E., & Henjesand, I. (2006). A study on the mediating
851 role of disgust with meat in the prediction of red meat consumption among
852 young females. *Journal of Consumer Behaviour*, *5*, 281–291.
853 <https://doi.org/10.1002/cb.180>
- 854 Kunst, J., & Møyner Hohle, S. (2016). Meat eaters by dissociation: How we present,
855 prepare and talk about meat increases willingness to eat meat by reducing
856 empathy and disgust. *Appetite*, *105*. <https://doi.org/10.1016/j.appet.2016.07.009>
- 857 Kunst, J. R., & Palacios Haugestad, C. A. (2018). The effects of dissociation on
858 willingness to eat meat are moderated by exposure to unprocessed meat: A
859 cross-cultural demonstration. *Appetite*, *120*, 356–366.
860 <https://doi.org/10.1016/j.appet.2017.09.016>
- 861 Kwasny, T., Dobernig, K., & Riefler, P. (2021). Towards reduced meat consumption: A
862 systematic literature review of intervention effectiveness, 2001–2019. *Appetite*,
863 *105739*. <https://doi.org/10.1016/j.appet.2021.105739>
- 864 Leroy, F., & Praet, I. (2015). Meat traditions. The co-evolution of humans and meat.
865 *Appetite*, *90*, 200–211. <https://doi.org/10.1016/j.appet.2015.03.014>

- 866 Loughnan, S., Bastian, B., & Haslam, N. (2014). The psychology of eating animals.
867 *Current Directions in Psychological Science*, 23(2), 104–108.
868 <https://doi.org/10.1177/0963721414525781>
- 869 Loughnan, S., Haslam, N., & Bastian, B. (2010). The role of meat consumption in the
870 denial of moral status and mind to meat animals. *Appetite*, 55(1), 156–159.
871 <https://doi.org/10.1016/j.appet.2010.05.043>
- 872 Madsen, A. O., & Chkoniya, V. (2019). Fish consumption in the age of the information
873 society—The Evolution of the Fish Sector in Portugal. *European Journal of*
874 *Social Sciences*, 2(2), 36. <https://doi.org/10.26417/ejss-2019.v2i2-63>
- 875 Mathur, M. B., Peacock, J., Reichling, D. B., Nadler, J., Bain, P. A., Gardner, C. D., &
876 Robinson, T. N. (2021). Interventions to reduce meat consumption by appealing
877 to animal welfare: Meta-analysis and evidence-based recommendations.
878 *Appetite*, 164, 105277. <https://doi.org/10.1016/j.appet.2021.105277>
- 879 Navarrete, C. D., & Fessler, D. (2003). Meat is good to taboo: Dietary proscriptions as a
880 product of the interaction of psychological mechanisms and social processes.
881 *Journal of Cognition and Culture*, 3(1), 1–40.
882 <https://doi.org/10.1163/156853703321598563>
- 883 Neyeloff, J.L., Fuchs, S.C. & Moreira, L.B. Meta-analyses and forest plots using a
884 microsoft excel spreadsheet: Step-by-step guide focusing on descriptive data
885 analysis. *BMC Res Notes* 5, 52 (2012). <https://doi.org/10.1186/1756-0500-5-52>
- 886 Peer, E., Brandimarte, L., Samat, S., & Acquisti, A. (2017). Beyond the Turk:
887 Alternative platforms for crowdsourcing behavioral research. *Journal of*
888 *Experimental Social Psychology*, 70, 153–163.
889 <https://doi.org/10.1016/j.jesp.2017.01.006>

- 890 Piazza, J., Hodson, G., & Oakley, A. (2021). Butchers' and deli workers' psychological
891 adaptation to meat. *Emotion*, 21(4), 730-741.
892 <https://doi.org/10.1037/emo0000738>
- 893 Pliner, P., & Stallberg-White, C. (2000). "Pass the ketchup, please": Familiar flavors
894 increase children's willingness to taste novel foods. *Appetite*, 34(1), 95–103.
895 <https://doi.org/10.1006/appe.1999.0290>
- 896 Possidónio, C., Graça, J., Piazza, J., & Prada, M. (2019). Animal images database:
897 Validation of 120 images for human-animal studies. *Animals*, 9(8), 475.
898 <https://doi.org/10.3390/ani9080475>
- 899 Possidónio, C., Prada, M., Graça, J., & Piazza, J. (2021). Consumer perceptions of
900 conventional and alternative protein sources: A mixed-methods approach with
901 meal and product framing. *Appetite*, 156, 104860.
902 <https://doi.org/10.1016/j.appet.2020.104860>
- 903 Pursey, K. M., Davis, C., & Burrows, T. L. (2017). Nutritional aspects of food
904 addiction. *Current Addiction Reports*, 4, 142-150.
- 905 Prada, M., Rodrigues, D., Garrido, M. V., & Lopes, J. (2017). Food-pics-PT:
906 Portuguese validation of food images in 10 subjective evaluative dimensions.
907 *Food Quality and Preference*, 61, 15–25.
908 <https://doi.org/10.1016/j.foodqual.2017.04.015>
- 909 Rothgerber, H. (2013). Real men don't eat (vegetable) quiche: Masculinity and the
910 justification of meat consumption. *Psychology of Men & Masculinity*, 14(4),
911 363–375. <https://doi.org/10.1037/a0030379>
- 912 Rothgerber, H. (2014). Efforts to overcome vegetarian-induced dissonance among meat
913 eaters. *Appetite*, 79, 32–41. <https://doi.org/10.1016/j.appet.2014.04.003>

- 914 Rothgerber, H. (2020). Meat-related cognitive dissonance: A conceptual framework for
915 understanding how meat eaters reduce negative arousal from eating animals.
916 *Appetite*, 146, 104511. <https://doi.org/10.1016/j.appet.2019.104511>
- 917 Rozin, P., & Fallon, A. E. (1987). A perspective on disgust. *Psychological Review*,
918 94(1), 23–41. <https://doi.org/10.1037/0033-295X.94.1.23>
- 919 Rozin, P., Markwith, M., & Stoess, C. (1997). Moralization and becoming a vegetarian:
920 The transformation of preferences into values and the recruitment of disgust.
921 *Psychological Science*, 8(2), 67–73. [https://doi.org/10.1111/j.1467-](https://doi.org/10.1111/j.1467-9280.1997.tb00685.x)
922 [9280.1997.tb00685.x](https://doi.org/10.1111/j.1467-9280.1997.tb00685.x)
- 923 Ruby, M. B., & Heine, S. J. (2011). Meat, morals, and masculinity. *Appetite*, 56(2),
924 447–450. <https://doi.org/10.1016/j.appet.2011.01.018>
- 925 Schösler, H., de Boer, J., Boersema, J. J., & Aiking, H. (2015). Meat and masculinity
926 among young Chinese, Turkish and Dutch adults in the Netherlands. *Appetite*,
927 89, 152–159. <https://doi.org/10.1016/j.appet.2015.02.013>
- 928 Segers, Y. (2012). Food systems in the nineteenth century. In M. Bruegel (Ed.), *A*
929 *Cultural History of Food in the Age of Empire*. London, UK: Berg Publisher.
- 930 Shimp, T. A., & Stuart, E. W. (2004). The role of disgust as an emotional mediator of
931 advertising effects. *Journal of Advertising*, 33(1), 43–53.
932 <https://doi.org/10.1080/00913367.2004.10639150>
- 933 Sobal, J. (2005). Men, Meat, and Marriage: Models of masculinity. *Food and*
934 *Foodways*, 13(1–2), 135–158. <https://doi.org/10.1080/07409710590915409>
- 935 Tan, H. S. G., van den Berg, E., & Stieger, M. (2016). The influence of product
936 preparation, familiarity and individual traits on the consumer acceptance of
937 insects as food. *Food Quality and Preference*, 52, 222–231.
938 <https://doi.org/10.1016/j.foodqual.2016.05.003>

- 939 Tian, Q., Hilton, D., & Becker, M. (2016). Confronting the meat paradox in different
940 cultural contexts: Reactions among Chinese and French participants. *Appetite*,
941 96, 187–194. <https://doi.org/10.1016/j.appet.2015.09.009>
- 942 Tuorila, H., Meiselman, H. L., Bell, R., Cardello, A. V., & Johnson, W. (1994). Role of
943 sensory and cognitive information in the enhancement of certainty and linking
944 for novel and familiar foods. *Appetite*, 23(3), 231–246.
945 <https://doi.org/10.1006/appe.1994.1056>
- 946 Wadhera, D., Phillips, E. D. C., Wilkie, L. M., & Boggess, M. (2015). Perceived
947 recollection of frequent exposure to foods in childhood is associated with
948 adulthood liking. *Appetite*, 89, 22–32.
949 <https://doi.org/10.1016/j.appet.2015.01.011>
- 950

Table S1*Meat Images and Descriptive Captions***Chicken liver pate**

Origin: Northern and central European cuisines.
Preparation/Cooking: Chicken livers are grinded and mixed with butter, spices, and herbs.

**Dobrada**

Origin: Portuguese dish.
Preparation/Cooking: Made from a cow's flat white stomach lining and usually stewed.

**Kangaroo biltong**

Origin: Australian origin.
Preparation/Cooking: Kangaroo meat is dried and can be added to soups, stews, and salads.

**Snake**

Origin: Originally found in Southeast Asian cuisines.
Preparation/Cooking: Snakes are usually skinned, cut into pieces, and then fried.

**Alligator meat**

Origin: Common in various cuisines of the Southern United States.
Preparation/Cooking: Alligator meat can be eaten fried or grilled.

**Insect protein powder**

Origin: A food developed in several countries around the world.
Preparation/Cooking: Insects are dried and grinded into powder and commonly used on smoothies, pasta, bread, cookies.

**Butelo**

Origin: Produced in Portugal.
Preparation/Cooking: Smoked sausage made with pork meat and pork loin from a local breed.

**Beef burger**

Origin: Originally from the USA.
Preparation/Cooking: Meat from cows is minced and combined with garlic, onions, salt and pepper, then formed into patties.

**Sausage**

Origin: Originally from Mesopotamia, now eaten around the world.
Preparation/Cooking: It is a meat mixture often stuffed in a casing, usually grilled or fried.

**Sushi**

Origin: Japanese dish.
Preparation/Cooking: Sushi is a dish traditionally made with raw fish or other seafood (e.g., eel, crab). Sushi rolls are prepared with sweetened, vinegared rice, and may include other ingredients (e.g., vegetables).

**Fish fillet**

Origin: Eaten in most countries.
Preparation/Cooking: The flesh of a fish which has been cut or sliced away from the bone, usually grilled.

**Pork steak**

Origin: Eaten around the world.
Preparation/Cooking: Pork steak is cut from a pig's shoulder and usually grilled.



Chicken steak

Origin: Associated with the Southern cuisine of the United States.

Preparation/Cooking: A cut of meat usually thin and selected from the round is breaded and fried.



Chicken nuggets

Origin: Originally from the USA and is now eaten around the world.

Preparation/Cooking: Nuggets are usually made from chicken meat that is breaded or battered, then deep-fried or baked.



Octopus

Origin: Eaten in many countries, mostly in Asian and European countries

Preparation/Cooking: Usually grilled.



Squid

Origin: Eaten from Japan to Portugal, mainly in Spain, Italy, China, Republic of Korea.

Preparation/Cooking: Usually grilled or fried.



Escargot

Origin: Part of the European cuisine, particularly France.

Preparation/Cooking: Snails are eaten whole and cooked.



Crocodile

Origin: It has been used in various cuisines of the Southern United States and has become a very popular meat in Australia.

Preparation/Cooking: Usually fried or grilled.



Scorpion

Origin: Vietnam and certain regions of China.

Preparation/Cooking: Eaten deep-fried from claw-to-tail.



Insects

Origin: Cultures in Central and South America, Africa, Asia, Australia, and New Zealand.

Preparation/Cooking: Insects like grasshoppers and crickets. Usually fried.



Snake

Origin: Generally eaten in Southeast Asian countries.

Preparation/Cooking: The skin is removed, and the snake meat is usually fried or used to make soup.



Turkey

Origin: A popular poultry dish, especially in North America.

Preparation/Cooking: Usually roasted.



Chicken

Origin: Eaten worldwide.

Preparation/Cooking: It can be grilled, breaded or deep-fried.



Hog roast

Origin: Philippines, Puerto Rico, Cuba, United States, Brazil and UK.

Preparation/Cooking: The whole pig is roasted over an open fire or wood fired oven.



Lobster

Origin: Eaten around the world.

Preparation/Cooking: It is commonly served boiled or steamed in the shell.



Shrimp

Origin: Eaten worldwide in Asian cuisines, North America, and Europe.

Preparation/Cooking: Common methods of preparation include baking, boiling, frying, and grilling.



Crappit heids

Origin: Scottish dish.

Preparation/Cooking: Made with (usually haddock or cod) stuffed fish heads.



Fish

Origin: Common dish found in countries from Asia and Europe.

Preparation/Cooking: The whole fish is usually grilled.

Table S2

Number of Associations Mentioned in Each Category for Each Product

		Low Familiarity					High Familiarity				
		15 - Octopus	16 - Squid	17 - Escargot	18 - Crocodile	19 - Scorpion	22 - Turkey	23 - Chicken	26 - Shrimp	28 - Fish	
High Resemblance	Negatively valenced	127	Negatively valenced 105	Negatively valenced 126	Negatively valenced 151	Negatively valenced 153	Positively valenced 123	Animal identification 105	Positively valenced 95	Animal identification 136	
	Animal identification	51	Positively valenced 83	Animal identification 67	Ethics 58	Animal identification 58	Animal identification 27	Positively valenced 103	Animal identification 92	Positively valenced 81	
	Positively valenced	38	Animal identification 68	Sensory attributes 67	Animal identification 57		Sensory attributes 26	Negatively valenced 49	Negatively valenced 61	Negatively valenced 72	
			Sensory attributes 37	Positively valenced 29				Sensory attributes 25			
		20 - Insects	21 - Snake	24 - Hog Roast	25 - Lobster	27 - Crappit heids					
Low Resemblance	Negatively valenced	170	Negatively valenced 179	Negatively valenced 146	Animal identification 103	Negatively valenced 192					
	Animal identification	76	Animal identification 75	Animal identification 59	Negatively valenced 57	Animal identification 85					
	Sensory attributes	30	Sensory attributes 52	Ethics 58	Positively valenced 54	Ethics 37					
		2 - Dobrada	3 - Kangaroo bites	4 - Snake bites	5 - Alligator bites	7 - Butelo	1 - Pate	8 - Beef burger	9 - Sausage	10 - Sushi	
Low Resemblance	Negatively valenced	79	Negatively valenced 121	Positively valenced 75	Positively valenced 81	Negatively valenced 111	Negatively valenced 74	Positively valenced 147	Positively valenced 141	Positively valenced 103	
	Positively valenced	58	Sensory attributes 71	Negatively valenced 63	Health 50		Positively valenced 67			Negatively valenced 62	
	Health	25		Sensory attributes 35	Negatively valenced 45		Sensory attributes 25			Animal identification 33	

Sensory attributes	24	Health	25	Sensory attributes	26
--------------------	----	--------	----	--------------------	----

11 - Fish fillet	12 - Pork steak	13 - Chicken steak	14 - Chicken nuggets
Positively valenced	152	Positively valenced	124
Animal identification	128	Negatively valenced	36
Health	26	Positively valenced	86
Sensory attributes	25	Sensory attributes	38
		Animal identification	98
		Negatively valenced	89
		Positively valenced	50
		Negatively valenced	36
		Animal identification	32
		Sensory attributes	24

Table S3*Evaluative Dimensions Ratings per Meat Product*

	Familiarity				Animal resemblance				Appetite				
	<i>M</i>	<i>SD</i>	95% IC for Mean		<i>M</i>	<i>SD</i>	95% IC for Mean		<i>M</i>	<i>SD</i>	95% IC for Mean		
			<i>LB</i>	<i>UP</i>			<i>LB</i>	<i>UP</i>			<i>LB</i>	<i>UP</i>	
Cluster 1	Octopus	2.28	1.46	2.09	2.47	5.30	1.48	5.11	5.49	3.05	1.85	2.81	3.29
	Squid	2.59	1.54	2.39	2.79	5.39	1.50	5.19	5.58	3.36	1.94	3.11	3.61
	Snail	1.86	1.11	1.71	2.00	6.28	1.27	6.11	6.44	2.56	1.79	2.33	2.79
	Crocodile	1.10	0.43	1.04	1.16	6.69	1.07	6.55	6.83	2.09	1.54	1.89	2.29
	Scorpion	1.10	0.55	1.03	1.17	6.75	1.03	6.61	6.88	1.58	1.08	1.44	1.72
	Insects	1.21	0.69	1.12	1.30	6.61	1.24	6.45	6.77	1.90	1.41	1.72	2.09
	Snake	1.09	0.47	1.03	1.15	6.01	1.53	5.81	6.21	1.63	1.23	1.47	1.79
	Hog	2.47	1.43	2.29	2.66	6.71	0.80	6.61	6.82	3.36	2.07	3.09	3.63
	Lobster	3.06	1.60	2.85	3.26	6.73	0.82	6.62	6.84	4.06	2.03	3.80	4.32
	Crappit	1.24	0.66	1.16	1.33	6.12	1.39	5.94	6.30	1.79	1.21	1.63	1.94
	Total	1.80	0.60	1.72	1.88	6.26	0.80	6.15	6.36	2.54	1.08	2.40	2.68
Cluster 2	Turkey	4.66	1.45	4.47	4.85	5.65	1.24	5.49	5.81	5.57	1.39	5.39	5.75
	Chicken	6.28	1.07	6.14	6.41	5.71	1.25	5.54	5.87	5.90	1.39	5.71	6.08
	Shrimp	4.21	1.81	3.97	4.44	6.42	1.04	6.29	6.56	4.49	2.10	4.22	4.76
	Fish	4.89	1.69	4.67	5.11	6.82	0.50	6.75	6.88	4.64	1.90	4.39	4.88
	Total	5.01	1.06	4.87	5.15	6.15	0.74	6.05	6.25	5.15	1.27	4.98	5.31
Cluster 3	Dobrada	1.21	0.80	1.11	1.32	1.38	0.96	1.26	1.51	2.10	1.39	1.92	2.28
	Biltong	1.14	0.59	1.06	1.21	1.24	0.70	1.15	1.33	2.76	1.80	2.52	2.99
	Fried snake	1.07	0.48	1.01	1.13	1.33	0.78	1.23	1.43	2.40	1.58	2.19	2.60
	Alligator	1.13	0.53	1.06	1.20	1.34	0.86	1.22	1.45	3.20	1.80	2.97	3.43
	Insect powder	1.17	0.75	1.07	1.26	1.07	0.47	1.00	1.13	2.81	1.87	2.56	3.05
	Butelo	1.24	0.67	1.15	1.33	2.17	1.43	1.99	2.36	3.73	1.68	3.51	3.95
	Total	1.16	0.34	1.11	1.20	1.42	0.56	1.35	1.49	2.83	1.24	2.67	2.99
Cluster 4	Pate	3.60	1.75	3.37	3.83	1.19	0.75	1.09	1.29	3.95	1.96	3.69	4.20
	Burger	5.66	1.41	5.48	5.85	1.66	1.28	1.49	1.82	5.67	1.50	5.47	5.86
	Sausage	5.76	1.54	5.56	5.96	1.56	1.17	1.41	1.71	5.61	1.67	5.39	5.82
	Sushi	4.15	1.79	3.92	4.38	1.52	1.02	1.39	1.65	4.76	2.22	4.47	5.05
	Fillet	5.66	1.38	5.48	5.84	2.36	1.55	2.16	2.56	5.83	1.42	5.65	6.02

Pork steak	4.72	1.62	4.51	4.93	1.80	1.18	1.65	1.96	5.08	1.62	4.87	5.29
Chicken steak	5.63	1.50	5.44	5.83	1.90	1.24	1.74	2.06	5.75	1.37	5.57	5.93
Nuggets	5.13	1.60	4.92	5.34	1.38	1.02	1.25	1.51	5.10	1.68	4.88	5.32
Total	5.04	1.06	4.90	5.18	1.67	0.86	1.56	1.78	5.22	1.08	5.08	5.36

S4*Participant-level Analysis*

Correlation analysis revealed that both animal resemblance, $r(228) = .23, p < .001$, and familiarity, $r(228) = .45, p < .001$, were positively correlated with appetite. Moreover, animal resemblance and familiarity were also positively correlated, $r(228) = .28, p < .001$, which means that participants who tended to be familiar with meat products also tended to think the products resembled the animal source. Regression analysis revealed that familiarity was a significant independent predictor of appetite, $\beta = .41, t(226) = 6.72, p < .001$; that is, participants who tended to be familiar with meat products tended to rate them more appetizing. Animal resemblance did not emerge as a significant independent predictor of appetite at the participant level, $B = .11, t(226) = 1.79, p = .075$; that is, participants who tended to see meat products resembling animals did not tend to rate meat products as more or less appetizing. The overall model was significant, $F(2, 226) = 30.00, p < .001$, and explained 21% of the variation in appetite. Thus, similar to the product-level analysis, the participant-level analysis revealed a robust relationship between familiarity with meat and appetite; however, the relationship between animal resemblance and appetite was weaker.