
Addressing Reserves and Pension Funds through Gambler's Ruin and Generalized Brownian Motion Process

Manuel Alberto M. Ferreira^{1*} and José António Filipe¹

DOI:

Abstract

We used the random walk to model the problem of reserves. The classic case of a stochastic process is the example of random walks, which are used to study a set of phenomena and, particularly, as in this article, to study models of reserves evolution. Random walks also allow the construction of significant complex systems and are used as an instrument of analysis, being used in this study for giving a theoretical characteristic to specific types of systems. Our goal is mainly to study reserves to see how to ensure that pension funds are sustainable. This paper, by covering a classic approach to the study of pension funds, makes possible to draw interesting conclusions about the problem of reserves. We also consider the Brownian motion to model the pensions fund assets and liability management politics. In this context, it was possible to obtain expressions for the expected value of the pensions fund perpetual maintenance cost present value, also for the expected value of the maintenance cost up to time t , indicators of a fund maintenance policy expenditures.

Keywords: Gambler's ruin; random walks; brownian motions; reserves; pensions fund.

1 Introduction

The quality and the level of pensions are an important constituent in population's socio-economic status, see Iashina, Petukhov and Lazarev [1]. However, pension plan systems around the world have been facing many difficulties, as referred in Cristea and Thalassinou [2], among it the problems resulting from sustainability goals at the global level, see Martí-Ballester [3]. These authors show that the value of pension fund assets around the world was considerably reduced with the economic and financial crisis that began in 2008 and that caused a restructuring of pension fund assets and investments toward low-risk ones and often more directed to domestic investments, mainly in the OECD countries, see again Cristea and Thalassinou [2]. If, in the future, there is a lower pensions funds' capability for keeping a proper protection basis, that will make many population's segments with no sufficient income in old ages get at risk of poverty.

Pensions investments strategies are nowadays particularly complex and in the current days it is necessary to have an important understanding of this phenomenon, once pension assets are one of the largest pools of investment assets in the world, as highlighted in "Pensions: Global Issues, Perspectives and Challenges", approaching a set of specific problems and contexts, Webb [4] and Filipe [5].

As pension systems aim to protect economically and financially older people, allowing them a decent living, the pensions sustainability is crucial in this sense. It is necessary not forgetting that, as soon as aging society deepens as happens in many developed countries, it is expected that there may occur negative pension cash flows since contributions to the fund are lesser than the payments for pensions. This highlights the need for a very responsible investments strategy and a very qualified management policy.

To develop our study, the gambler's ruin statistical concept is applied in this paper, expressing the idea that gamblers play a negative expected value game that can eventually go broken.

¹Department of Mathematics, ISTA—School of Technology and Architecture, ISCTE - Instituto Universitário de Lisboa, Information Sciences, Technologies and Architecture Research Center (ISTAR-IUL), Business Research Unit-IUL (BRU-IUL), 1649-026 Lisbon, Portugal.

*Corresponding author: E-mail: manuel.ferreira@iscte-iul.pt;

Gambler's ruin suggests that growth events occur randomly, depending their survival on the stock of stored resources. In Gambler's ruin problem, reserves behave according to a simple random walk. This problem has been often presented in many works considering the stochastic processes theory in contexts under the frameworks of Markov Chains, Random Walks, Martingales or even others. Billingsley [6] or Feller [7] solve problems in this topic using the classic first step analysis to obtain a difference equation, which approach we use in our study. In another basis, Grimmett and Stirzaker [8] and Karlin and Taylor [9] get resolutions through the Martingales Theory and use it as an applications' example of the Martingales Stopping Time Theorem.

The study of the problem of the pension's funds sustainability, in the context it is developed, considers the gambler's ruin probability, i.e., the probability of the game reserves exhaustion. This theoretical basis brings an important insight over the problem that is a significant concern of governments' social politics, following some developments that have been studied in our previous works, as will be seen next. In this work we bring a new perspective and some complements to the previous approach, presenting a conception's repositioning and showing the usefulness of our methodology by bringing for instance important recommendations in this area and some orientations in terms of the established principles and future bases for funds management.

For national pensions funds plans, there is not an alternative way to a balanced pensions fund. Countries must give great attention to the long-term pension plans' financial sustainability, as many are doing, and it is this capability of getting a balanced long-term plan that will allow this systems' sustainability, Chen and Yang [10]. Besides, pensions' plans, whichever they are public or private, are ruled by the same needed principle of sustainability. In our paper, we provide tools for assessing the costs of policies followed to ensure the sustainability of these funds.

The paper is an updated approach of the work presented in SPMCS 2012, see Filipe, Ferreira and Andrade [11]. We provide new proposals to develop the theoretical bases and to redefine some orientations concerning the consequent implications on pensions funds. After the presentation of "Materials and Methods", the "Gambler's Ruin Probability" is calculated, and the "Fund Ruin Probability" is studied. Then follows a "Ruin Probability's Particularization" using normal distributions, and the characterization of Assets and Liability Management Politics through a generalized Brownian motion process, see Ferreira and Filipe [12] and Jarner and Kronborg [13]. Follow the "Discussion", and the "Conclusions". And ending, the "References".

In Ferreira [14,15], Ferreira and Andrade [16], Ferreira, Andrade and Filipe [17] and Andrade, Ferreira and Filipe [18] more applications of stochastic processes can be seen in problems of reserves and pensions funds.

2 Materials and Methods

Our method has its foundations in stochastic processes and in a set of concepts presented in the current section. These concepts allow us to reach results that show the importance of balanced pensions funds, supported on gambler's ruin modeling and on Brownian motion processes modeling.

We begin by considering a gambler with an initial capital of x monetary units, intending to play a sequence of games till the gambler's wealth reaches k monetary units. We suppose that x and k are integer numbers satisfying the conditions $x > 0$ and $k > x$. In each game, there are two possible situations: winning 1 monetary unit with probability p or losing 1 monetary unit with probability $q = 1 - p$. A question is posed in terms of knowing which will be the probability the gambler gets in ruin before attaining his/her objective. This means that it is intended to know which the probability of losing the x monetary units is before adding gains of $k - x$ monetary units.

Be $X_n, n = 1, 2, \dots$ the outcome of the n^{th} game. Obviously, the variables X_1, X_2, \dots are *i.i.d.* random variables, which common probability function is: $P(X_n = 1) = p, P(X_n = -1) = q = 1 - p$. Consequently, the gambler's wealth, his/her reserves after the n^{th} game represent the simple random walk as follows: $S_0 = x, S_n = S_{n-1} + X_n, n = 1, 2, \dots$.

We also consider a fund in which contributions/pensions received/paid, per time unit, are described as a sequence of random variables $\xi_1, \xi_2, \dots (\eta_1, \eta_2, \dots)$. Let us consider that $\xi_n(\eta_n)$ is the amount of the contributions/pensions that are received/paid by the fund during the n^{th} time unit and consequently $X_n = \xi_n -$

η_n is the reserves variation in the fund at the n^{th} time unit. If X_1, X_2, \dots, X_n is a sequence of non-degenerated *i.i.d.* random variables, the stochastic process, representing the evolution of the fund reserves, since the value x till the amount \tilde{S}_n after n time units, will be defined recursively as $\tilde{S}_0 = x, \tilde{S}_n = \tilde{S}_{n-1} + X_n$, with $n = 1, 2, \dots$. Such a process is a general random walk.

Finally, we assume that the assets value process of a pensions fund may be represented by the geometric Brownian motion process $A(t) = b e^{a+(\rho+\mu)t+\sigma B(t)}$ with $\mu < 0$ and $ab\rho + \mu\sigma > 0$, where $B(t)$ is a standard Brownian motion process. Suppose also that the fund liabilities value process performs such as the deterministic process $L(t) = be^{\rho t}$. Also consider the stochastic process $Y(t)$ obtained by the elementary transformation of $A(t), Y(t) = \ln \frac{A(t)}{L(t)} = a + \mu t + \sigma B(t)$. It is a generalized Brownian motion process, starting at a , with drift μ and diffusion coefficient σ^2 . Note also that the first passage time of the assets process $A(t)$ by the mobile barrier T_n , the liabilities process, is the first passage time of $Y(t)$ by 0 with finite expected time. This framework is used to get an asset-liability management scheme of a pensions fund.

3 Results

3.1 Gamblers' Ruin Probability

Aiming to get the gambler's ruin probability, let us consider this probability as $\rho_k(x)$. It relates to the probability that $S_n = 0$ and $0 < S_i < k, i = 0, 1, \dots, n-1$ for $n = 1$ or $n = 2$ or If $\rho_k(x)$ is conditioned to the result of the first game, and considering the Total Probability Law, we get the following:

$$\rho_k(x) = p\rho_k(x+1) + q\rho_k(x-1), \quad 0 < x < k \quad (3.1.1).$$

If $0 \leq x \leq k$, the difference equation presented is easily solved considering the border conditions

$$\rho_k(0) = 1, \rho_k(k) = 0 \quad (3.1.2).$$

So (3.1.1) can now be written as

$$\rho_k(x) - \rho_k(x-1) = \frac{p}{q}(\rho_k(x+1) - \rho_k(x)), \quad 0 < x < k \quad (3.1.3).$$

Considering $x = k-1$ and equation (3.1.2), $\rho_k(k-2) = \rho_k(k-1) \left(1 + \frac{p}{q}\right)$. Then, if $x = k-2$, (3.1.3) become $\rho_k(k-3) = \rho_k(k-1) \left(1 + \frac{p}{q} + \left(\frac{p}{q}\right)^2\right)$. Continuing the process, the following general expression is achieved:

$$\rho_k(k-y) = \rho_k(k-1) \left(1 + \frac{p}{q} + \left(\frac{p}{q}\right)^2 + \dots + \left(\frac{p}{q}\right)^{y-1}\right), \quad 0 < y \leq k \quad (3.1.4).$$

By means of (3.1.2) again, and considering (3.1.4), with $y = k$

$$\rho_k(k-1) = 1 / \left(1 + \frac{p}{q} + \left(\frac{p}{q}\right)^2 + \dots + \left(\frac{p}{q}\right)^{k-1}\right) \quad (3.1.5).$$

Substituting (3.1.5) in (3.1.4) and accomplishing the variable change $y = k - x$ we reach finally the difference equation (3.1.1) solution with the border conditions (3.1.2):

$$\rho_k(k-1) = \begin{cases} \frac{1-(p/q)^{k-x}}{1-(p/q)^k}, & \text{if } p \neq \frac{1}{2} \\ \frac{k-x}{k}, & \text{if } p = \frac{1}{2} \end{cases} \quad (3.1.6).$$

Be N_a the random walk S_n first passage time by a : $N_a = \min\{n \geq 0: S_n = a\}$. Now we can write $\rho_k(x) = P(N_0 < N_k | S_0 = x)$. It is appropriate to consider in (3.1.6) the limit as k converges to ∞ , to evaluate $\rho(x)$, the ruin probability of a gambler infinitely ambitious. In this context, considering the simple random walk S_n , $\rho(x) = P(N_0 < \infty | S_0 = x)$, after (3.1.6)

$$\rho(x) = \lim_{k \rightarrow \infty} \rho_k(x) = \begin{cases} (q/p)^x, & \text{if } p > \frac{1}{2} \\ 1, & \text{if } p \leq \frac{1}{2} \end{cases} \quad (3.1.7).$$

Being $\mu = E[X_n] = 2p - 1$, after (3.1.7), the ruin probability is 1 for the simple random walk at which the mean of the step is $\mu \leq 0 \Leftrightarrow p \leq \frac{1}{2}$.

3.2 Fund Ruin Probability

The aim is to study the fund ruin probability, i.e. the game reserves exhaustion probability. We consider x and k real numbers fulfilling $x > 0$ and $k > x$. First, the evaluation of $\rho_k(x)$, the probability that the fund reserves decrease from an initial value x to a value in $(-\infty, 0]$ before reaching a value in $[k, +\infty)$, is considered. Then, after the calculus of the limit, as seen in the previous section, the evaluation of $\rho(x)$, the eventual fund ruin probability is considered, by admitting in such a situation that the random walk - that represents its reserves - evolves with no restrictions at the right of 0.

This method that was presented here is known in the literature of stochastic processes as Wald's Approximation. The explanations by Grimmett and Stirzaker [8] and Cox and Miller [19], relating this issue are carefully considered in our work. See also Ferreira, Andrade, Filipe, and Coelho [20]. Here, we consider the $S_n = \tilde{S}_n - x$ process, i.e., the random walk $S_0 = 0, S_n = S_{n-1} + X_n, n = 1, 2, \dots$, instead of \tilde{S}_n process.

Accordingly, when we evaluate $\rho_k(x)$, it is the probability the process S_n is visiting the set $(-\infty, -x]$ before visiting the set $[k - x, +\infty)$ that is considered. And when we evaluate $\rho(x)$ it is only the probability that the process S_n goes down from the initial value 0 till a level lesser or equal than $-x$ that is considered.

We begin considering now the non-null value θ for which the X_1 moments generator function assumes the value 1. It is assumed that such a θ exists, that is, θ satisfies

$$E[e^{\theta X_1}] = 1, \theta \neq 0 \quad (3.2.1).$$

Defining the process as $M_n = e^{\theta S_n}, n = 0, 1, 2, \dots$, it is now evident that $E[|M_n|] < \infty$ and also, after (3.2.1), $E[M_{n+1} | X_1, X_2, \dots, X_n] = E[e^{\theta(S_n + X_{n+1})} | X_1, X_2, \dots, X_n] = e^{\theta S_n} E[e^{\theta X_{n+1}} | X_1, X_2, \dots, X_n] = M_n$. Consequently, the process M_n is a Martingale in what concerns the sequence of random variables X_1, X_2, \dots . Consider now N , the S_n first passage time to outside the interval $(-x, k - x)$, $N = \min\{n \geq 0: S_n \leq -x \text{ or } S_n \geq k - x\}$.

The random variable N is a stopping time - or a Markov time - for which the following conditions are assured: $\begin{cases} E[N] < \infty \\ E[|M_{n+1} - M_n| | X_1, X_2, \dots, X_n] \leq 2e^{|\theta|a} \end{cases}$, for $n < N$ and $a = -x$ or $a = k - x$. We recommend giving a look at the work by Grimmett and Stirzaker [8] and Figueira [21] on this issue. Under these conditions, we can resort to the Martingales Stopping Time Theorem and so:

$$E[M_n] = E[M_0] = 1 \quad (3.2.2).$$

Besides,

$$E[M_n] = E[e^{\theta S_N} | S_N \leq -x] P(S_N \leq -x) + E[e^{\theta S_N} | S_N \geq k - x] P(S_N \geq k - x) \quad (3.2.3).$$

Realizing the approximations $E[e^{\theta S_N} | S_N \leq -x] \cong e^{-\theta x}$ and $E[e^{\theta S_N} | S_N \geq k-x] \cong e^{\theta(k-x)}$, and considering $P(S_N \leq -x) = \rho_k(x) = 1 - P(S_N \geq k-x)$, after (3.2.2) and (3.2.3), we obtain

$$\rho_k(x) \cong \frac{1 - e^{\theta(k-x)}}{e^{-\theta x} - e^{\theta(k-x)}}, \text{ when } E[X_1] \neq 0 \quad (3.2.4).$$

This result is the Classic Approximation for the Ruin Probability in the conditions stated in (3.2.1). To admit a non-null solution θ for the equation $E[e^{\theta X_1}] = 1$ implies indeed to assume that $E[X_1] \neq 0$.

Going farther, we may consider a particular case, beyond the studied above, looking at the situation for which the equation $E[e^{\theta X_1}] = 1$ only solution is precisely $\theta = 0$; it means, the situation at which $E[X_1] = 0$. This case may be considered through the following passage to the limit:

$$\rho_k(x) \cong \lim_{\theta \rightarrow 0} \frac{1 - e^{\theta(k-x)}}{e^{-\theta x} - e^{\theta(k-x)}} = \frac{k-x}{k}, \text{ when } E[X_1] = 0 \quad (3.2.5).$$

As for $\rho(x)$, the probability that the process S_n decreases eventually from the initial value 0 to a level lesser or equal than $-x$, is also got from (3.2.4), now for a different passage to the limit:

$$\rho(x) \cong \lim_{k \rightarrow \infty} \frac{1 - e^{\theta(k-x)}}{e^{-\theta x} - e^{\theta(k-x)}} = e^{\theta x}, \text{ if } \theta < 0 \Leftrightarrow E[X_1] > 0 \quad (3.2.6).$$

Considering the previous section results on the simple random walk, it is effective to accept $\rho(x) = 1$ when $\theta \geq 0 \Leftrightarrow E[X_1] \leq 0$.

3.3 A Ruin Probability's Particularization

Consider X_1, X_2, \dots is a sequence of independent random variables with normal distribution with mean μ and standard deviation σ . So, we can suppose X_n , is the fund reserves variation at the n^{th} time unit, normally distributed with those parameters. Now, the moments' generator function is: $E[e^{\theta X_1}] = \frac{1}{\sqrt{2\pi}\sigma} \int_{-\infty}^{+\infty} e^{\theta x - \frac{(x-\mu)^2}{2\sigma^2}} dx = e^{\theta\mu + \frac{\theta^2\sigma^2}{2}}$. And equation (3.2.1) solution is $\theta = \frac{-2\mu}{\sigma^2}, \mu \neq 0$.

So $\rho_k(x)$, the ruin probability, is acquired when substituting this result in (3.2.4), as follows:

$$\rho_k(x) \cong \frac{1 - e^{-\frac{2\mu(k-x)}{\sigma^2}}}{e^{\frac{2\mu x}{\sigma^2}} - e^{-\frac{2\mu(k-x)}{\sigma^2}}}, \text{ when } \mu \neq 0 \quad (3.3.1).$$

It is obvious that this particularization does not influence the approximation to $\rho_k(x)$ when $\mu = 0$. As it was seen before, it is given by (3.2.5) and after (3.2.6), we have

$$\rho(x) \cong e^{-\frac{2\mu x}{\sigma^2}}, \text{ when } \mu > 0 \quad (3.3.2).$$

3.4 Assets and Liability Management Politics

It is evident that we must define management politics for the pensions fund to guarantee its sustainability.

Consider, for instance, a pensions fund management scheme that raises the assets value by some positive constant θ_n , when the assets value falls equal to the liabilities process by the n^{th} time. This corresponds to consider the modification $\bar{A}(t)$ of the process $A(t)$ that restarts at times T_n when $A(t)$ hits the barrier $L(t)$ by the n^{th} time at the level $L(T_n) + \theta_n$.

It is a convenient choice the management policy, where:

$$\theta_n = L(T_n)(e^\theta - 1), \text{ for some } \theta > 0 \quad (3.4.1).$$

The corresponding modification $\tilde{Y}(t)$ of $Y(t)$ will behave as a generalized Brownian motion process that restarts at the level $\ln \frac{L(T_n) + \theta_n}{L(T_n)} = \theta$ when it hits 0 (at times T_n).

It is considered the pensions fund perpetual maintenance cost present value, because of the proposed asset-liability management scheme, given by the random variable: $V(r, a, \theta) = \sum_{n=1}^{\infty} \theta_n e^{-rT_n} = \sum_{n=1}^{\infty} b(e^\theta - 1)e^{-(r-\rho)T_n}$, $r > \rho$, where r represents the appropriate discount interest rate. To obtain the above expression it was only made use of the $L(t)$ definition and (3.4.1). Note that it is possible to express the expected value of the above random variable as

$$v_r(a, \theta) = \frac{b(e^\theta - 1)}{\theta} v_{r-\rho}(a, \theta) = \frac{b(e^\theta - 1)e^{-Kr-\rho a}}{1 - e^{-Kr-\rho\theta}} \quad (3.4.2).$$

As $\theta \rightarrow 0$

$$\lim_{\theta \rightarrow 0} v_r(a, \theta) = \frac{be^{-Kr-\rho a}}{Kr-\rho} \quad (3.4.3).$$

In a similar way, the maintenance cost up to time t in the above-mentioned management scheme, is the stochastic process $W(t; r, a, \theta) = \sum_{n=1}^{N(t)} b(e^\theta - 1)e^{-(r-\rho)T_n}$, $W(t; r, a, \theta) = 0$ if $N(t) = 0$, with expected value function

$$w(t; a, \theta) = \frac{b(e^\theta - 1)}{\theta} w_{r-\rho}(t; a, \theta) \quad (3.4.4).$$

4 Discussion

Pension funds are important grounds of peoples' income during retirement. In addition, pension systems are important parts in financial markets as institutional investors. Being the financial markets' participants aware of the possibility of having losses and gains, and once pension's funds need to keep viable standards, it is necessary and imperative to assure that pension's funds find a sustainability support. It happens either by their investments in the market, by external injection of capital or by the reinforcement of internal contributions. That is why our theoretical methodology represents an important contribution for pension's funds management. The knowledge of the circumstances on which funds schemes develop and the contexts that they must face, with constraints and obstacles, and the possibility to go to bankruptcy imply that managers be well prepared to face funds reality troubles and crises. We show that it is essential to keep the long-term equilibrium of contributions and expenditures of a pensions scheme to achieve a sustainable system's evolution, as also expressed in several studies as, for example, in Holzmann et al. [22]; Grech [23]; or Tian and Zhao [24].

It is true that pensions funds may vary from country to country, but fundamentally the basis is the same varying from the defined benefit to the defined contribution. Anyway, the basic principle is the same: the fund must be sustainable and must guarantee a future income to contributors. That is why a rigorous management process must be maintained along the pensions fund life. This involves a meticulous definition of the criteria of funds' investments. Our study allows to understand the need for a correct structure of the fund how it may develop according to the probabilities based on the assumptions of the model.

Our study allows to get important conclusions, once the sustainability of a fund is vital for guaranteeing that older people, who are intended to be protected, can have their lives secured by the fund's investments and an assured economic independence when ageing.

Our paper, by studying the gambler's ruin probability (i.e. the probability of the game reserves exhaustion), gets the solution of the differential equation underlying a standard gambler game with a random walk assumption. This solution explains the suitability of pension fund systems. In our work, we use the *i.i.d.* hypothesis, which is often admitted in stochastic processes, and often in its practical applications. Besides, we also added the interest

rate to allow that the model being valid for new situations far than only for constant prices. Also, the Brownian motion process, allowing to study how the fund evolves and its needs to be managed, gives results on the way and in what extent an intervention is required, and computing its costs.

The results in the study were obtained considering the simple and general random walk, and geometric and general Brownian motion, that are classic and widely studied stochastic processes. Since its general ideas are easily grasped by everyone, which quickly connect them with real systems, the random walk is used to model situations considering more disparate realities, far beyond the reserve evolution models considered in this work. They are also, and very often, used to build other complex systems, sometimes much more complex, for other types of systems.

We highlight in our approach a set of different methodologies that were applied to the study of this type of processes such as the cases of Difference Equations and Martingales Theory.

In our approach, reserves systems are treated as physical systems. In the study, we recognize that this may be a limitation to be considered, since it is not obvious that the direct application of these principles to financial reserve funds can be legitimate when their own dynamics of appreciation and devaluation over time are ignored. The models themselves, and the consequent valuation of stability systems based on the assessment of the probability of depletion or ruin of reserves, seem to be valid only in constant prices contexts.

In studying the managing scheme to try to guarantee the pensions fund stability, the interest rate, a factor associated with the process of temporal depreciation of the value of money when considering the modeling of financial reserves was considered. Analogous approaches can be seen, for instance, in Ferreira [14,15]. Also, the demographic context that greatly influences the sustainability of retirement pensions must be considered, see, for instance Figueira and Ferreira [25].

5 Conclusion

Considering our results, seems evident that official authorities must consider the factors that influence the possible fluctuations on the pensions fund evolution and, resulting from there, they must plan the correct management in each period, and the proper strategy for that moment, being it of contracting economic activities' time or of a period of economic expansion. By calculating the probability of the fund ruin, we study the fund's stability. When calculating the expenditure that the fund's maintenance policy entails, we are also looking at ways to stabilise it. Our study helps to calculate the long-term costs of the various policies available to ensure the long-term sustainability of pensions funds. The decisive results in this part are expressions (3.4.2) and (3.4.4). This cost is the value of the fund's reinforcements, either through external capital injections or through the reinforcement of taxpayers' contributions, which are also the beneficiaries of the pension funds system. Actuarial reporting official systems must be operational for responding management's needs and, when required, solving pensions crises to come from difficult crises times and mostly from upcoming more aged populations.

Acknowledgements

This work is financed by national funds through FCT - Fundação para a Ciência e Tecnologia, I.P., under the project FCT UIDB/04466/2021. Furthermore, the author(s) thank the Iscte-Instituto Universitário de Lisboa and ISTAR-IUL, for their support.

Competing Interests

Authors have declared that no competing interests exist.

References

- [1] Iashina MV, Petukhov NV, Lazarev SV. Formation of non-state pension system in the Russian Federation on an Example of the Activities of Non-State Pension Fund Sberbank, *European Research Studies Journal*. 2018;XXI(2):96-103.
- [2] Cristea M, Thalassinos E. Private Pension Plans: An Important Component of the Financial Market, *International Journal in Economics and Business Administration*. 2016;IV(1):110-115.
- [3] Martí-Ballester CP. Examining the financial performance of pension funds focused on sectors related to sustainable development goals, *International Journal of Sustainable Development & World Ecology*. 2020;27(2),179-191.
- [4] Webb A. (Editor) *Pensions: Global Issues, Perspectives and Challenges*, Nova Science Publishers, Series: Business Issues, Competition and Entrepreneurship. NY, USA; 2017.
- [5] Filipe JA. *Pensions: Global Issues, Perspectives and Challenges*, *International Journal of Latest Trends in Finance and Economic Sciences*. 2018;8(1):1388-1389.
- [6] Billingsley P. *Probability and Measure*. 2nd Ed. John Wiley & Sons, New York; 1986.
- [7] Feller W. *An Introduction to Probability Theory and its Applications*. Vol. 1, 3rd Ed. John Wiley & Sons, New York; 1968.
- [8] Grimmett GR, Stirzaker DR. *Probability and Random Processes*. 2nd Ed. Clarendon Press, Oxford; 1992.
- [9] Karlin S, Taylor HM. *A First Course in Stochastic Processes*. 2nd Ed. Academic Press, New York; 1975.
- [10] Chen X, Yang Z. Stochastically Assessing the Financial Sustainability of Individual Accounts in the Urban Enterprise Employees' Pension Plan in China. *Sustainability*. 2019;11:3568.
- [11] Filipe JA, Ferreira MAM, Andrade M. Reserves represented by random walks, SPMCS 2012, JPCS-Journal of Physics: Conference Series. 2012;394:012034.
IOP Publishing:<http://dx.doi.org/10.1088/1742-6596/394/1/012034>
- [12] Ferreira MAM, Filipe JA. Diffusion and Brownian Motion Processes in Modeling the Costs of Supporting Non-autonomous Pension Funds. In: Nermend K., Łatuszyńska M., Tahlassinos E. (eds) *Decision-Making in Management*. CMEE 2019. Contributions to Management Science. Springer, Cham; 2021.
Available:https://doi.org/10.1007/978-3-030-67020-7_5
- [13] Jarner SF, Kronborg MT. Entrance times of random walks: With applications to pension fund modeling. *Insurance: Mathematics and Economics*. 2016;67:1-20.
- [14] Ferreira MAM. Searching for answers to the maintenance problem of insufficiently financed, financially dependent pension funds through stochastic diffusion processes. In *Pensions: Global Issues, Perspectives and Challenges* (pp. 113–126). Nova Science Publishers, Inc; 2017.
- [15] Ferreira MAM. Financially dependent pensions funds maintenance approach through Brownian motion processes. In *17th Conference on Applied Mathematics, APLIMAT 2018 - Proceedings*. Slovak University of Technology in Bratislava. 2018;348–355.
- [16] Ferreira MAM, Andrade M. An Infinite Servers Nodes Network in the Study of a Pensions Fund. *International Journal of Latest Trends in Finance and Economic Sciences*. 2011;1(2):91-94.

- [17] Ferreira MAM, Andrade M, Filipe JA. Studying pensions funds through an infinite servers nodes network: A theoretical problem, SPMCS 2012, JPCS-Journal of Physics: Conference Series. 2012;394:012035. IOP Publishing.
Available:<https://doi.org/10.1088/1742-6596/394/1/012035>
- [18] Andrade M, Ferreira MAM, Filipe JA. Representation of reserves through a brownian motion model, SPMCS 2012, JPCS - Journal of Physics: Conference Series. IOP Publishing. 2012;394:012036.
Available:<https://doi.org/10.1088/1742-6596/394/1/012036>
- [19] Cox DR, Miller HD. The Theory of Stochastic Processes 1965. Chapman & Hall, London.
- [20] Ferreira MAM, Andrade M, Filipe JA, Coelho MP. Random Walks in the Representation of Reserves, International Journal of Latest Trends in Finance and Economic Sciences. 2011;1(4):171-174.
- [21] Figueira J. Aplicação dos Processos de Difusão e da Teoria do Renovamento num Estudo de Reservas Aleatórias. PhD Thesis, ISCTE. Supervisor: Manuel Alberto M. Ferreira; 2003.
- [22] Holzmann R, Hinz R, von Gersdorff H, Gill I, Impavido G, Musalem AR, et al. Old-Age Income Support in the Twenty-first Century: An International Perspective on Pension Systems and Reform; World Bank Publications: Washington, DC, USA; 2005.
- [23] Grech AG. Assessing the Sustainability of Pension Reforms in Europe; London School of Economics & Political Science: London, UK; 2010.
- [24] Tian Y, Zhao X. Stochastic Forecast of the Financial Sustainability of Basic Pension in China. Sustainability. 2016;8:46.
- [25] Figueira J, Ferreira MAM. Representation of a pensions fund by a stochastic network with two nodes: an Exercise. Portuguese Review of Financial Markets. 1999;2(1):75-81.

Biography of author(s)



Manuel Alberto M. Ferreira

Department of Mathematics, ISTA—School of Technology and Architecture, ISCTE - Instituto Universitário de Lisboa, Information Sciences, Technologies and Architecture Research Center (ISTAR-IUL), Business Research Unit-IUL (BRU-IUL), 1649-026 Lisbon, Portugal.

He is an Electrical Engineer. He completed his Master in Applied Mathematics from University of Lisbon, and PhD in Quantitative Management Methods and Habilitation in Quantitative Methods at Iscte-Instituto Universitário de Lisboa. He is a Former President of Board of Directors and Vice-President of Iscte-Instituto Universitário de Lisboa. He is a Full Professor Emeritus at Iscte-Instituto Universitário de Lisboa, former Director of Mathematics Department at ISTA-School of Technology and Architecture, member of Research Centers ISTAR (Integrated Researcher) and BRU (Associate Researcher), former member of Research Center UNIDE (Integrated Investigator). His research interests include Mathematics, Statistics, Stochastic processes-queues and applied probabilities, Game theory, Chaos theory, Bayesian statistics: Application to Forensic identification, Applications in Economics, Management, Business, Marketing, Finance and Social Problems in general. He has published 452 articles in Scientific Journals and Conference Annals, 45 book chapters, 58 books, edited 14 books, and presented 180 papers in International Scientific Conferences. He has 54 articles indexed in Scopus, 23 in Web of Science, 10 in zbMATH and 72 in Crossref. He is editor of Scientific Journals and Conference Annals. Also, he has reviewed articles for Scientific Journals and Conferences.



José António Filipe

Department of Mathematics, ISTA—School of Technology and Architecture, ISCTE - Instituto Universitário de Lisboa, Information Sciences, Technologies and Architecture Research Center (ISTAR-IUL), Business Research Unit-IUL (BRU-IUL), 1649-026 Lisbon, Portugal.

He has a PhD in Quantitative Methods (Operations Research) by ISCTE - Instituto Universitário de Lisboa, a Master degree in Management Sciences by ISCTE - Instituto Universitário de Lisboa. He was graduated in Economics by ISEG/UTL - Instituto Superior de Economia e Gestão, Universidade Técnica de Lisboa. He is an Assistant Professor with Habilitation at ISCTE - Instituto Universitário de Lisboa; Invited Professor in Foreign Universities (Spain, Slovakia, Greece, Estonia), Member of BRU-IUL and ISTAR-IUL research groups. He is a Former Subdirector of Department of Mathematics in ISTA - School of Technology and Architecture, at ISCTE - Instituto Universitário de Lisboa. His Research interests include Finance, Economics, Management, Marketing, Mathematics, Statistics, Stochastic Processes - Queues and Applied Probabilities, Game Theory, Application of Quantitative Methods to Economics, Management, Finance and Social Problems, Environmental and Natural Resource Economics, and Tourism. He Published more than 250 papers in Scientific Journals and Conference Proceedings, more than 30 book chapters, 10 books and 2 edited books (53 articles/chapters indexed by SCOPUS; 13 indexed by Web of Science). He presented about 100 communications in International Scientific Conferences. He is a Member of more than 20 International Organizations, Mentor and Patron of some of them and Country Head for Portugal of an International Academic Organization. He is Associated to many world organizations, particularly in Academia in European Countries, India, USA and Brazil. He is also a scientific project evaluator, reviewer of scientific articles for both conferences and Journals (included in publishers such as Elsevier, Springer Verlag, IEEE, Interscience, among many others); Integrates the Scientific Committees of conferences and is Editor and Editorial Board Member of Journals (European Research Studies Journal, International Journal of International Management, International Journal of Business and Systems Research, among many others); Founded two Journals (being also Editor in Chief) - Portuguese Journal of Quantitative Methods and International Journal of Latest Trends in Finance and Economic Sciences; Honorary Editor of International Journal of Finance, Insurance and Risk Management. He is an Examiner of PhD Theses in Portugal and abroad, participant in PhD Theses Progress Evaluation Panels, examiner of Master Theses, President of Board of some of them. He is a Supervisor of PhD Theses (Finance, Management, Economics, Quantitative Methods) and Master Theses (Finance, Management, Economics, Quantitative Methods) of students from Portugal and abroad: - 6 completed doctoral theses; - 4 doctoral theses in progress; - 14 Master theses completed.