



INSTITUTO  
UNIVERSITÁRIO  
DE LISBOA

---

## **Student Learning Monitoring and Gamification in Higher Education: Development and Integration of Learning Scorecard 3.0 with Moodle**

Miguel Leal Palma Fernandes d'Aguiar

Master Degree in Computer Engineering

Supervisor:

PhD Elsa Alexandra Cabral da Rocha Cardoso, Associate Professor,  
Iscte - Instituto Universitário de Lisboa

Co-Supervisor:

PhD José Eduardo de Mendonça Tomás Barateiro, Invited Assistant Professor,  
Iscte - Instituto Universitário de Lisboa

October, 2025





TECHNOLOGY  
AND ARCHITECTURE

---

Department of Information Science and Technology

**Student Learning Monitoring and Gamification in Higher Education: Development and Integration of Learning Scorecard 3.0 with Moodle**

Miguel Leal Palma Fernandes d'Aguiar

Master Degree in Computer Engineering

Supervisor:

PhD Elsa Alexandra Cabral da Rocha Cardoso, Associate Professor,  
Iscte - Instituto Universitário de Lisboa

Co-Supervisor:

PhD José Eduardo de Mendonça Tomás Barateiro, Invited Assistant Professor,  
Iscte - Instituto Universitário de Lisboa

October, 2025



## Acknowledgments

I would like to thank my family and Taco for all the support, love and for all the opportunities I was given.

To my girlfriend Inês, thank you for all the love, for always cheering for me and for making me see the brighter side everyday.

To Becas and Lorvão, to Tatu às 6, to all my friends, thank you for always supporting and being available to help me.

I would also like to thank Professors Elsa Cardoso and José Barateiro for the tireless effort and care throughout the entire process.

This dissertation wouldn't have been possible without them.



## Resumo

Esta dissertação apresenta o desenvolvimento do Learning Scorecard 3.0, uma iteração de uma plataforma de análise de aprendizagem gamificada anteriormente desenvolvida como uma aplicação web independente, implementada como um sistema de plug-ins nativo do Moodle. Esta iteração aborda limitações críticas de implementações anteriores e serve como uma prova de conceito para reconceituar a arquitetura da plataforma como um componente integrado do sistema de gestão de aprendizagem. Esta solução aproveita a autenticação nativa do Moodle, o controle de acesso baseado em funções e os dados abrangentes das atividades dos alunos para eliminar pontos de atrito, preservando ao mesmo tempo a mecânica da gamificação, incluindo pontos de experiência, sistemas de classificação hierárquica e tabelas de classificação competitivas.

As principais contribuições técnicas incluem uma arquitetura de base de dados híbrida que integra tabelas personalizadas com o esquema de base de dados existente do Moodle, cálculo de experiência em tempo real através de observadores orientados por eventos e um sistema de plug-ins modular e extensível. Este sistema demonstra o mapeamento bem-sucedido do conceito entre os elementos do Learning Scorecard e os recursos nativos do Moodle, numa tentativa de alcançar uma integração perfeita ao implementar recursos personalizados de gamificação.

Esta pesquisa contribui para a compreensão dos desafios da integração da tecnologia educacional e demonstra a viabilidade de incorporar sistemas sofisticados de gamificação em plataformas de gestão de aprendizagem estabelecidas.

**PALAVRAS-CHAVE:** Business Intelligence, Gamificação Educacional, Integração de Sistemas, E-learning





## Abstract

This dissertation presents the development of the Learning Scorecard 3.0, an iteration of a gamified learning analytics platform previously developed as a standalone web application, implemented as a native Moodle plugin system. This iteration addresses critical limitations of previous implementations and serves as a proof-of-concept to reconceptualize the platform's architecture as an integrated learning management system component. This solution leverages Moodle's native authentication, role-based access control and comprehensive student activity data to eliminate friction points while preserving gamification mechanics including experience points, hierarchical ranking systems and competitive leaderboards.

Key technical contributions include a hybrid database architecture that integrates custom tables with Moodle's existing database schema, real-time experience calculation through event-driven observers and an extensible and modular plugin system. This system demonstrates successful concept mapping between Learning Scorecard elements and Moodle's native capabilities, in an attempt to achieve seamless integration while implementing custom gamification features.

This research contributes to understanding educational technology integration challenges and demonstrates the feasibility of embedding sophisticated gamification systems within established learning management platforms.

**KEYWORDS:** Business Intelligence, Educational Gamification, System Integration, E-learning



## Contents

Acknowledgments	i
Resumo	iii
Abstract	v
List of Figures	ix
List of Tables	xi
Chapter 1. Introduction	1
1.1. Background & Context	1
1.2. Statement of the Problem	1
1.3. Aims and Objectives	2
1.4. Methodological Approach	3
1.5. Structure of the Dissertation	3
Chapter 2. Literature Review	5
2.1. Learning Management Systems	5
2.2. Gamification and Motivation in Education	6
2.2.1. Theoretical Foundations of Gamification	6
2.2.2. Gamification Mechanics	7
Chapter 3. The Learning Scorecard: Concept and Evolution	9
3.1. Genesis and Conceptualization of the Learning Scorecard	9
3.2. Evolution Through Iterative Development	10
3.2.1. Historical Overview of Versions	10
3.2.2. Lessons Learned from Prior Iterations	17
3.3. Learning Scorecard Conceptual Framework	18
3.3.1. Academic Structure and Organization	18
3.3.2. Gamification Mechanics	18
3.3.3. Social Learning	19
3.3.4. Recognition and Achievement System	19
Chapter 4. System Architecture and Design	21
4.1. Requirements	21
4.2. Overview of LS Architecture	22
4.2.1. Evolution from Standalone Architecture	22

4.2.2. Plugin-Based Architecture Benefits	23
4.2.3. Concept Mapping & Integration Analysis	24
4.3. Development Environment and Technical Infrastructure	26
4.4. Plugin Integration with Moodle	27
Chapter 5. Learning Scorecard 3.0	29
5.1. Methodological Approach	29
5.2. Database Design and Data Integration	32
5.3. Core Features	33
5.3.1. Leaderboards	33
5.3.2. Learning Scorecard Settings	36
5.3.3. Experience Points and Ranking System	38
5.3.4. Dashboard Block Plugin	38
5.4. Challenges & Limitations	39
Chapter 6. Conclusions	41
6.1. Recommendations for Institutional Use	41
6.2. Future Directions for LS	41
Bibliography	43

## List of Figures

Figura 2.1	Moodle three tier architecture. Source: Dolawattha et al. [11].	6
Figura 3.1	The Learning Scorecard Strategy Map. Source: Cardoso et al. [28].	9
Figura 3.2	MDA Perspectives. Source: Hunicke R. et al. [35].	12
Figura 3.3	Student Dashboard (Version 1). Source: Rações [33].	14
Figura 3.4	Teacher Dashboard (Version 1). Source: Rações [33].	14
Figura 3.5	Syllabus Contents of an UC. Source: Lopes [4].	16
Figura 3.6	Difficulty questionnaire (quest validation). Source: Lopes [4].	16
Figura 3.7	Syllabus contents with difficulty perceived by students. Source: Lopes [4].	17
Figura 4.1	LS 2.0 architecture. Source: Lopes [4].	23
Figura 4.2	LS 3.0 Architecture Integrated with Moodle	28
Figura 5.1	Moodle Development Environment Story	30
Figura 5.2	Leaderboards Display Story	30
Figura 5.3	Leaderboards Extraction of Data Story	31
Figura 5.4	Entity Relations diagram (course and user are moodle native tables shortened for context)	33
Figura 5.5	Overall Leaderboard Interface	34
Figura 5.6	<i>Quiz Masters</i> Leaderboard Interface	34
Figura 5.7	<i>Exercise Lords</i> Leaderboard Interface	35
Figura 5.8	<i>Guild Legends</i> Leaderboard Interface	35
Figura 5.9	<i>Combined Champions</i> Leaderboard Interface	36
Figura 5.10	XP Settings Interface	37
Figura 5.11	Rank Settings Interface	37
Figura 5.12	Leaderboard Settings Interface	37
Figura 5.13	Badge Management Interface Placeholder	38
Figura 5.14	Dashboard block plugin student XP Interface	39



## List of Tables

Tabela 4.1	Learning Scorecard vs Moodle Concept Mapping	26
------------	--	----





## CHAPTER 1

# Introduction

### 1.1. Background & Context

The landscape of higher education has undergone a significant transformation through the widespread adoption of digital technologies and learning management systems. This digital evolution has created unprecedented opportunities for institutions to leverage data analytics and innovative pedagogical approaches to enhance student learning outcomes and institutional effectiveness. Within this context, the integration of gamification principles with educational analytics represents a promising avenue for addressing persistent challenges in student engagement, motivation and academic performance monitoring.

The concept of gamification, defined as the application of elements of game design in non-game contexts [1], has gained considerable traction in educational settings as a mechanism for increasing student motivation and participation. When combined with learning analytics, which involves the measurement, collection, analysis and reporting of data about students and their contexts for purposes of understanding and optimizing learning [2], gamification can be a powerful tool for both students and teachers, both to monitor and improve the learning process.

The Learning Scorecard (LS) [3] perfectly exemplifies this convergence of gamification and educational analytics. Originally conceived as an academic performance management system, the LS has evolved through multiple iterations to become a platform that merges business intelligence methodologies with educational gamification strategies. The platform's core objective is to provide the students and faculty with actionable insights into the learning progress while maintaining high levels of student engagement through game-like mechanics.

However, the evolution of the Learning Scorecard has revealed, throughout the years, significant architectural and operational limitations that constrain its effectiveness and adoption within institutional contexts. These limitations, particularly regarding system integration, data collection efficiency and user accessibility, have urged a fundamental reconceptualization of the platform's technical infrastructure and deployment strategy.

### 1.2. Statement of the Problem

The current implementation of the Learning Scorecard platform (version 2.0) [4] presents several critical challenges that prevent its effectiveness and widespread adoption within higher education institutions. These challenges can be categorized into three primary domains: technical architecture, operational efficiency and institutional integration.

The existing Learning Scorecard operates as a standalone web application with external infrastructure dependencies, including cloud-hosted databases and third-party service integrations. This architectural approach creates several complications: first, it requires a separate authentication system and user management processes that exist parallel to institutional systems; second, it requires ongoing maintenance of external infrastructure, increasing operational costs and security vulnerabilities; third, it creates data silos, isolated collections of data that prevent seamless integration and data sharing with existing institutional learning management systems.

The current system requires substantial manual data entry from both students and faculty in order to populate the platform with the necessary academic and performance information. This manual input requirement creates multiple friction points: Students must duplicate the effort by entering information that already exists in institutional systems; faculty members face additional administrative burdens in maintaining accurate records of data across multiple platforms, for example, the need to create another account, leading to another set of credentials and the requirement to input the quiz and exercises grades from all students manually into the platform; the potential for data inconsistencies and errors increases significantly due to human input mistakes.

Perhaps most critically, the standalone nature of the current Learning Scorecard creates barriers to institutional adoption and sustained usage. Students and faculty must actively choose to visit the external platform, creating an additional step in their academic workflow. The platform lacks integration with existing institutional systems, which prevents it from leveraging the data already collected through learning management systems such as Moodle [5].

The Learning Scorecard was derived from a research project and without institutional support in its development or maintenance. The development was made in ISCTE, by a group of professors and students, but the goal was always to create a scalable learning platform that could be seamlessly integrated in other universities or learning institutions.

These challenges collectively result in a reduced user adoption, increased maintenance costs and compromised data accuracy.

### **1.3. Aims and Objectives**

This dissertation addresses the identified limitations through the development and evaluation of the Learning Scorecard version 3.0, which fundamentally reconceptualizes the platform's architecture and deployment strategy by inverting it and exploring the feasibility of integrating the Learning Scorecard with the Moodle system and infrastructure.

From a technical perspective, this dissertation aims to: (1) design and implement a modular plugin architecture that can seamlessly integrate with ISCTE's Moodle infrastructure; (2) develop an automated data collection mechanism that leverages Moodle's comprehensive student activity and performance data; (3) create user interfaces that maintain consistency with Moodle's design patterns while providing the functionality of

the Learning Scorecard platform; (4) ensure data security and privacy protection through adherence to Moodle's established security frameworks.

This dissertation also seeks to validate the effectiveness of the integrated approach through: (1) demonstration of reduced manual input requirements compared to previous Learning Scorecard versions; (2) evaluation of user experience improvements resulting from seamless integration with existing academic workflows; (3) assessment of system performance and scalability within the Moodle environment; (4) analysis of the platform's potential for broader institutional adoption given its integration with existing infrastructure.

Beyond technical and empirical considerations, this dissertation aims to contribute to a broader understanding of how gamification platforms can be effectively integrated within established educational technology ecosystems. The findings will provide insights into best practices for developing educational technology solutions that complement rather than compete with existing institutional systems.

#### **1.4. Methodological Approach**

This dissertation employs a lean agile methodology, combining the iterative nature of software development with a sprint-based approach with clearly defined objectives. The lean agile methodology allowed for a more organic and streamlined process, without abandoning the agile's iterative concept but letting go of some traditional agile ceremonies unnecessary for an individual academic research team.

The initial phase involved an analysis of existing Learning Scorecard implementations, detailed examination of Moodle's plugin architecture and Service API capabilities and systematic requirements gathering. This phase includes mapping the Learning Scorecard concepts to Moodle's existing data structures and functionality, identifying integration opportunities and constraints and developing a system architecture that addresses the identified limitations while preserving core platform capabilities.

The development phase focused on delivering functional components that can be tested and refined throughout the process. The development approach emphasizes modular design and adherence to Moodle coding standards to ensure compatibility with Moodle's ecosystem. Key deliverables include a block plugin to exemplify a user interface component of the student interface and a local plugin for main functionality and which is responsible for the addition of database schemas that integrate with Moodle's existing data structures.

#### **1.5. Structure of the Dissertation**

This dissertation is organized into seven chapters that systematically address the objectives and present the development, implementation and evaluation of Learning Scorecard 3.0.

Chapter 2 provides background on learning management systems, with particular focus on Moodle's architecture and capabilities and examines the theoretical foundations and

practical applications of gamification in educational contexts. This chapter establishes the theoretical framework that supports the gamification design decisions throughout the dissertation.

In chapter 3 the historical development of the Learning Scorecard is traced through its various iterations, analyzing the lessons learned from previous implementations and establishing the conceptual framework of the Learning Scorecard.

Chapter 4 presents the technical architecture of the Learning Scorecard 3.0, including detailed requirements analysis, system design decisions, plugin architecture specification and database design. It also presents a detailed mapping of Learning Scorecard concepts to Moodle's existing functionality and its mapping feasibility. This chapter provides the technical foundation for understanding the implementation approach and design rationale.

Chapter 5 describes the key deliverables and presents the proposed solution and serves as a demonstration of some functionality from the Learning Scorecard and its feasibility as Moodle integrated plugins.

Chapter 6 concludes this dissertation and provides recommendation for institutional use and adoption while also providing guidance to the next iterations of the Learning Scorecard.

## Literature Review

### 2.1. Learning Management Systems

Learning Management Systems (LMS) represent sophisticated software applications engineered to administer, track, report, automate and deliver educational courses, training programs and comprehensive learning materials. Following their initial emergence in the late 1990s, these platforms have achieved significant adoption across higher education institutions globally. Recently, the unprecedented expansion of LMS usage has been significantly accelerated by the institutional shift toward remote learning during the COVID-19 pandemic. [6]

There are several LMS available for educational institutions, with commercial and open-source platforms representing the two primary categories of LMS offerings [7]. Commercial LMS are either available in the market for a price or, although very rarely, proprietary and developed by the institution. In contrast, the open source alternative is available at no cost to the institution, although technical expertise is required as well as regular functional assessments. Open-source systems provide publicly accessible source code that institutions can modify and improve to meet their specific requirements and needs [8].

Moodle (Modular Object-Oriented Dynamic Learning Environment) stands as one of the most widely adopted open-source learning management systems globally. According to a recent systematic review on tendencies in the use of LMS, Moodle is the most popular and preferred open-source LMS [9]. The platform's extensive reach is evidenced by its current deployment across 238 countries, serving approximately 468 million users worldwide [10].

From a technical perspective, Moodle is built on a layered architecture (Figure 2.1) that ensures flexibility and scalability. The presentation layer handles the user interface and allows users to interact both on desktop and mobile devices. The application layer accommodates core functionalities and acts as an intermediary between the presentation and data layer, supporting the installation of plugins and modules to customize features. The data layer includes the database management system, typically SQL-based, which stores and manages all the data. This modular design allows institutions to customize the functionality and appearance through an extensive plugin ecosystem.




FIGURE 2.1. Moodle three tier architecture. Source: Dolawattha et al. [11].

Moodle offers many plugins that allow for functionality expansion. There are multiple types of plugins from local plugins, block plugins, all the way to antivirus plugins. Each with its own purpose and place in the Moodle folder structure.

## 2.2. Gamification and Motivation in Education

Gamification is the process of applying game elements, design and mechanics to non-game contexts [1]. When applied to higher education it has demonstrated a noticeable positive effect on learning outcomes [12]. However, when poorly designed and implemented, particularly when relying solely on points, badges and leaderboards without supporting intrinsic motivation, gamification can undermine student motivation [13] and create anxiety through excessive competition [14]. The field faces significant methodological challenges with 50% of studies showing inconclusive results [15].

### 2.2.1. Theoretical Foundations of Gamification

The Self-Determination Theory (SDT) provides the dominant theoretical lens for understanding gamification effectiveness in educational contexts. According to Deci and Ryan [16], SDT postulates how human motivation stems from satisfaction of three innate psychological needs: autonomy (self-determination and willing action), competence (mastery and effectiveness) and relatedness (social connection and belongingness), The theory distinguishes between intrinsic motivation (engaging in activities for inherent satisfaction) and extrinsic motivation (from purely reward-driven to fully internalized values) [14]. Deci and Ryan's [17] later update demonstrates that autonomy-supportive environments enhance student motivation, engagement, performance and well-being across diverse cultural contexts.

The application of SDT to game design emerged with Ryan, Rigby and Przybylski's [18] work demonstrating that video game enjoyment stems not from surface features but from need satisfaction. Ryan and Rigby [19] explicitly applied these principles to educational contexts, arguing that game-based learning satisfies needs through meaningful choices (autonomy), optimal challenges with clear feedback (competence) and collaborative interaction (relatedness), while warning that superficial gamification relying solely on extrinsic rewards threatens these very needs.

Empirical research confirms SDT's power for gamification outcomes. Sailer et al. [20] experimentally tested how specific game design elements influence need satisfaction, finding that different mechanisms satisfy different needs: avatars and storylines increased perceived autonomy; leaderboards and performance graphs increased perceived competence; teammates and meaningful narratives increased perceived relatedness. Xi and Hamari [21] demonstrated that need satisfaction mediates the relationship between gamification features and positive outcomes, providing empirical support for matching game mechanics to psychological needs.

Csikszentmihalyi's [22] Flow Theory complements SDT by describing the construction of the optimal experience, complete absorption in an activity characterized by nine dimensions including challenge-skill balance, clear goals, unambiguous feedback, total concentration, sense of control and transformation of time. Flow occurs when challenges and skills are both high and balanced, creating intrinsically rewarding experiences distinct from simple instantaneous pleasure. The original description positioned flow as the antidote to both boredom (when skills exceed challenges) and anxiety (when challenges exceed skills).

The integration of SDT and Flow Theory provides a comprehensive motivational framework: SDT explains why gamification works through need satisfaction, while Flow Theory describes the optimal state when competence needs are met through balanced challenge-skill dynamics, supported by autonomy and relatedness. Proulx et al. [23] proposed integrating learning mechanics with game mechanics under this dual theoretical lens, distinguishing between game mechanics (rules and procedures) and learning mechanics (pedagogical strategies) while ensuring alignment with psychological need satisfaction.

### **2.2.2. Gamification Mechanics**

The critical factor determining whether gamification supports or undermines motivation appears to be implementation approach. Koivisto and Hamari [24] reviewed gamification research and identified a gap between promise and practice, noting that the most effective implementations are grounded in motivational theory rather than superficial application of game elements.

Leaderboards exemplify gamification's most controversial element driving engagement for some learners while creating anxiety and demotivation for others. Li and Fryer's [25] systematic review of empirical evidence in higher education concluded that leaderboards remain amongst the most popular gamification elements but should be used with clear

ranking rules and goal-related feedback to avoid detrimental effects. Leaderboards may benefit high-performing students but have negative consequences for underperforming ones, shifting focus from learning to ranking.

Points systems represent the most fundamental gamification mechanic, providing immediate quantitative feedback for actions and achievements. Park and Kim [26] distinguished between qualitative points (high/low scores displayed on leaderboards) and quantitative points (accumulative token-like currencies), noting that points are the most widely used game mechanics but improper use causes learners to focus on earning points without genuine learning purpose.

Despite criticisms, well-designed points systems demonstrate usefulness. Experience points (XP) and leveling systems create a sense of continuous progress by providing granular feedback that makes small actions worthwhile. Paiva et al. [27] found that XP systems combined with badges created a sense of constant progress, proving powerful in learning applications where skill development occurs incrementally.

Progress bars and visual feedback leverage what Park and Kim [26] identify as the Zeigarnik effect, the psychological need to complete unfinished tasks. They provide immediate visual feedback that makes abstract advancement concrete and visible.

When properly implemented, with theoretical rigor, gamification demonstrates genuine potential to enhance cognitive, motivational and behavioral outcomes. The challenge for higher education is moving beyond the superficial implementation toward sophisticated applications that follow what motivational psychology teaches about human learning and development.



## The Learning Scorecard: Concept and Evolution

### 3.1. Genesis and Conceptualization of the Learning Scorecard

The Learning Scorecard emerged from a fundamental pedagogical challenge identified within higher educational institutions: the lack of understanding by faculty members regarding the difficulties experienced by students in relation to the content taught in curricular units as well as the students' lack motivation with respect to the academic autonomous work. Initially (See Figure 3.1), this platform was conceptualized as an academic performance management system designed to support both students and faculty through data-driven insights that assist teachers in continuously monitoring the curricular units they teach while enabling students to visualize their performance in each course in which they are enrolled. Their main mission was to offer higher education students an analytic environment that allows progress monitoring through a familiar game-like scope, contributing to a better learning experience.




FIGURE 3.1. The Learning Scorecard Strategy Map. Source: Cardoso et al. [28].

The platform was originally conceptualized with two distinct user perspectives: student view and a teacher view. The student view provides essential visualizations that enable students to understand their learning trajectory in a specific curricular unit while offering tools that provide important data for continuous monitoring by faculty. The teacher view provides management, evaluations and visualization tools for educators regarding each curricular unit they teach, offering various visualizations to track the collective students' progress through all phases of the curricular unit along with assessment

tools. Recently, an administrative view was added to support the maintenance and management of the courses in situations where higher permissions are required.

## **3.2. Evolution Through Iterative Development**

### **3.2.1. Historical Overview of Versions**

The Learning Scorecard concept began in the 2015/16 academic year as a collaborative project undertaken by a group of Computer Science masters students enrolled in the Information Systems of Decision (SIAD) II curricular unit under the advice of Prof. Elsa Cardoso. This group defined in a very basic and introductory way what the LS would be, later being picked up by Daniela Costa [3] who built upon this concept in her master's dissertation, improving it and setting the course for the following iterations.

The development timeline reflects the progression of features and refinements with each major version addressing specific limitations and opportunities identified through previous implementations. This iterative approach has enabled the platform to evolve in response to changing technological landscapes, pedagogical insights and institutional requirements while maintaining consistency in core design principles.

#### **Learning Scorecard Version 0**

The inaugural version of the Learning Scorecard was developed by Daniela Costa as part of her master's dissertation at ISCTE-IUL [3], whose primary objective was to create a web-based platform that would integrate Business Intelligence techniques with gamification elements in order to foster improved student learning experiences in higher education contexts.

This version adopted conventional three-tier web application architecture, comprising distinct presentation, application and data layers. This architectural pattern, while traditional, provided a stable foundation for the initial implementation and facilitated separation of concerns across system components.

The presentation layer was constructed using fundamental web technologies including HTML5, CSS3 and JavaScript. The Bootstrap framework[29] was incorporated to ensure responsive design principles and provide pre-built user interface components. Chart.js [30], a JavaScript visualization library, was integrated to facilitate the creation of interactive dashboard and data visualizations, essential for performance monitoring. The application layer was built upon Node.js, with Express.js as the web application framework, providing routing capabilities and middleware integration. MySQL [31] was selected as the relational database management system (RDBMS), chosen for its compatibility with Node.js's [32] asynchronous architecture and its widespread adoption in academic environments. The database schema was designed to accommodate user profiles, course information, assessment data and gamification elements.

This platform was deployed in the SIAD I (Data Warehouse and Business Intelligence) course during the 2016/2017 academic year. A comparative analysis with the previous academic year (2015/2016, without LS implementation) revealed statistically significant improvements across multiple performance indicators. The approval rate of students

increased from 86% to 92%, the mean grade improved from 14.54 to 14.98 (on a 0-20 scale), the global students satisfaction increased from 7.2 to 7.5 and the number of students that withdrew from the course also decreased from 14 to 12 students [3].

Post-implementation analysis revealed several technical and functional limitations, such as the absence of proactive notification mechanisms for approaching quest deadlines, limited diversity in quiz question formats and assessment types, code modularity deficiencies impeding extensibility, scalability constraints when supporting large concurrent user populations and suboptimal code organization affecting maintainability.

### **Learning Scorecard Version 1**

Version 1 represented an evolutionary refinement of the Learning Scorecard developed collaboratively by Francisco Rações [33] and Tiago Pedroso [34] during the 2017/2018 academic year. Rather than representing a single unified dissertation, their work constituted two complementary master's research projects that addressed distinct but interconnected dimensions of the Learning Scorecard: systematic gamification enhancement through theoretical frameworks and advanced information visualization and dashboard design.

The primary motivation driving version 1 development stemmed from identified limitations in version 0 and broader challenges in educational gamification and learning analytics.

Educational gamification implementations frequently suffer from superficial application of game elements, often limited to points, badges and leaderboards (PBL), without systematic consideration of how these mechanics connect to student motivation and desired learning outcome. Pedroso's [34] focus was to analyze how gamification can be systematically designed to enhance students' engagement and motivation. Rações [33] however, focused on how student learning progress in higher education courses is typically not monitored in real-time. His contribution was mainly on students' perception of their learning progress through well-designed dashboards and visualization techniques.

This version maintained and incrementally enhanced the core technological foundation established in version 0 with the key technical enhancements being: (1) expanded data collection mechanisms for additional learning indicators; (2) enhanced dashboard rendering capabilities, supporting more complex visualizations; (3) improved gamification element tracking and state persistence; (4) refined user interface components with a more responsive design and (5) optimized database queries for performance improvements.

The central theoretical innovation of version 1 was Pedroso's [34] systematic application of the MDA (Mechanics, Dynamics, Aesthetics) framework proposed by Hunicke, Leblanc and Zubek [35]. The MDA framework represents a formal approach to game design and game research, providing an analysis methodology for understanding how game elements interact and how they can be applied outside traditional gaming contexts.




FIGURE 3.2. MDA Perspectives. Source: Hunicke R. et al. [35].

Following the MDA framework, Pedrosa [34] designed and implemented gamification mechanics intended to generate specific dynamics and aesthetic outcomes.

### Implemented Mechanics

1. Experience Points (XP) System
  - Awarded for completion of learning activities (quizzes, assignments, etc.).
  - Cumulative XP tracking throughout the semester.
  - Transparent XP calculation rules communicated to students.
2. Badge System
  - Achievement recognition for specific accomplishments.
  - Categories: content mastery, participation, consistency and excellence.
  - Visual representation with iconography.
  - Badge collection displayed in student profiles.
3. Leaderboard
  - Ranked display of student performance based on XP.
  - Multiple leaderboard views (class-wide, groups, etc.).
  - Regular updates maintaining current standings.
4. Quest System
  - Structured learning activities with clear objectives and deadlines.
  - Multiple quest types: practical assignments, exercises, quizzes and forum discussions.
  - Progress tracking with completion status visualization.
  - XP rewards tied to quest completion and quality.
5. Level System
  - Hierarchical progression indicators based on cumulative XP.
  - Level thresholds established to create meaningful advancement milestones.
  - Level-up notifications providing motivational reinforcement.
  - Visual representation of current level and progress toward next level.
6. Progress Visualization
  - Dashboards showing advancement through course content.
  - Timeline representations of quest deadlines and completion.
  - Comparative visualizations (individual vs. class average).

### Targeted Dynamics

- Competition: Leaderboards and public XP totals create competitive motivation between students.
- Progression: Level advancement provides clear sense of forward movement.
- Goal-Orientation: Quest structures with defined objectives focus student effort.
- Social Comparison: Peer performance visibility enables self-assessment in context.
- Achievement Recognition: Badges provide symbolic acknowledgement of accomplishments.
- Time Management: Quest deadlines encourage consistent engagement rather than cramming.

### **Intended Aesthetics**

- Challenge: Encouraging mastery through structured, progressively difficult learning objectives.
- Discovery: Facilitating exploration of course content and connections between concepts.
- Progression: Providing a clear sense of advancement and competence development.
- Fellowship: Creating awareness of collective class journey and peer community.
- Narrative: Structuring the semester as a coherent learning with journey milestones.

Raçoês's [33] contributed mainly by developing comprehensive dashboard interfaces for both students and faculty and by identifying and implementing core learning indicators categorized in three dimensions: engagement indicators, cognitive indicators and social indicators.

Engagement indicators measured the interactions with the learning contents, frequency of access to the platform and submission timeliness. Cognitive indicators tracked grade and performance trends, quiz attempts before achieving success, performance consistency and improvement trajectories. The social indicators provided a measure of forum posting frequency and consistency, peer interaction patterns and collaborative activity participation and contribution quality.

In regards to the dashboards, he made improvements on the student view providing actionable insights while focusing on information clarity through visualization components such as:

- Line charts tracking temporal patterns of engagement (platform access and forum activity over weeks).
- Bar charts for comparing quiz grades across multiple assessments.
- Radar charts for multidimensional performance profiling.
- Progress indicators as a visual representation of quest completion and level advancement.

- Tables with detailed statistical breakdowns of quiz performance and attempt histories.




FIGURE 3.3. Student Dashboard (Version 1). Source: Rações [33].

In the faculty view, he designed the dashboards according to Business Intelligence best practices for analytical decision support with the following key metrics being displayed:

- Number of active vs. inactive students.
- Average quiz grades with trend indicators.
- Forum participation rates across the entire class.
- Assignment submission delay distributions.
- At-risk student identification based on multiple indicator thresholds.




FIGURE 3.4. Teacher Dashboard (Version 1). Source: Rações [33].

Version 1 was deployed during the 2017/2018 academic year at ISCTE-IUL in two courses: SIAD I (first semester) and SIAD II (second semester). This represented the platforms third and fourth consecutive semester deployments, building upon the foundation established the previous academic year.

Despite significant advances, this version retained limitations, motivating future development and iteration:

- Technical Limitations
  - Code Modularity: While improved over version 1, codebase still exhibited architectural constraints limiting extensibility
  - Scalability Concerns: Performance characteristics with large user populations remained uncertain
  - Data processing: Some analytics required manual calculation or batch processing rather than real-time computation
- Functional Limitations
  - Difficulty Assessment: Lacking mechanisms to capture student-perceived difficulty of content topics
  - Adaptive Learning: Limited capability to personalize learning paths based on individual student characteristics
  - Predictive Analytics: No predictive modeling of future student and class performance
- Pedagogical Considerations
  - Self-Reported Data: Reliance on faculty to input the information regarding students grades, performance, etc.
  - Generalizability: Implementation validated in SIAD courses, applicability to other courses uncertain

While version 1 achieved significant pedagogical and user experience improvements, these identified technical and functional limitations motivated Miguel Lopes' [4] subsequent comprehensive architectural reimagination (version 2), which would address scalability concerns and integrate semantic web technologies while preserving the gamification and visualization innovations contributed by Pedroso and Rações.

### **Learning Scorecard Version 2**

The latest version of Learning Scorecard version 2 was developed by Miguel Lopes [4] during the 2020/2021 academic year at ISCTE-IUL. This version constituted a complete platform redevelopment rather than incremental enhancement, motivated by critical limitations that had accumulated across three previous iterations.

Lopes' [4] key contributions to this version were the implementation of a semantic web through the application of ontologies and integration of a GraphQL [36] semantic database, the application of a structured mechanism for continuous student feedback on learning difficulties and a shift from the monolithical three tier architecture into a cloud-native, microservices design that enabled scalability and multi-institutional deployment.

In this version, the syllabus contents could be stored in the GraphDB database and displayed to the students as a better way to visualize the course's contents as shown in figure 3.5.




FIGURE 3.5. Syllabus Contents of an UC. Source: Lopes [4].

The learning difficulties of students could be gathered through a questionnaire after every quest (see Figure 3.6), presented to students as a quest validation that would give the quests XP upon completion. This would provide the faculty with a better view of the students' challenges and feedback on the lessons, as well as what aspects needed to be revised as demonstrated in Figure 3.7.

FIGURE 3.6. Difficulty questionnaire (quest validation). Source: Lopes [4].






FIGURE 3.7. Syllabus contents with difficulty perceived by students. Source: Lopes [4].

Further technical investigation will come when analyzing the current state of the application in chapter 4 of this dissertation.

### 3.2.2. Lessons Learned from Prior Iterations

The evolutionary development of the Learning Scorecard has yielded important insights into the challenges and opportunities associated with educational technology implementation in higher education contexts. These lessons have directly informed the design decisions underlying Learning Scorecard 3.0 and provide valuable guidance for future LS development efforts.

Previous iterations consistently revealed the critical importance of seamless integration with existing institutional systems and workflows. Standalone implementations, while providing flexibility and autonomy, created barriers to adoption through the requirement for separate authentication, manual data entry and navigation between multiple platforms. These experiences highlighted the need for deeper integration with institutional learning management systems to achieve sustainable adoption and effectiveness.

Analysis of user behavior across previous versions revealed important patterns regarding the factors that drive sustained engagement with educational technology platforms. Students demonstrated higher levels of engagement when gamification elements were seamlessly integrated with existing academic workflows rather than requiring separate platform visits or additional effort investment. Faculty adoption correlated strongly with the availability of actionable insights that directly supported pedagogical decision-making without creating additional workload or administrative burden.

The operational experience of maintaining standalone Learning Scorecard implementations revealed significant challenges related to infrastructure costs, security management and version compatibility. These experiences demonstrated the advantages of leveraging existing institutional infrastructure and support systems rather than maintaining separate technological stacks that require independent updates, security monitoring and user support.

### 3.3. Learning Scorecard Conceptual Framework

The Learning Scorecard conceptual framework encompasses a comprehensive set of interconnected concepts designed to support gamified learning experiences in higher education. This framework is organized around four primary domains that reflect different aspects of the educational experience: Academic Structure and Organization, Gamification Mechanics, Social Learning and Recognition and Achievement System. Each domain contains interconnected concepts that work together to create a comprehensive educational technology ecosystem that supports both individual learning, cooperation and institutional objectives.

#### 3.3.1. Academic Structure and Organization

The academic foundation of the Learning Scorecard is built upon traditional higher education organizational structures, adapted to support digital learning environments.

**Courses and Curricular Units.** The system recognizes a two-tier academic structure where *Courses* represent overarching academic programs (e.g., "Computer Science") that encompass multiple *Curricular Units*. Each Curricular Unit corresponds to an individual subject with specific learning objectives, content and assessments that students must complete as part of their academic progression. This hierarchical organization maintains consistency with traditional academic frameworks while enabling digital tracking and gamification.

**Students and Faculty.** The system accommodates two primary user roles: *Students*, who are enrolled in one or more Curricular Units and participate in gamified learning activities and *Teachers* or Faculty members, who are responsible for creating and managing curricular content, designing learning activities and monitoring student progress within their assigned Curricular Units.

**Syllabus Contents, Calendar and Timeline.** *Syllabus Contents* encompass all learning materials, resources and educational content within a Curricular Unit. The organizational framework includes both *Calendar* and *Timeline* concepts that serve as complementary planning systems, enabling students and faculty to organize learning activities and maintain temporal awareness of curricular progression.

#### 3.3.2. Gamification Mechanics

The core gamification elements provide the foundation for student engagement and progress tracking through game-like mechanics adapted to educational contexts.

**Experience Points and Ranks.** *Experience Points* (XP) serve as the fundamental currency of progress within the platform, earned through completion of various educational activities. The *Rank* system establishes hierarchical progression levels based on accumulated XP, including ranks such as Newbie (entry level at 0 XP), Rookie, Skilled, Expert, Master and Legendary. Faculty members can configure rank thresholds dynamically, with each rank unlocking new privileges and recognition within the platform.

**Quests.** *Quests* represent the core educational activities that students complete to earn XP and demonstrate learning. The system categorizes quests into five distinct types: Class Attendance, Practical Assignment, Quiz, Exercise and Event. Each quest can be designated as mandatory (milestone quests) or optional, providing flexibility in curriculum design while maintaining educational objectives.

**Last Chances.** The *Last Chance* mechanism provides opportunities for recovery of XP and continued engagement when students fall behind or make mistakes, preventing permanent failure states that could lead to disengagement and ensuring continued participation throughout the academic term.

### 3.3.3. Social Learning

The social components of the Learning Scorecard foster collaboration and healthy competition among students through structured group dynamics.

**Alliances.** *Alliances* function as large-scale organizational units that typically correspond to academic classes or programs (e.g., LEI or ETI). These structures facilitate competition and comparison at the class level while maintaining educational coherence, enabling students to compare their progress through dedicated leaderboards and participate in alliance-specific activities.

**Guilds.** *Guilds* represent smaller collaborative units within alliances, typically corresponding to project teams or study groups. The guild system promotes cooperative learning by encouraging mutual assistance among members, with guild-specific achievements, badges and leaderboards fostering team spirit while maintaining individual accountability within the collaborative framework.

### 3.3.4. Recognition and Achievement System

The recognition framework provides multiple pathways for acknowledging student accomplishments and maintaining motivation through visible achievements.

**Badges.** The *Badge* system provides targeted recognition for specific accomplishments and behaviors, featuring 39 different badges organized into four categories: individual achievements, guild-based accomplishments, forum participation and final questionnaire completion. Each category includes multiple tiers (bronze, silver, gold and platinum) corresponding to increasing levels of difficulty and commitment.

**Trophies.** *Trophies* represent the highest level of achievement, awarded to top performers in various leaderboard categories including overall rankings (Best Score Player), guild performance (Best Guild) and combined metrics (Best Triathlon Player). Each trophy provides substantial XP rewards (typically 1000 XP) and serves as a highly visible symbol of excellence.

**Avatars.** The *Avatar* system enables profile customization while serving as a visual indicator of progression. Students unlock new avatar options as they advance through rank levels, with both male and female options available at each tier, allowing for personal

expression while maintaining the connection between visual representation and academic achievement.

**Leaderboards.** Multiple *Leaderboard* systems enable various forms of competition and comparison through five distinct categories: overall individual rankings, guild-based comparisons, exercise-specific performance, quiz results and combined metrics. Each leaderboard displays position, username, rank, avatar and XP totals, creating transparency in academic performance while fostering healthy competition among participants.

## System Architecture and Design

### 4.1. Requirements

An imperative aspect in any application conceptualization is a thorough requirement analysis. These requirements can be functional (FR) or non-functional (NFR) and shape the architectural decisions that are made during its development as well as assessing whether a system will succeed.

#### Functional Requirements (FR)

It is important to define what an engineer should strive for when determining functional requirements as it will ultimately be what defines an application, molds its functionality and consequently decides its architecture. Functional requirements are the essential characteristics that the system should deliver that the end-user specifically demands [37]. A simpler way to perceive it is that they define what the system should perform. It is important with any version increment of the LS to maintain fidelity to the previous requirements and adjust them when appropriate. Costa [3] identified base functional requirements which I will evaluate and integrate into my system architecture, but also define some myself.

- FR1 The LS platform must use Moodle's existing authentication and user management systems.
- FR2 The LS platform must be integrated with the e-learning system, providing seamless access to student data, course data and activities.
- FR3 The LS Platform must use Moodle's role-based access control mechanisms, distinguishing between student and teacher user types with corresponding permissions and interfaces.
- FR4 The LS platform must have a dashboard for individual student performance monitoring (students view)
- FR5 The LS platform must have a dashboard for class performance monitoring (teacher view)
- FR6 The LS platform must have a course chronogram with deadlines and study guidelines, customizable by the teacher/faculty
- FR7 The LS platform must include gamification elements (score, ranks, quests, leaderboards)

## Quality Requirements (QR)

Another important aspect of the requirement analysis is to define the quality requirements. These, differently from their functional counterpart must define how the system should perform, rather than what. While not directly visible as features they are vital in shaping the user experience and ensuring the system's long-term success. A few examples of these requirements could be performance, security, reliability, etc. Costa [3] laid out base quality requirements which I will also evaluate, adapt and integrate into my system architecture, in addition to some identified by myself. From Costa's non-functional requirements:

- QR1 Portability for the different web browsers, including mobile devices
- QR2 Intuitive and user-friendly interface (least possible manual input by students)
- QR3 The user identification data must be private (ethical requirement), the teacher/faculty must only have access to the class aggregated data, even for at risk students.

This last quality requirement, as Costa [3] correctly identified is a missed opportunity as the faculty will have no way of knowing which students are at risk and ultimately take advantage of such introspective metrics on student performance. As the system is integrated into Moodle's learning environment and all this information is already available to the faculty I believe this QR should be altered into a more transparent requirement and only require anonymization of the student data if the Learning Scorecard were to extend its functionality to allow for a predictive model to be set in place to predict the outcome of the students grade based on current effort. Therefore, the corrected QR3 is:

- QR3 The user identification data must be private (ethical requirement) in case it is used in collaboration with a predictive model for the grades. The teacher must only have access to the class aggregated data.

Throughout the study and conceptualization of the system a few more quality requirements were identified:

- QR4 The system must be installable as standard Moodle plugin(s) without requiring server modification.
- QR5 The system must maintain visual consistency with the Moodle theme.
- QR6 The system must store all data within the Moodle database structure.

## 4.2. Overview of LS Architecture

### 4.2.1. Evolution from Standalone Architecture

The LS architecture has withstood many iterations throughout the years and has become more complex and polished through them, as new features have been added, alternatives and changes in architecture have been deemed most adequate. Suppose we take the latest version as a baseline and dive into what can be improved.

In the latest version of the Learning Scorecard, version 2.0, as documented by Miguel Lopes [4] the technological stack consisted of React [38] frontend components communicating with Express [39] (Node.js [32]) backend services, which in turn interfaced through

via REST with a cloud-hosted NoSQL MongoDB [40] and GraphDB [36] system deployed on Azure infrastructure [41] and primarily hosted in Heroku [42].




FIGURE 4.1. LS 2.0 architecture. Source: Lopes [4].

While this architecture demonstrated scalability, modularity and adherence to modern web development practices, it presented several critical limitations, primarily in that it is not integrated with the ISCTE Moodle environment (FR2), relying on manual input by the faculty and students making it not an ideal system and one that would become more of a chore for teachers who have most commonly multiple classes to teach, register and manage and students who also have multiple classes, quizzes and exercises to keep track of.

We must then conjure a system that is integrated with the ISCTE Moodle environment and satisfies all functional and non-functional requirements set previously.

At first glance, it is possible to achieve a more integrated system making use of the platform developed previously with the use of the Moodle native web services, although the standalone nature necessitated separate authentication systems, creating friction for users who must maintain multiple credentials and navigate between distinct platforms. The external infrastructure dependencies resulted in ongoing operational costs, particularly following Heroku’s discontinuation of free tier services [43], and introduced security vulnerabilities through external data hosting that may not align with institutional data governance policies.

#### 4.2.2. Plugin-Based Architecture Benefits

The Learning Scorecard 3.0 plugin-based architecture approach addresses these limitations through direct integration with Moodle’s comprehensive infrastructure and Service API ecosystem. This approach provides several critical advantages that enhance both technical capabilities and institutional viability.

*Infrastructure Integration:* By operating within Moodle’s established infrastructure, LS 3.0 eliminates external hosting requirements and associated costs while ensuring compliance with institutional security and data governance policies. The platform leverages existing ISCTE’s server infrastructure, Apache web servers and database systems without requiring additional resources or maintenance overhead.

*Authentication and User Management:* Integration with Moodle’s authentication system erases the need for separate user credentials and login processes, reducing friction for students and faculty while ensuring consistency with institutional access policies. The platform automatically inherits Moodle’s sophisticated role and permission systems, enabling fine-grained access control without additional implementation complexity.

*Data Ecosystem Access:* Perhaps most critically, the plugin architecture provides direct access to Moodle’s comprehensive student activity and performance data, enabling automated data collection and real-time analytics without manual input requirements. This access includes quiz results, assignment submissions, forum participation, resource access patterns and completion tracking data that can be seamlessly integrated into gamification and analytics workflows.

*User Experience Consistency:* The plugin approach ensures visual and functional consistency with existing institutional interfaces, reducing learning curves for users and promoting adoption through familiar interaction patterns. Students and faculty can access Learning Scorecard functionality without leaving their established academic workflows.

### 4.2.3. Concept Mapping & Integration Analysis

The successful integration of Learning Scorecard functionality within Moodle’s existing architecture requires comprehensive analysis of conceptual alignments and implementation feasibility. This mapping process identifies opportunities for leveraging existing Moodle capabilities while determining areas that require custom implementation to preserve Learning Scorecard’s legacy features.

#### **Total Mappings (T)**

Total mappings exist when there are Moodle native functionalities that directly support the LS concept, no additional data structures or logic are required, integration can be achieved through standard API or database access or the semantic meaning aligns perfectly. That’s the case for the concepts:

- Course: Moodle natively supports course categorizations that represent university courses such as "LEI" or "ETI".
- Curricular Unit: Perfect mapping, each LS curricular unit corresponds directly to a Moodle course.
- Student/Teacher: Moodle’s role-based access control system directly supports student and teacher roles. Permissions and course access are natively managed.
- Syllabus Contents: Moodle’s course module system supports 16 content types (files, URLs, pages, quizzes, etc.). Tags provide semantic classification that LS requires.
- Quests: Direct conceptual mapping of LS quests and Moodle activities. All necessary attributes available (deadlines, grading, completion tracking, etc.).
- Alliances/Guilds: Moodle’s native group system supports both course level groups (guilds) and institution-wide cohorts (alliances).



- Badges: Moodle includes a native badge system, with support for criteria-based awarding and display.

### **Partial Mappings (P)**

A partial mapping occurs when Moodle provides a foundation but lacks specific LS requirements. These requirements can be achieved through custom development of business logic, user interface or data structures or the concept requires extending or combining multiple Moodles features. This additional effort is evident in the following concepts:

- Calendar: While Moodle has a native calendar, extra quest metadata (XP values, difficulty, etc.) is not native and thus requires additional implementation.
- Timeline: Moodle tracks activity completion but doesn't provide LS's chronological timeline view, it requires pulling data from multiple tables and creating a custom visualization.
- Experience Points: Moodle's gradebook can store percentage/point-based values but isn't designed for XP systems. Further development is needed, such as creating custom tables to store XP per activity and logic to calculate and award XP based on quest completion through events and to display it.
- Ranks: Moodle has no concept of progression ranks. It is required to create entirely new data structures, rank-up notifications and visualization of rank and rank progress.
- Trophies: While badges provide the base, trophies have specific implementation efforts required, such as leaderboard-based logic and visualization.
- Avatars: Moodle allows profile pictures but not customizable avatar systems. Further development in avatar selection/customization interfaces and storage as well as logic for the unlocks is required.
- Leaderboards: Moodle's gradebook presents grades but not competitive rankings. Additionally, it has no native leaderboard view and requires aggregating data from multiple tables.
- Last Chance System: Moodle's conditional access provides a foundation but lacks "second chance" mechanics. Complex business logic beyond Moodle's simple conditional rules is required.

TABLE 4.1. Learning Scorecard vs Moodle Concept Mapping

Concept	Moodle	Feasibility
<i>Academic</i>		
Course	Course Categories	T
Curricular Unit	Course	T
Student	Users & Roles	T
Teacher / Faculty	Users & Roles	T
Syllabus Contents	Course Modules & Tags	T
Calendar	Calendar Events	P
Timeline	Activity Completion & Progress	P
<i>Gamification</i>		
Experience Points	Grade Items & Custom Fields	P
Ranks	Custom Implementation	P
Quests	Activities	T
Alliances	Groups & Cohorts	T
Guilds	Groups	T
Badges	Badges System	T
Trophies	Badges System & Custom Impl.	P
Avatars	User Profiles, Files & Custom Impl.	P
Leaderboards	Gradebook & Custom Views	P
Last Chance System	Conditional Activities	P

T - Total Mapping P - Partial Mapping

### 4.3. Development Environment and Technical Infrastructure

The establishment of a robust, consistent and production-like development environment proved critical for the successful implementation of LS 3.0. The complexity of Moodle plugin development, combined with the need for the system to mimic the production environment as much as possible, required careful consideration of development infrastructure and tooling decisions.

The development environment configuration process revealed important insights into the requirements and challenges of Moodle plugin development, ultimately leading to the identification of optimal approaches for maintaining development productivity and most importantly, system reliability.

The initial development approach employed XAMPP [44] to provide a local PHP environment, Apache server and MySQL database [31] infrastructure, imperative for standalone Moodle instance execution. However, this approach demonstrated significant limitations that compromised development reliability and consistency. File persistence issues

following server restarts and unpredictable system behavior created an unstable foundation that was incompatible with the production-like development environment required for plugin implementation.

The second development approach investigated Docker containerization [45] with orchestrated Bitnami Moodle image [46] to achieve improved consistency and reproducibility. While this approach initially showed promise through improved container persistence and more predictable behavior, plugin integration revealed critical limitations. The Bitnami image implemented automated Moodle configuration processes that incorrectly identified plugin additions as corrupted system files, triggering unwanted fresh installations that compromised the continuity of the plugin's development and was therefore excluded from consideration for the final Moodle development environment.

The final development environment employed custom docker container orchestration with separate Apache server and MariaDB database [47] images, enabling manual Moodle configuration that avoided the automated configuration issues encountered with pre-built images (like Bitnami's). Although this came with the increased effort of configuring the Apache server and installing the same Moodle version as the production ISCTE 2024/2025 Moodle instance (version 4.4.1) and all the necessary dependencies this approach provided the stability, consistency and production-like behavior expected and required for reliable plugin development.

#### **4.4. Plugin Integration with Moodle**

There are multiple types of Moodle plugins and depending on their purpose we should select the most adequate. According to the specification of the Learning Scorecard we would need to evaluate what plugin type is better suited.

Moodle's comprehensive plugin architecture [48] provides multiple plugin types, each optimized for specific functionality categories and integration patterns. The Learning Scorecard implementation requirements necessitated evaluation of plugin types to ensure appropriate functionality distribution and optimal integration with Moodle's existing systems.

Block plugins emerged as the optimal choice for user-facing dashboard and metric displays. The block architecture's design for small, configurable information displays that can be positioned throughout Moodle's interface aligns perfectly with Learning Scorecard's requirement for accessible gamification metrics within existing workflows. Block plugins enable experience point displays, ranking information and progress metrics to be seamlessly integrated into student and faculty dashboards without requiring navigation to separate interfaces.

Local plugins' generic specification provide the appropriate architecture for additional LS functionality, including leaderboards, Learning Scorecard configuration, database table aggregation, etc.

The modular plugin approach requires appropriate directory organization within Moodle's established file structure. Block plugins are installed within the *"/blocks"* directory,

while local plugins reside in the `"/local"` directory, ensuring compliance with Moodle's architectural standards and enabling proper plugin discovery and management through Moodle's administrative interfaces.

The final architecture of the Learning Scorecard 3.0 (Figure 4.2) was concluded as a collection of two plugins. A block plugin that will solely handle the block display on the dashboard, querying the database for the necessary information for XP and rank progress display. And a local plugin, responsible for the installation and aggregation of additional tables to the Moodle database, the custom pages, leaderboards and settings page, as well as all the business logic that entails calculating ranks, XP attributions and the observers for all activities that trigger upon completion.




FIGURE 4.2. LS 3.0 Architecture Integrated with Moodle

## Learning Scorecard 3.0

### 5.1. Methodological Approach

The development methodology employed for the Learning Scorecard 3.0 synthesizes principles from agile software development. This methodological approach recognizes the iterative nature where continuous refinement throughout the development process is imperative for successful delivery.

Initially it was intended for the implementation to follow a structured sprint-based approach with clearly defined objectives for each development iteration. Initial sprints focused on setting up a stable, production-like development environment (Example of story shown in Figure 5.1) , ensuring that the subsequent feature development could proceed upon a robust technical foundation.

Subsequent stories (Examples in Figures 5.2 and 5.3) tackled the core functionalities of the LS 3.0, such as leaderboards, experience points, database aggregation and finally, the block plugin.

Even though the story implementations were ongoing and iterative, the dissertation development however did not follow the methodology strictly. This decision stemmed from the adoption of a lean agile approach tailored to individual academic research. In the absence of a development team, traditional agile ceremonies such as daily stand-ups, sprint planning and team retrospectives were deemed unnecessary overhead. In this context, the methodology evolved organically toward a more streamlined process that preserved agile's iterative essence while acknowledging the realities of solo development in an academic setting. Weekly review sessions with supervisors Prof. Elsa Cardoso and Prof. José Barateiro functioned as consolidated sprint reviews and retrospectives, providing critical feedback loops while maintaining development momentum.

This adapted approach enabled rapid iteration and continuous validation while maintaining academic rigor throughout the development process.

🔗 LS-5 / 📌 LS-44

## Configure Moodle Development Environment



### Description

As a developer I require a stable development environment that allows for the exploration of the Moodle 4.4.1 service API.

### Acceptance Criteria:

- The developer has a dedicated local environment capable of interacting with the native Moodle services and return real data.
- The environment must be a realistic representation of the Moodle production environment of ISCTE.

### Implementation Details:

- The developer must configure an apache server and a MariaDB instance as docker images with the necessary configuration to be reproducible and stable.
- A mock plugin must be made in order to test and explore the Moodle's service API.

FIGURE 5.1. Moodle Development Environment Story

🔗 LS-2 / 📌 LS-17

## Leaderboards



### Description

As a student I must be able to access all leaderboards of the course(s) I'm enrolled in. There I must be able to see what position I am in as well as a transparent breakdown of the XP calculations and totals.

### Acceptance Criteria:

- There must be a page where all the leaderboards are displayed and I must be able to cycle through them.
- Must follow the Moodle styling and integrate seamlessly in Moodle's visual balance.
- Only the students enrolled should be able to access the leaderboards of a specific course.

### Implementation Details:

- In the Local plugin create a php class that will handle the display of the leaderboards and a css that must perform the styling.
- The data requirements should be already fulfilled by [📌 LS-19: Extract Data for the Leaderboards](#) DONE.

FIGURE 5.2. Leaderboards Display Story

## Extract Data for the Leaderboards



### Description

As a developer I must extract all necessary data to fill the leaderboards of student performance.

The leaderboards are:

- Overall Leaderboard
- Quiz Masters
- Exercise Lords
- Guild Legends
- Combined Champions

### Acceptance Criteria:

- All required data is accessible and retrieved in real time.
- Implemented data structures to retrieve all data in one backend call.

FIGURE 5.3. Leaderboards Extraction of Data Story

## 5.2. Database Design and Data Integration

When designing the database for this dissertation's proof-of-concept it was imperative to adhere to the objectives previously defined, integrate with Moodle's infrastructure and guarantee the security and integrity of the student data.

The Learning Scorecard 3.0 employs a hybrid database architecture that combines Moodle's native database with custom LS-specific tables that support the gamification features. To ensure seamless integration with Moodle and maintaining data integrity and security, LS 3.0 employs Moodle's standardized schema definition approach for adding custom tables to the Moodle database.

Following Moodle's plugin development best practices, LS 3.0 defines its custom database schema using the XML Database Definition Language. The file *db/install.xml* specifies the structure of gamification related tables that are automatically created during plugin installation. This solution provides several advantages:

- **Version Control:** Schema changes are tracked and can be upgraded systematically through Moodle upgrade mechanism.
- **Database Portability:** The XML definition ensures compatibility across different database management systems (MySQL, MariaDB, PostgreSQL, etc.).
- **Automatic Installation:** Tables are created during the LS plugin's installation, avoiding manual database setup.
- **Moodle Integration:** The custom tables follow Moodle's naming convention "*mdl\_\**" and integrate seamlessly with Moodle's database API.

By leveraging Moodle's database access LS 3.0 is able to extract and perform event-driven processing of activity data using the observer pattern, it is also able to make direct database queries to native tables, the real-time calculation of XP when events are triggered and the data validation of grades to ensure only valid and released grades are displayed and able to provide XP.

LS 3.0, in this first iteration, provides five extra tables:

1. *local\_ls\_ranks*: Table for storing the rank name, color and thresholds per course
2. *local\_ls\_student\_xp*: Table for storing calculated XP totals and rank per student/course
3. *local\_ls\_xp\_settings*: Configuration table for XP calculation parameters per course
4. *local\_ls\_leaderboard\_settings*: Configuration table for Leaderboard visualization per course
5. *local\_ls\_xp\_history*: Audit trail table for logging every XP transaction






FIGURE 5.4. Entity Relations diagram (course and user are moodle native tables shortened for context)

### 5.3. Core Features

Learning Scorecard 3.0 serves as a proof of feasibility of the system’s architecture and thus this iteration will provide the basis of the previous functionality while being extensible to future iterations. At the current state of this dissertation, the LS has the following core features.

#### 5.3.1. Leaderboards

This iteration of the Learning Scorecard provides five distinct leaderboards: Overall, Quiz Masters, Exercise Lords, Guild Legends and Combined Champion. Each presents different metrics and calculates the rankings differently.

Overall Leaderboard (Figure 5.5) is the aggregation of all quest XP and calculates the ranking based on overall course performance.

## Experiência do Utilizador e Visualização de Informação

Course Participants Grades Competencies **Leaderboard**

### Leaderboard

Overall Leaderboard Quiz Masters Exercise Lords Guild Legends Combined Champions

Rank	Student	Student Rank	Quiz XP	Exercise XP	Bonus XP	Total XP
1	Test Test	Rookie	100.00	285.00	0.00	385.00
2	Admin User	Newbie	0.00	0.00	0.00	0.00
3	Laura Becker	Newbie	0	0	0	0
4	Leah Becker	Newbie	0	0	0	0
5	Leonie Becker	Newbie	0	0	0	0
6	Leonie Becker	Newbie	0	0	0	0
7	William Brown	Newbie	0	0	0	0
8	Jakub Černý	Newbie	0	0	0	0

FIGURE 5.5. Overall Leaderboard Interface

Quiz Masters (Figure 5.6) focuses on the quiz quest XP and the rankings are calculated based on it and bonus XP, experience points that are the multiplication of the grade by the score multiplier defined in the courses LS settings.

Course Participants Grades Competencies **Leaderboard**

### Leaderboard

Overall Leaderboard Quiz Masters Exercise Lords Guild Legends Combined Champions

Rank	Student	Student Rank	Quizzes	Quiz XP
1	Test Test	Rookie	1	100.00
2	Admin User	Newbie	0	0.00
3	Laura Becker	Newbie	0	0
4	Leah Becker	Newbie	0	0
5	Leonie Becker	Newbie	0	0
6	Leonie Becker	Newbie	0	0
7	William Brown	Newbie	0	0
8	Jakub Černý	Newbie	0	0

FIGURE 5.6. Quiz Masters Leaderboard Interface

Exercise Lords (Figure 5.7) follows the same formula, exercise quest XP plus the product of the grade by the score multiplier.

## Experiência do Utilizador e Visualização de Informação

Course Participants Grades Competencies **Leaderboard**

### Leaderboard

Overall Leaderboard Quiz Masters **Exercise Lords** Guild Legends Combined Champions

Rank	Student	Student Rank	Exercises	Exercise XP
1	Test Test	Rookie	2	285.00
2	Admin User	Newbie	0	0.00
3	Laura Becker	Newbie	0	0
4	Leah Becker	Newbie	0	0
5	Leonie Becker	Newbie	0	0
6	Leonie Becker	Newbie	0	0
7	William Brown	Newbie	0	0
8	Jakub Černý	Newbie	0	0

FIGURE 5.7. *Exercise Lords* Leaderboard Interface

Guild Legends (Figure 5.8) is a leaderboard for the guilds, all members of the guilds contribute equally for the guild's ranking in this leaderboard. It is achieved through the Moodle's native groups that the teacher or faculty can create.

Course Participants Grades Competencies **Leaderboard**

### Leaderboard

Overall Leaderboard Quiz Masters Exercise Lords **Guild Legends** Combined Champions

Rank	Guild Name	Members	Avg Member XP	Total Guild XP
1	Guild A	6	72	433
2	Guild F	5	40	200
3	Guild N	5	30	150
4	Guild C	5	20	100
5	Guild G	5	20	100
6	Guild J	5	20	100
7	Guild S	5	20	100
8	Guild T	5	20	100

FIGURE 5.8. *Guild Legends* Leaderboard Interface

Combined Champion's (Figure 5.9) rankings are calculated by the accumulation of all other guild's (except for the Guild Legends) leaderboard positions. The student with the highest rankings on average will be ranked first in it.

## Experiência do Utilizador e Visualização de Informação

Course Participants Grades Competencies **Leaderboard**

### Leaderboard

Overall Leaderboard Quiz Masters Exercise Lords Guild Legends **Combined Champions**

Rank	Student	Student Rank	Overall Pos	Quiz Pos	Exercise Pos
1	Test Test	Rookie	1	1	1
2	Admin User	Newbie	2	2	2
3	Laura Becker	Newbie	3	3	3
4	Leah Becker	Newbie	4	4	4
5	Leonie Becker	Newbie	5	5	5
6	Leonie Becker	Newbie	6	6	6
7	William Brown	Newbie	7	7	7
8	Jakub Černý	Newbie	8	8	8

FIGURE 5.9. *Combined Champions* Leaderboard Interface

These leaderboards have dynamic ranking, meaning that the positions are calculated in real-time, providing the most accurate and up-to-date results for the students. Displayed are the position in the leaderboard, the student's name and the student's rank, except for the guild leaderboard where a guild name is displayed instead.

The user interface is built using Moodle's native tab navigation for seamless integration and styling consistency, maintaining the classic Moodle appearance without appearing out of place in the course page.

### 5.3.2. Learning Scorecard Settings

The Learning Scorecard settings page provides an administrative interface for teachers and faculty to customize the gamification parameters of the course. This configuration system allows fine-grained control over how students earn experience points, ranks and of the LS interfaces.

The settings page is only accessible to users with course management capabilities, ensuring that only teachers and faculty can modify the LS parameters. The page integrates with Moodle's security framework through session key validation and capability checks. The settings are also contextually aware and only apply to the course it is accessed in.

Present on this page are a total of three major sections that can be modified: (1) The experience points settings are where the base XP for different activities and the grade multiplier can be modified; (2) The student rank configuration defines the rank names, color, thresholds and where the teacher can also create or remove ranks. (3) The Leaderboard display settings that customize how the leaderboards are displayed to the students, has properties to toggle the visibility of the different leaderboards, enable pagination, display the rank colours and an anonymous mode that hides the student names.

Leaderboard > Learning Scorecard Settings

## Learning Scorecard Settings

### ★ Experience Points (XP) Settings

Configure how students earn experience points in your course

**Quest Base XP**

**Quiz Base XP**

100.00

XP awarded for completing each quiz

**Exercise Base XP**

150.00

XP awarded for completing assignments and exercises

**Forum Post XP**

50.00

XP awarded for each forum post or reply

**Grade Multiplier**

1.50

Multiplier applied to grades for bonus XP (higher grades = more XP)

[Save XP Settings](#) [Reset to Defaults](#)

FIGURE 5.10. XP Settings Interface

### Student Rank Configuration

Configure the rank names and XP thresholds for your course

1 Define the ranks students can achieve based on their total XP. Leave "Max XP" empty for the highest rank.

Rank #1	Newbie	0	199		
Rank #2	Rookie	200	399		
Rank #3	Skilled	400	599		
Rank #4	Expert	600	799		
Rank #5	Master	800	999		
Rank #6	Legendary	1000	Max XP (optional)		

[+ Add Rank](#)

[Save Rank Settings](#) [Reset to Defaults](#)

FIGURE 5.11. Rank Settings Interface

### Leaderboard Display Settings

Customize how leaderboards are displayed to students

**Tab Visibility**

- Overall Leaderboard  
Show the main leaderboard with all XP types
- Quiz Masters Tab  
Show quiz-focused leaderboard
- Exercise Lords Tab  
Show exercise-focused leaderboard
- Combined Champions Tab  
Show combined ranking across all categories
- Guild Legends Tab  
Show guild-based leaderboard

**Display Options**

Students per Page

Show all students

Number of students to display per page

- Show Rank Colors  
Display student ranks with their configured colors
- Anonymous Mode  
Hide student names (show as Student 1, Student 2, etc.)

[Save Leaderboard Settings](#) [Reset to Defaults](#)

FIGURE 5.12. Leaderboard Settings Interface

In this page there is also a section for the badge management that is left there as a placeholder for future work and improvements.



FIGURE 5.13. Badge Management Interface Placeholder

### 5.3.3. Experience Points and Ranking System

Also present in this iteration is an XP System that provides real-time XP calculation through event observers that trigger upon quiz completion and activity submission. Grade-based XP multipliers and perfect score bonuses are also applied to every quest completed by the students.

The LS 3.0 provides an XP configuration system that allows per-course settings with customizable base XP values for different activity types, a configurable grade bonus and an audit trail through an XP history table that logs every XP transaction. All XP settings are stored in the Moodle database natively with fallback default values and automatic creation upon course initialization.

All XP accumulated by each student maps into a 6-tier ranking system that follows the definitions found on previous versions: Newbie, Rookie, Skilled, Expert, Master and Legendary. These rank intervals are all available to be defined per course in the LS settings page. There are rank badges displaying both on the dashboard block of each student and on the leaderboards next to their name. On the dashboard there is also a percentage-based progress bar with "XP to next rank" indicator.

With the notification system native to Moodle, the LS 3.0 can send a notification on rank up, in order to provide an extra boost of motivation as it was designed for in previous iterations of Moodle.

### 5.3.4. Dashboard Block Plugin

The dashboard block plugin was created as a proof-of-concept of the previous version's dashboards with graphs and learning metrics. It was achieved through an auxiliary plugin created within the Moodle architecture that is responsible only for the UI blocks that the students can insert into the dashboard. There can be many different blocks each with its defined metrics and graphs providing a rich visualization interface of the students' learning performance.

The only block currently present in this plugin is a visualization of the student's rank (see Figure 5.14), progress to the next rank with a percentage-based progress bar and a breakdown of all XP earned. There is also the ability to cycle through multiple courses and display the XP for the course selected.




FIGURE 5.14. Dashboard block plugin student XP Interface

All data presented in the block is retrieved through queries to the Moodle database and the tables that were appended through the Learning Scorecard Local plugin. This allows for a better division of responsibilities of each plugin and provides a much better and objective architecture that can be easily extended in the future.

Another topic to address is the language of the interfaces and text. Every plugin has two language packs, folders in the plugin configuration that provide translations of text and strings. Currently, the LS 3.0 is able to be translated into Portuguese and English and the language packs are chosen automatically depending on your Moodle language.

#### 5.4. Challenges & Limitations

Throughout the conception and development of the Learning Scorecard 3.0 there were a few challenges that proved difficult to resolve, requiring trade-offs and becoming constraints in the current implementation.

One big challenge with the LS 3.0 is the Moodle environment unapproachability and inconsistency. The instance hosted by ISCTE changes versions regularly, proving to be possibly difficult to maintain and keep the LS 3.0 up to date, although the plugin architecture presents compatibility with Moodle 4.1+. In institutional environments with legacy Moodle installations this may limit deployment flexibility or even force them to abandon integration all together.

The current leaderboard position calculation methodology requires loading entire student datasets into memory for PHP-based sorting algorithms. This approach presents some scalability concerns, particularly evident in the combined leaderboard where multiple leaderboard arrays are maintained simultaneously. The current implementation could benefit with optimizations in the pagination and how the leaderboards are loaded and sorted to avoid memory exhaustion in courses with extensive enrollments. Not only that,

the leaderboard generation system relies heavily on multiple sequential SQL queries and could be a potential performance bottleneck in high load intensity.

The XP audit trail could accumulate a substantial data volume over time without implemented archival strategies. This design decision prioritizes complete historical data but presents long-term storage scaling challenges and query performance degradation as data accumulates.

The current database schema maintains a strict per course data separation, preventing cross-course analytics. While this architectural decision maintains data privacy, it restricts the potential for comprehensive learning analytics across multiple courses for both the teacher and the students.

It is imperative, when attempting to mature this proof-of-concept, to take in consideration these limitations and tackle the possible chokepoints of the application.



## CHAPTER 6

### Conclusions

This dissertation has demonstrated successful transformation of the Learning Scorecard from a standalone web application to a fully integrated Moodle plugin system. Learning Scorecard 3.0, although just a proof-of-concept, represents an architectural evolution that addresses the critical adoption barriers identified in previous iterations while preserving core gamification capabilities and providing a stable foundation to build features that weren't ported to this version.

Practically, this dissertation delivers a functional proof-of-concept that eliminates the authentication hurdles, manual data entry and infrastructure maintenance burdens that constrained previous implementations. The plugin-based architecture successfully leverages Moodle's student activity data, role-based access control and established user workflows to create a seamless and gamified learning experience.

#### 6.1. Recommendations for Institutional Use

Higher educational institutions considering Learning Scorecard 3.0 adoption should take in consideration recommendations prior to a broad institutional use. A controlled pilot deployment within academic contexts focusing on courses with moderate enrollment sizes in order to validate system performance and gather user feedback is critical and imperative to avoid scalability bottlenecks.

Technical infrastructure should be ensured by institutions in a way that aligns with the system requirements of the LS 3.0, including Moodle version compatibility (version 4.1 or higher) and adequate database performance capabilities.

In order for a successful institutional adoption its required faculty training that emphasize both technical configuration and pedagogical integration strategies. Faculty members should receive instruction on Learning Scorecard settings management, including experience point configuration, rank threshold configuration and leaderboard display options. It is important to address how gamification elements such as LS 3.0 can be aligned with existing pedagogical objectives.

#### 6.2. Future Directions for LS

This iteration of the Learning Scorecard addresses the main concerns that would block institutional adoption, although it is imperative to continue developing and evolving this concept. Therefore, these are directions that successors in Learning Scorecard development should envision.

It is key to address the scalability limitations identified previously in the current implementation, particularly regarding leaderboard calculation and memory utilization.

Implementation of database-level ranking calculation, query optimization strategies and intelligent caching mechanisms would enable a wider and larger student population without a performance bottleneck.

The XP history table's data accumulation necessitates development of archival and data lifecycle management strategies. Future iterations should implement automated archival processes or data compression techniques.

Machine learning integration could enable adaptive gamification systems that adjust experience point calculations, rank thresholds and later on, badge requirements. A predictive modeling able to identify at-risk students based on engagement patterns, performance trajectories and comparative analysis could benefit the faculty's use of the tool and provide a better insight to student performance while also providing a more balanced experience for the student.

Future iterations should expand gamification elements beyond the current experience point, ranking systems and leaderboards to include features that haven't been transformed to this new architecture. The ontology implementation could be a valuable asset to the Learning Scorecard and Moodle institutional experience. There already is a basis for the badge implementation that served as a template for further development. The Learning Scorecard was created to be as extensible as possible, following a modular architecture.

The foundation established by this research provides a pathway for educational technology innovation that leverages, rather than competes with, existing institutional infrastructures.

## Bibliography

- [1] S. Deterding, R. Khaled, L. Nacke, and D. Dixon, “Gamification: Toward a definition,” in *Proceedings of CHI 2011 Workshop Gamification: Using Game Design Elements in Non-Game Contexts*, 2011, pp. 6–9.
- [2] K. D. Mattingly, M. C. Rice, and Z. L. Berge, “Learning analytics as a tool for closing the assessment loop in higher education,” *Knowledge Management & E-Learning*, vol. 4, no. 3, p. 236, 2012.
- [3] D. S. d. Costa, “Learning scorecard: Plataforma para a monitorização da experiência de aprendizagem de alunos no ensino superior aplicando técnicas de business intelligence e gamificação,” Master’s Thesis, ISCTE-IUL, Lisbon, Portugal, 2017. [Online]. Available: <http://hdl.handle.net/10071/15604>.
- [4] M. Â. D. Lopes, “Utilização de ontologias para a gestão de dados educacionais: Caso de estudo learning scorecard,” Master’s Thesis, ISCTE - Instituto Universitário de Lisboa, Lisbon, Portugal, 2021. [Online]. Available: <http://hdl.handle.net/10071/23878>.
- [5] Moodle Pty Ltd, *Moodle: Open-source learning platform*, Accessed: 29 October 2025, 2024. [Online]. Available: <https://moodle.org/>.
- [6] J. H. L. Koh and B. K. Daniel, “Shifting online during covid-19: A systematic review of teaching and learning strategies and their outcomes,” *International Journal of Educational Technology in Higher Education*, vol. 19, no. 1, p. 56, 2022.
- [7] N. N. Mohd Kasim and F. Khalid, “Choosing the right learning management system (lms) for the higher education institution context: A systematic review,” *International Journal of Emerging Technologies in Learning (iJET)*, vol. 11, no. 6, p. 55, 2016.
- [8] N. Cavus and T. Zabadi, “A comparison of open source learning management systems,” *Procedia - Social and Behavioral Sciences*, vol. 143, pp. 521–526, 2014.
- [9] H. Altinpulluk and M. Kesim, “A systematic review of the tendencies in the use of learning management systems,” *Turkish Online Journal of Distance Education*, vol. 22, no. 3, pp. 40–54, 2021.
- [10] Moodle, *Moodle statistics*, Accessed: 6 August 2025, 2025. [Online]. Available: <https://stats.moodle.org/>.
- [11] D. D. M. Dolawattha, H. K. S. Pramadasa, and P. M. Jayaweera, “The impact model: Teachers’ mobile learning adoption in higher education,” *International Journal of Education and Development using Information and Communication Technology (IJEDICT)*, vol. 15, no. 4, pp. 71–88, 2019.

- [12] M. Sailer and L. Homner, “The gamification of learning: A meta-analysis,” *Educational Psychology Review*, vol. 32, no. 1, pp. 77–112, 2020. DOI: 10.1007/s10648-019-09498-w.
- [13] M. D. Hanus and J. Fox, “Assessing the effects of gamification in the classroom: A longitudinal study on intrinsic motivation, social comparison, satisfaction, effort, and academic performance,” *Computers & Education*, vol. 80, pp. 152–161, 2015. DOI: 10.1016/j.compedu.2014.08.019.
- [14] R. Smiderle, S. J. Rigo, L. B. Marques, J. A. Peçanha de Miranda Coelho, and P. A. Jaques, “The impact of gamification on students’ learning, engagement and behavior based on their personality traits,” *Smart Learning Environments*, vol. 7, no. 1, p. 3, 2020. DOI: 10.1186/s40561-019-0098-x.
- [15] C. Dichev and D. Dicheva, “Gamifying education: What is known, what is believed and what remains uncertain: A critical review,” *International Journal of Educational Technology in Higher Education*, vol. 14, no. 1, p. 9, 2017. DOI: 10.1186/s41239-017-0042-5.
- [16] E. L. Deci and R. M. Ryan, *Intrinsic Motivation and Self-Determination in Human Behavior* (Perspectives in Social Psychology). Boston, MA: Springer, 1985. DOI: 10.1007/978-1-4899-2271-7.
- [17] R. M. Ryan and E. L. Deci, “Intrinsic and extrinsic motivation from a self-determination theory perspective: Definitions, theory, practices, and future directions,” *Contemporary Educational Psychology*, vol. 61, p. 101860, 2020. DOI: 10.1016/j.cedpsych.2020.101860.
- [18] R. M. Ryan, C. S. Rigby, and A. Przybylski, “The motivational pull of video games: A self-determination theory approach,” *Motivation and Emotion*, vol. 30, no. 4, pp. 344–360, 2006. DOI: 10.1007/s11031-006-9051-8.
- [19] R. M. Ryan and C. S. Rigby, “Motivational foundations of game-based learning,” in *Handbook of Game-Based Learning*, J. L. Plass, R. E. Mayer, and B. D. Homer, Eds., Cambridge, MA: MIT Press, 2019, pp. 153–176.
- [20] M. Sailer, J. U. Hense, S. K. Mayr, and H. Mandl, “How gamification motivates: An experimental study of the effects of specific game design elements on psychological need satisfaction,” *Computers in Human Behavior*, vol. 69, pp. 371–380, 2017. DOI: 10.1016/j.chb.2016.12.033.
- [21] N. Xi and J. Hamari, “Does gamification satisfy needs? A study on the relationship between gamification features and intrinsic need satisfaction,” *International Journal of Information Management*, vol. 46, pp. 210–221, 2019. DOI: 10.1016/j.ijinfomgt.2018.12.002.
- [22] M. Csikszentmihalyi, *Flow: The Psychology of Optimal Experience*. New York, NY: Harper & Row, 1990.
- [23] J.-N. Proulx, M. Romero, and S. Arnab, “Learning mechanics and game mechanics under the perspective of self-determination theory to foster motivation in digital

- game based learning,” *Simulation & Gaming*, vol. 48, no. 1, pp. 81–97, 2017. DOI: 10.1177/1046878116674399.
- [24] J. Koivisto and J. Hamari, “The rise of motivational information systems: A review of gamification research,” *International Journal of Information Management*, vol. 45, pp. 191–210, 2019. DOI: 10.1016/j.ijinfomgt.2018.10.013.
- [25] J. Li and L. K. Fryer, “The use of leaderboards in education: A systematic review of empirical evidence in higher education,” *Journal of Computer Assisted Learning*, vol. 40, pp. 1077–1095, 2024. DOI: 10.1111/jcal.13077.
- [26] S. Park and S. Kim, “Points and the delivery of gameful experiences in a gamified environment: Framework development and case analysis,” *JMIR Serious Games*, vol. 10, no. 4, e39797, 2022. DOI: 10.2196/39797.
- [27] R. Paiva, A. Barbosa, E. Batista, D. Pimentel, and I. I. Bittencourt, “Badges and XP: An observational study about learning,” *Frontiers in Education Conference (FIE)*, pp. 1–8, 2015. DOI: 10.1109/FIE.2015.7344074.
- [28] E. Cardoso, D. Costa, and D. Santos, “Introducing the learning scorecard: A tool to improve the student learning experience,” *Introducing the Learning Scorecard: a tool to improve the student learning experience*, no. 1, 2017. [Online]. Available: <http://hdl.handle.net/10071/20327>.
- [29] Bootstrap Team, *Bootstrap: The most popular html, css, and js library in the world*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://getbootstrap.com/>.
- [30] Chart.js Contributors, *Chart.js: Simple yet flexible javascript charting for designers & developers*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://www.chartjs.org/>.
- [31] Oracle Corporation, *Mysql: The world’s most popular open source database*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://www.mysql.com/>.
- [32] OpenJS Foundation, *Node.js: Javascript runtime built on chrome’s v8 javascript engine*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://nodejs.org/en/>.
- [33] F. A. C. T. B. Rações, “Learning scorecard: Visualização da experiência de aprendizagem em estudantes do ensino superior,” Master’s Thesis, ISCTE-IUL, Lisbon, Portugal, 2018. [Online]. Available: <http://hdl.handle.net/10071/17294>.
- [34] T. Pedroso, “Gamificação para a melhoria da experiência de aprendizagem dos alunos: Caso estudo learning scorecard,” Master’s Thesis, ISCTE-IUL, Lisbon, Portugal, 2018. [Online]. Available: <http://hdl.handle.net/10071/18415>.
- [35] R. Hunicke, M. LeBlanc, and R. Zubek, “Mda: A formal approach to game design and game research,” in *Proceedings of the AAAI Workshop on Challenges in Game AI*, ser. Nineteenth National Conference on Artificial Intelligence, San Jose, CA, 2004.
- [36] Ontotext, *Graphdb: Enterprise ready rdf database*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://graphdb.ontotext.com/>.

- [37] S. Saroja and S. Haseena, “Functional and non-functional requirements in agile software development,” in *Agile Software Development*, John Wiley & Sons, Ltd, 2023, pp. 71–86.
- [38] Meta Platforms, Inc., *React: The library for web and native user interfaces*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://react.dev/>.
- [39] OpenJS Foundation, *Express: Fast, unopinionated, minimalist web framework for node.js*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://expressjs.com/>.
- [40] MongoDB, Inc., *Mongodb: The developer data platform*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://www.mongodb.com/>.
- [41] Microsoft Corporation, *Microsoft azure: Cloud computing platform and services*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://azure.microsoft.com/en-us/>.
- [42] Salesforce, Inc., *Heroku: Cloud application platform*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://www.heroku.com/>.
- [43] Salesforce, Inc., *Heroku pricing*, Accessed: 28 August 2025, 2024. [Online]. Available: <https://www.heroku.com/pricing/>.
- [44] Apache Friends, *Xampp apache + mariadb + php + perl*, 2024. [Online]. Available: <https://www.apachefriends.org/>.
- [45] Docker Inc., *Docker: Accelerated container application development*, 2024. [Online]. Available: <https://www.docker.com/>.
- [46] Bitnami, *Bitnami: Packaged applications for any platform*, 2024. [Online]. Available: <https://bitnami.com/>.
- [47] MariaDB Foundation, *Mariadb server: The open source relational database*, 2024. [Online]. Available: <https://mariadb.org/>.
- [48] Moodle Pty Ltd, *Plugin types api documentation*, Moodle Developer Resources, 2024. [Online]. Available: <https://moodledev.io/docs/4.1/apis/pluginatypes>.