INSTITUTO
UNIVERSITÁRIO
DE LISBOA

Governance and Modularity in Blockchain Architectures: Applications in Service Industries

Joel Curado Silveirinha

PhD in Information Science and Technology

Supervisors:

Doctor João Carlos Ferreira, Assistant Professor with Habilitation
ISCTE-IUL - Instituto Universitário de Lisboa

Doctor Ana Lúcia Martins, Associate Professor
ISCTE-IUL - Instituto Universitário de Lisboa

December, 2025

TECNOLOGIAS
E ARQUITETURA

Department of Information Sciences, Technologies and Architecture

Governance and Modularity in Blockchain Architectures: Applications in Service Industries

Joel Curado Silveirinha

PhD in Information Science and Technology

Jury:
Doctor Sancho Moura Oliveira, Associate Professor at Iscte – Instituto Universitário de Lisboa (President)
Doctor Nikhil Varma, Associate Professor at Ramapo College of New Jersey (U.S.A.)
Doctor Kim-Kwang Raymond Choo, Full Professor at University of Texas, San Antonio (U.S.A.)
Doctor Carlos Eduardo Dias Coutinho, Assistant Professor at Iscte – Instituto Universitário de Lisboa Doctor João Carlos Amaro Ferreira, Assistant Professor with Habilitation at Iscte – Instituto Universitário de Lisboa

To my mother, whose unwavering strength and wisdom are the foundations of my life

To my wife, the unwavering pillar of support whose quiet strength and enduring belief became my greatest motivation. Your presence sustained me and your faith propelled me forward

For Francisco and André. That my pursuit of knowledge lights the way for yours. Go further, dream larger and dare to change the world

“Theory will only take you so far”, Robert Oppenheimer

Acknowledgements

I would like to express my profound gratitude to Professor João Carlos Ferreira for his amazing supervision and mentorship throughout my doctoral journey. His deep expertise, insights, and guidance were invaluable at every stage of this research. Professor Ferreira's ability to challenge every step of the research while providing encouragement helped me grow both intellectually and professionally. His commitment to the students and his openness to dialogue created a great supportive environment that helped this thesis grow and to see the light of day.

I am also very thankful to Professor Ana Lúcia Martins for her contributions, methodological clarity, and support. Her attention to detail, constructive feedback, and encouragement were unique in refining my approach and creating a clear research direction. Her availability and engaged supervision made a significant impact on the quality and depth of this thesis.

Together, Professors Ferreira and Martins have been a great model of academic collaboration and dedication. Their combined mentorship not only shaped this thesis but has also influenced my development as a researcher. I am sincerely grateful for their guidance, patience, and trust throughout this process.

I would like to extend my appreciation to ISCTE – Instituto Universitário de Lisboa for providing the academic and institutional support needed for this doctoral thesis.

I am grateful to the Blockchain.PT initiative team for the practical perspectives and insights that helped shape the research and provided insights that bridged the gap between theory and application.

Together, these individuals and institutions have provided the intellectual, institutional, and practical guidance upon which this thesis was built. I am truly thankful for their support.

Resumo

As cadeias de fornecimento de serviços enfrentam crescentes exigências por rastreabilidade, segurança de dados e eficiência operacional. Esta investigação doutoral explora o potencial das arquiteturas modulares de blockchain na transformação da logística de serviços, avaliando novos modelos de Governação Distribuída, ilustrando com três domínios críticos: logística marítima, distribuição de bebidas espirituosas de luxo e cadeias de frio na saúde.

A pesquisa assenta num quadro conceptual que integra: (i) governação digital distribuída, promovendo confiança e coordenação em ecossistemas descentralizados; (ii) teoria de design de artefactos tecnológicos, para o desenvolvimento e validação de soluções inovadoras; e (iii) modelos de adoção tecnológica e transformação digital, impulsionando a aplicação de tecnologias em setores regulados. A metodologia baseia-se na Design Science Research Methodology (DSRM), com uma abordagem multidisciplinar e aplicada.

As soluções propostas utilizam protocolos de segunda camada, integração com IoT e contratos inteligentes, assegurando imutabilidade dos dados, conformidade automatizada e rastreabilidade ponta a ponta. Um avanço central é a aplicação de provas de Conhecimento Zero, ou Zero-Knowledge Proofs (ZKPs), que garantem privacidade e segurança nas transações.

Na distribuição de bebidas de luxo, a tokenização de certificados digitais combate a contrafação. Na logística marítima, arquiteturas modulares otimizam operações portuárias e reforçam a transparência documental. Na saúde, sensores IoT asseguram a integridade ambiental das cadeias de frio.

Esta investigação oferece diretrizes estratégicas para adoção de blockchain modular em ambientes regulados, alinhada ao RGPD, EBSI e normas internacionais, contribuindo para soluções escaláveis e seguras na gestão da cadeia de abastecimento.

Palavras-chave: Arquitetura Modular de Blockchain, Governação Distribuída, IoT, Logística de Serviços, Gestão da Cadeia de Abastecimento, Rastreabilidade, Provas de Conhecimento Zero

Abstract

Service supply chains face increasing demands for enhanced traceability, data security, and operational efficiency. This doctoral research investigates the potential of Modular Blockchain Architecture in the transformation of service logistics, evaluating new Distributed Governance Models, illustrating in three critical domains: maritime logistics, luxury spirits distribution, and cold chains in healthcare.

The study is grounded in a conceptual framework that integrates: (i) Distributed Governance, fostering trust and coordination within decentralized ecosystems; (ii) Design Theory for Technological Artifacts, supporting the development and validation of innovative blockchain-based solutions; and (iii) models of technological adoption and digital transformation, which facilitate the deployment of advanced technologies in highly regulated sectors. The research adopts a multidisciplinary and applied approach based on Design Science Research Methodology (DSRM).

The proposed solutions leverage second-layer protocols, IoT integration, and smart contracts to ensure data immutability, automated compliance, and end-to-end traceability. A key advancement lies in the implementation of Zero-Knowledge Proofs (ZKPs), enabling secure data verification while preserving privacy.

In the luxury spirits sector, the tokenisation of digital certificates mitigates counterfeiting and enables direct-to-consumer value chains. In maritime logistics, modular architectures optimize port operations and strengthen document transparency through decentralized records. In healthcare, IoT sensors ensure real-time environmental monitoring and the integrity of biological cold chains.

This research provides strategic guidelines for adopting Modular Blockchain Architecture in regulated environments, ensuring compliance with GDPR, EBSI, and international standards. The findings advance academic understanding of blockchain applications and offer scalable, secure, and practical solutions for Supply Chain Management.

Keywords**:** Modular Blockchain Architecture, Distributed Governance, IoT, Service Logistics, Supply Chain Management, Traceability, Zero-Knowledge Proofs

Table of Contents

Acknowledgements ..... *iii*

Resumo ..... *iv*

Abstract ..... *vi*

List of Figures ..... *xii*

List of Tables ..... *xiii*

List of Acronyms ..... *xiv*

Introduction *1*

Motivation and Scope **1**

Specific Objectives and Research Questions **3**

Methodology **7**

Scientific Contributions **9**

Thesis Structure **13**

Chapter 1: State of the Art and Blockchain Related Topics *15*

1.1. State of the Art in Blockchain for Service-Sector Supply Chains **15**

1.2. Blockchain Technology: Concepts, Architectures and Consensus Models **20**

1.3. Synthesis and Research Gaps **25**

Chapter 2 - Methodology *27*

2.1 Design Science Research Methodology (DSRM) **27**

2.2 Research Questions, Architecture and DSRM Alignment **28**

2.3. Requirements for Modular Blockchain Architecture **30**

2.4. Conceptual Blockchain Architecture for Service-Sector Supply Chains **32**

2.5. Mapping Requirements to Blockchain Architecture Across the Four Use Cases **33**

2.5.1 Use Case 1: Maritime Supply Chain Security 35

2.5.2. Use Case 2: Healthcare Cold Chain Traceability 36

2.5.3 Use Case 3: Spirits Industry Innovation 37

2.5.4 Cross-Sectoral Insights 38

2.6. Operationalisation of DSRM through Complementary Methods **38**

2.7. Considerations **39**

2.8. Summary **40**

Chapter 3 – Blockchain for Maritime Supply Chain Security and Efficiency *41*

3.1 Overview of the Maritime Logistics Context **41**

3.2. Study 1: Enhancing Maritime Supply Chain Security and Efficiency **42**

3.2.1. Introduction 42

3.2.2 Literature Review 50
3.2.3. Methodology 51
3.2.4. Research Findings 53
3.2.5 Blockchain Applications in Maritime Supply Chain Management with ZKP's 56
3.2.6. Discussion 59
3.2.7 Conclusion and Future Direction 66

3.3 Study 2: Revolutionizing Maritime Supply Chains 67
3.3.1. Introduction 68
3.3.2. Methodology 71
3.3.3. Literature Review 75
3.3.4. Framework Implementation and Evaluation 79
3.3.5. Strategic challenges and Pathways to adoption 90
3.3.6. Conclusions and future research 100

3.4 Cross-Paper Synthesis: Blockchain's Transformational Role in Port Logistics 101

Chapter 4 - Blockchain for Traceability in Healthcare Cold Chains 103

4.1. Sectoral Context: Blood Supply Chains and Cold Chain Logistics 103

4.2. Study 3: Blockchain Solution for Traceability and Transparency of Organic Materials in Healthcare Supply Chain Systems 104
4.2.1. Introduction 104
4.2.2. Literature Review 106
4.2.3. Methodology 114
4.2.4. Design of Blood Cold Chain System 116
4.2.5. Evaluation 126
4.2.6. Discussion and Contributions 129

4.3. Discussion: Compliance with GDPR, EDPB, and Healthcare Standards 131

Chapter 5 - Blockchain-Enabled Business Innovation in the Spirits Industry 135

5.1. Contextual Background: Traditional Spirits Supply Chains 135

5.2. Study 4: Blockchain in the Spirits Industry: Technology and Business Model Innovation as Transformation Drivers 136
5.2.1. Introduction 136
5.2.2. Literature Review 138
5.2.3. Methodology 156
5.2.4 Design and Development of the Blockchain Solution 158
5.2.5 Demonstration: Pilot Implementation in a Warehouse 159
5.2.6. Discussion 165
5.2.7. Conclusion 166

5.3 Discussion: Blockchain and Business Model Innovation in the Spirits Industry 167

Chapter 6 - Discussion 171

6.1. Introduction 171

6.2. Comparative Case Insights 171

6.3. Common Themes and Divergences 174

6.4. Evaluation of Modularity and Reusability **178**
6.5. Theoretical Integrations **181**
6.6. Implications for Practice and Policy **182**
6.8. Summary **184**
Conclusions and Future Directions ***187***
Overview and Main Contributions **187**
Contributions to Theory **189**
Contributions to Practice **189**
Methodological Reflections **190**
Ethical, Social and Governance Considerations **190**
Research Limitations **192**
Technical Limitations **193**
Methodological Limitations **193**
Broader Impact and dissemination **195**
Future Research Directions **198**
Final Remarks **199**
References ***201***
Appendix A – Supplementary Data ***213***
Evaluation Frameworks for Blockchain Adoption and Implementations 213
Chapter 4 – Stakeholder Survey Questions 220

List of Figures

Introduction

Figure 1. Interconnected research questions with DSRM cycle flow for Blockchain Architecture in Service Sector Supply Chains…….7

Chapter 1: State of the Art and Blockchain Related Topics

Figure 2: Prisma flow diagram……..18

Chapter 2 - Methodology

Figure 3: Flexible Layer-2 blockchain architecture with modular elements……..33

Chapter 3 – Blockchain for Maritime Supply Chain Security and Efficiency

Figure 4: Schematic of non-interactive ZKP workflow……49
Figure 5: Systematic literature review PRISMA flow diagram……53
Figure 6: Distribution of published documents by year (2020–2024) ……55
Figure 7: Distribution of keywords in search results……..56
Figure 8: Systematic Literature Review PRISMA Flow Diagram……72
Figure 9: Stakeholder Interaction Framework for Blockchain-ZKP Implementation in Maritime Supply Chains ……78
Figure 10: Privacy Preserving Blockchain architecture for Maritime Ports……82
Figure 11: Implementation Timeline……..93

Chapter 4 - Blockchain for Traceability in Healthcare Cold Chains

Figure 12: Systematic literature review PRISMA flow diagram……108
Figure 13: DSRM process overview……116
Figure 14: Architecture of blood cold supply chain system with blockchain and IoT integration……..118
Figure 15: Stakeholder Integration and data flow in the blockchain-IoT blood cold chain system…...124

Chapter 5 - Blockchain-Enabled Business Innovation in the Spirits Industry

Figure 16: Systematic literature review PRISMA flow diagram……139
Figure 17: Annual distribution of selected articles published between 2019 and 2024……141
Figure 18: Keyword distribution in the literature review……141
Figure 19: Whisky production process: from grains to bottle……...143
Figure 20: System architecture and stakeholder engagement in blockchain design……159
Figure 21: Blockchain-based traceability and ownership flow in a Scotch distillery……...161
Figure 22: Blockchain ledger structure capturing stakeholder interactions in the spirits supply chain162

List of Tables

Introduction

Table 1: Mapping of Dissemination Outputs to Research Objectives and Questions……9
Table 2: Relation between objectives, primary contributions and RQs……..11

Chapter 1: State of the Art and Blockchain Related Topics

Table 3: Inclusion and exclusion criteria……..16
Table 4: PRISMA summary table……..18
Table 5: Characterisation of the 129 articles included in the systematic review……...20

Chapter 2 - Methodology

Table 6: Mapping of Use Cases to Research Questions……..30
Table 7: Use Case Alignment with Objectives, Components, and Contributions……..34
Table 8: Requirement mapping of maritime supply chain security with modular blockchain architecture……..35
Table 9: Requirement mapping of cold chain traceability with modular blockchain architecture……36
Table 10: Requirement mapping of spirits Industry use case with modular blockchain architecture….37
Table 11: Requirement mapping of cross sectoral use cases with modular blockchain architecture…38

Chapter 3 – Blockchain for Maritime Supply Chain Security and Efficiency

Table 12: Comparison of the use of Blockchain alone and with integration of ZKP……57
Table 13: Comparison of recent innovations in maritime industries using blockchain and ZKP……58
Table 14: Blockchain implemented ports and their contributions……61
Table 15: Comparison of ZKP's……96
Table 16: Threat surface analysis and mitigation strategies for ZKP-Enabled Maritime Deployments.99

Chapter 4 - Blockchain for Traceability in Healthcare Cold Chains

Table 17: Description of Search Components……..107
Table 18: Description of Search Components……..121
Table 19: Challenges and Strategies……122
Table 20: Evaluation Framework and Results……..127
Table 21: Stakeholder Evaluation Summary……128

Chapter 5 - Blockchain-Enabled Business Innovation in the Spirits Industry

Table 22. Distribution of selected articles by publication year……139

Chapter 6 - Discussion

Table 23: Comparative Insights Across Sectoral Case Studies……173
Table 24: Requirement mapping of maritime supply chain security with modular BC architecture….175
Table 25: Requirement mapping of cold chain traceability with modular blockchain architecture…...176
Table 26: Requirement mapping of spirits Industry use case with modular blockchain architecture..177
Table 27: Requirement mapping of cross sectoral use cases with modular blockchain architecture..180
Table 28: GDPR and EBSI Compliance Mapping……183

List of Acronyms

AI	Artificial Intelligence
API	Application Programming Interface
BoL	Bill of Lading
CRM	Customer Relationship Management
DAO	Decentralised Autonomous Organization
Dapp	Decentralised Application
DID	Decentralised Identifier
DLT	Distributed Ledger Technology
DTC	Direct-to-Consumer
EBSI	European Blockchain Services Infrastructure
ERP	Enterprise Resource Planning
EUDI	European Digital Identity
GDPR	General Data Protection Regulation
IoT	Internet of Things
MSC	Maritime Supply Chain
MSCM	Maritime Supply Chain Management
NFT	Non-Fungible Token
P2P	Peer-to-Peer
PBFT	Practical Byzantine Fault Tolerance
PoS	Proof of Stake
PoW	Proof of Work
PRISMA	Preferred Reporting Items for Systematic Reviews and Meta-Analyses
QA	Quality Assurance
SaaS	Software as a Service
SCM	Supply Chain Management
SME	Small and Medium-sized Enterprise
SSI	Self-Sovereign Identity
VC	Verifiable Credential
WHO	World Health Organization
WMS	Warehouse Management System
ZKP	Zero-Knowledge Proof
zk-SNARK	Zero-Knowledge Succinct Non-Interactive Argument of Knowledge
zk-STARK	Zero-Knowledge Scalable Transparent Argument of Knowledge

Introduction

In contemporary service economies, supply chain operations are increasingly shaped by global integration, rapid digitalisation and evolving regulatory requirements. These developments have intensified the need for transparency, traceability, and operational reliability in service-sector supply chains [1]. However, many organisations continue to rely on legacy logistics arrangements characterised by fragmented information systems, paper-based documentation, and limited data interoperability, which constrain their ability to meet those needs effectively [2]. The implications of such limitations are particularly salient in high-risk service contexts, where supply chain disruptions or information gaps may affect not only economic performance but also human safety, environmental protection, and public trust [3]. For instance, maritime logistics grapples with complex international trade documentation and compliance amid volatile global supply routes [4]; luxury spirits distribution contends with rampant counterfeiting that erodes brand value and market integrity [5]; and healthcare cold chains must safeguard life-saving products such as blood and gene therapies against temperature excursions and tampering [6]. These sectors exemplify the broader transformation underway within service industries, where technologies that support immutable traceability and secure data sharing may offer a viable response to the risks, compliance requirements, and innovation challenges faced by these sectors [7].

The increasing complexity of global supply chains and service industries has therefore heightened the need for secure, transparent and efficient systems of coordination. Traditional traceability solutions often suffer from fragmentation, high costs and limited interoperability, leaving organisations unable to guarantee trust and compliance across diverse stakeholders [5], [8], [9]. In this context, blockchain technologies have emerged as a promising enabler of digital transformation, offering mechanisms for decentralisation, immutability, and data integrity [10], [11]. However, despite significant interest, the adoption of blockchain in service supply chains remains constrained by challenges of scalability, governance, and integration with existing infrastructures [12], [13], [14].

Motivation and Scope

The motivation for this research stems from the urgent need to bridge the gap between emerging digital technologies and the operational realities of service-sector supply chains. Globally, supply chain disruptions, exacerbated by events such as the COVID-19 pandemic, geopolitical tensions and climate-related incidents, have underscored the vulnerabilities of conventional systems [15],

[16], [17]. Industry analysts estimate that counterfeiting in luxury-goods supply chains accounts for more than USD 500 billion annual losses, highlighting structural vulnerabilities related to product authenticity and brand integrity [5]. In healthcare supply chains, deficiencies in cold-chain management are reported to result in the spoilage of up to 20% of temperature-sensitive pharmaceuticals, generating substantial economic losses and posing non-negligible risks to patient safety [6]. While blockchain technologies cannot prevent such physical degradation, they can ensure that temperature deviations are reliably recorded, immutably stored, and automatically acted upon. Through integration with IoT sensors and smart contracts, blockchain-based systems can enforce compliance rules, such as preventing the use or distribution of pharmaceuticals that have exceeded safe thresholds [18]. However, maritime logistics, handling over 90% of world trade, faces inefficiencies in document processing, delayed shipments, and inflated costs, mainly due to a lack of trust among stakeholders [4].

Current blockchain deployments in service-sector supply chains have primarily focused on isolated, domain-specific applications, such as food traceability [19], [20], maritime logistics [21], or healthcare compliance [22]. While these initiatives demonstrate the potential of distributed ledgers for improving transparency and trust, most solutions are designed as single-purpose systems with limited adaptability beyond their initial scope. This fragmentation results in duplication of effort, higher development costs, and reduced interoperability across industries. Therefore, a significant gap persists regarding the availability of blockchain-based architectural frameworks capable of addressing these challenges in a systematic and scalable manner across diverse service-sector supply chains. Existing systems are predominantly designed for specific use cases, such as cryptocurrency or single-industry applications, resulting in fragmented solutions that require substantial redevelopment when applied to new domains, such as maritime logistics, luxury spirits, or healthcare cold chains [10]. This case-specific approach not only increases development time and costs, but also limits interoperability and scalability, hindering widespread adoption in regulated, multi-stakeholder environments [8], [23]. Existing approaches to blockchain deployment in supply chains often focus on specific technical components, such as smart contracts, IoT integrations, or privacy-preserving mechanisms like Zero-Knowledge Proofs (ZKPs), implemented in isolation [24], [25], [26]. While these solutions demonstrate important advances, they are typically tailored to narrowly defined use cases and exhibit limited capacity to generalise beyond their original sectoral context. This fragmentation reinforces the broader challenge of designing blockchain systems that are both flexible and transferable, underscoring

the need for a different approach and architecture that can integrate such components within a unified framework.

Blockchain emerges as a compelling solution due to its inherent properties of decentralisation, immutability, and transparency, which can automate processes, reduce intermediaries, and enable secure collaboration without central authorities [8], [27]. However, its application in service sectors remains underexplored, particularly in contexts requiring privacy preservation under stringent regulations like the General Data Protection Regulation (GDPR) and international trade standards. A critical limitation in current blockchain deployments is their case-specific design, as most systems are tailored to a single domain, leading to redundant development efforts when adapting to new sectors [10]. Research at the intersection of blockchain and IoT has introduced a variety of promising features, including privacy-preserving mechanisms such as ZKP-enabled validation, tokenized asset tracking, and distributed governance models [8], [28]. While these approaches highlight important advances, they are typically developed as isolated solutions rather than integrated into a flexible and reusable architecture, limiting their applicability across diverse service-sector supply chains. These advancements have the potential to enhance operational efficiency, reduce logistics costs through automation, and build resilient systems, empowering every type of stakeholder, from producers to consumers [29].

In the luxury spirits sector, motivation lies in combating counterfeiting and elevating consumer experience through verifiable provenance, such as NFT-based certificates for cask ownership, enabled by reusable blockchain modules [30]. For maritime logistics, the drive is to streamline digital workflows while protecting commercial secrets, facilitating faster customs clearance, and reducing fraud via configurable Layer-2 extensions [28]. In healthcare, the imperative is to ensure cold chain integrity for critical assets, where even minor deviations can have life-altering consequences, thereby supporting global health equity and pandemic preparedness through adaptable IoT-blockchain integrations [6].

This research is motivated by the broader societal impact: accelerating the adoption of blockchain in service industries to create sustainable, privacy-conscious ecosystems.

Specific Objectives and Research Questions

The research problem addressed in this thesis arises from persistent inefficiencies, low levels of trust, and privacy-related challenges in service-sector supply chains, namely maritime logistics,

luxury spirits distribution and healthcare cold chains, as demonstrated in the preceding subsections. These sectors face interconnected issues such as documentation fraud in maritime trade [4], counterfeiting in high-value liquids like spirits [119] and spoilage risks in temperature-sensitive pharmaceuticals [94]. Existing blockchain initiatives have attempted to mitigate some of these challenges, but they are often developed as case-specific solutions with limited adaptability, requiring extensive redevelopment for new applications [10]. To address these challenges, this research pursues as primary goal to advance blockchain adoption in service-sector supply chains by developing, implementing, and evaluating a blockchain-based architectural approach that supports scalability, privacy, regulatory compliance and new business models, while enhancing trust, traceability, and operational efficiency across integrated domains such as maritime logistics, luxury spirits distribution, and healthcare cold chain.

Five specific objectives support this primary goal:

SO1 – Design a scalable blockchain architecture, including the use of Layer-2 solutions and IoT integration, to enhance adaptability and efficiency across diverse service-sector supply chains.

SO2 – Evaluate the application of privacy-preserving technologies, such as Zero-Knowledge Proofs (ZKPs), for safeguarding sensitive data while ensuring secure and verifiable transactions.

SO3 – Develop IoT-enabled traceability mechanisms that strengthen real-time monitoring, transparency, and reliability in logistics and cold-chain contexts.

SO4 – Examine how blockchain-based systems can support regulatory compliance, particularly with data protection frameworks such as GDPR and initiatives like the European Blockchain Services Infrastructure (EBSI).

SO5 – Analyse the potential for blockchain-enabled business model innovation, including Direct-to-Consumer (DTC) strategies and anti-counterfeiting measures (e.g., Non-Fungible Tokens (NFTs)) as pathways to generating economic and operational value.

Drawing on prior work that highlights the potential of zero-knowledge proofs, IoT sensors and Layer-2 scaling mechanisms for enhancing privacy, monitoring and scalability in blockchain systems [8] -[10], this thesis investigates how such technologies can be integrated into a blockchain-based architecture to better address data privacy, fraud prevention, regulatory compliance, and real-time monitoring in service-sector supply chains. This flexible architectural

approach is intended to allow components to be adapted with limited redevelopment effort, thereby supporting the design of scalable, privacy-preserving solutions that aim to reduce wastage, foster stakeholder trust, and contribute to more sustainable global trade.

The research objective formulated above aligns with the service industry's pressing need for modernisation and leverages the synergies between the examined domains: liquids that are often perishable or high-value and therefore require strict quality assurance; cold chain requirements that demand continuous monitoring and control of environmental conditions; and maritime logistics, which serves as the backbone for long-distance shipping of such goods. Together, these characteristics create shared challenges of traceability, trust, and compliance that make them ideal for evaluating modular blockchain solutions. A new architecture overcomes the limitations of sector-specific blockchains, enabling faster innovation and cost savings through reusable components [6]. Addressing these gaps requires examining how blockchain systems can achieve scalability and privacy, how it can enable traceability, support compliance, and foster innovative business models across service-sector supply chains. The following Research Questions (RQs) are formulated to address the identified challenges and to guide the investigation toward the development of a potential new framework:

- RQ1: What are the primary challenges to improve trust, traceability, and data integrity in service-sector supply chains involving liquids, cold chain logistics and maritime transportation?

  This question seeks to identify and characterise the main organisational, technical and governance challenges that affect trust, traceability, and data integrity in these sectors, drawing on documented issues such as temperature deviations in cold chains, documentation irregularities in maritime trade, and counterfeiting in high-value liquids.

- RQ2: How can blockchain technologies, including privacy-preserving mechanisms (e.g., ZKPs) and IoT integration, enhance security, privacy, and efficiency in these interconnected supply chains through a modular architecture?

  This question focuses on examining the potential roles of blockchain, privacy-enhancing techniques, and IoT-based monitoring in addressing the challenges identified in RQ1, and on exploring how these technologies can be combined within a coherent architectural approach.

- RQ3: To what extent do scalability solutions (e.g., Layer-2) and distributed governance models improve performance and collaboration in modular blockchain systems for liquids, cold chain, and maritime logistics?

  This question investigates how different scalability mechanisms and governance arrangements influence system performance and stakeholder collaboration in large-scale logistics settings, and how they shape the feasibility of blockchain-based solutions in these domains.

- RQ4: What are the implications of blockchain-enabled innovations, such as asset tokenization and smart contracts, for business models and sustainability in service-sector supply chains?

  This question explores how blockchain-based instruments (e.g. tokenisation, smart contracts) may enable new forms of value creation, coordination and accountability, and how these developments relate to broader sustainability objectives in the studied supply chains.

As we can see in Figure 1, these RQs are interconnected and iterative, building on the Design Science Research Methodology (DSRM) [14], [16], [17], which has also been applied in blockchain adoption studies [14]. DSRM is particularly suited to this research, as it supports the systematic development and evaluation of innovative artifacts [14]; in this case, a modular blockchain architecture, ensuring both theoretical grounding and practical validation across three domains: maritime logistics, healthcare cold chains, and high-value liquids distribution.




Figure 1. Interconnected research questions with DSRM cycle flow for Blockchain Architecture in Service Sector Supply Chains

These RQs ensure a comprehensive approach by addressing complementary dimensions of the research problem. Specifically, RQ1 focuses on identifying the problems (P) of trust, traceability and data integrity in supply chains. RQ2 and RQ3 address the development (D) dimension by investigating how blockchain technologies, such as Zero-Knowledge Proofs, IoT integration and Layer-2 solutions, can be incorporated into a modular architecture to improve privacy, scalability and real-time traceability. Finally, RQ4 captures the innovation (I) dimension, examining how blockchain-driven tools, including smart contracts and asset tokenization, can reshape business models and contribute to sustainability. By aligning problems, development and innovation, this structure highlights the progression from identifying sectoral challenges to designing solutions and exploring their transformative impacts.

Methodology

This thesis adopts the Design Science Research Methodology (DSRM), which is well-suited to design-oriented problems involving the creation and evaluation of IT artefacts in real-world settings. DSRM has previously been used in studies on blockchain and supply-chain traceability

[57] and is therefore an appropriate methodological framework to guide the design, development and evaluation of the blockchain-based artefacts proposed here. Complemented by systematic literature reviews, case studies and simulations, the approach ensures rigor and practical relevance, with a focus on creating a flexible architecture for component reuse. Recognising that blockchain technologies are still in a growth phase of their technology life cycle, this thesis employs a multiple–case study design as an appropriate methodological choice. The cross-case analysis yields empirically grounded architectural principles and strategic recommendations for a flexible framework, thereby contributing both to academic debates on blockchain-enabled supply chains and to the practice of designing more secure and efficient logistics solutions.

Design Science Research Methodology (DSRM)

The research design follows Design Science Research Methodology (DSRM) [57], ensuring that the development of the modular blockchain architecture is both systematic and iterative. The process integrates three complementary methods. First, PRISMA guided systematic literature reviews establish a robust theoretical foundation and identify critical gaps in current blockchain applications [32], [56]. Second, case studies ground the research in sector-specific realities, maritime logistics, luxury spirits and healthcare cold chains, drawing on stakeholder insights and industry data to validate problem relevance. Third, simulations are employed to evaluate the technical performance of the proposed architecture under controlled conditions, focusing on throughput, latency and scalability. Together, these methods form an integrated pathway from problem identification to artifact development and evaluation, rather than supplementary steps.

Alignment with the Research Objectives

The methodology addresses the RQs in direct relation to the specific objectives. RQ1, which examines the challenges of trust and traceability, is aligned with SO3 (traceability through IoT integration) and SO4 (regulatory compliance). RQ2, focused on privacy and efficiency, links to SO2 (application of ZKPs for privacy-preserving verification) and SO1 (design of scalable architectures). RQ3, investigating scalability and governance, directly aligns with SO1 (scalability) and SO4 (compliance with multi-stakeholder governance frameworks). Finally, RQ4, which explores business model innovation, is supported by SO5 (blockchain-enabled innovation through NFTs and new value models). Through this alignment, each use case, maritime, healthcare and spirits, serves as a testbed to validate how the objectives collectively address the overarching research problem, emphasising the architecture’s modularity and reusability [10], [6].

Scientific Contributions

This section focuses on impacts beyond core academics, including dissemination, collaborations and practical tools. The objectives and RQs extend into these by fostering knowledge transfer, real-world applicability and interdisciplinary engagement. This research contributes to the academic literature on blockchain technologies, particularly within the service-sector logistics, with the development of a flexible blockchain architecture that enables component reuse, addressing the inefficiency of dedicated systems and reducing development time [4], [5]. Relations between objectives/RQs, dissemination outputs and respective description are showcased in Table 1.

Table 1: Mapping of Dissemination Outputs to Research Objectives and Questions

Objective / RQ	Dissemination output	Description
Primary goal (advance blockchain in service-sector supply chains) → All RQs	All types	Overarching publications, industry collabs aligned with the global aim of advancing blockchain adoption in logistics. All studies.
SO1: Design scalable blockchain architectures → RQ3 (Layer-2, IoT)	Publications and framework	Release of Layer-2 blockchain prototypes and IoT simulation datasets. Study 1, 3, 4.
SO2: Integrate privacy-preserving technologies → RQ2 (ZKPs)	Publications and educational resources	Journal articles on privacy-preserving blockchain design; teaching case studies on ZKPs for supply chain compliance. Study 1 and 2.
SO3: Enhance real-time traceability with IoT → RQ3 (Layer-2, IoT)	Peer-reviewed publication and stakeholder engagement	IoT-generated traceability datasets for healthcare cold chains; workshops with healthcare providers. Study 3.
SO4: Evaluate regulatory compliance → RQ2 (ZKPs)	Framework	Work with regulatory and legal experts to address GDPR/EBSI alignment. All Studies.
SO5: Foster business model innovation → RQ4 (innovation)	Peer-reviewed publication & stakeholder engagement	Paper on blockchain-enabled business models (e.g., NFTs in luxury spirits); collaborations with spirits producers on Direct-to-Consumer (DTC) models. Study 4.

The primary scientific contributions are:

1. Development of a Multidimensional Evaluation Framework for Blockchain Adoption:

- The research proposes a multidimensional framework integrating technical, economic, regulatory and socio-technical metrics, tailored for modular blockchain architectures. Unlike prior frameworks which focus predominantly on technical or economic aspects, this model incorporates privacy compliance (e.g., GDPR, HIPAA) and stakeholder dynamics, validated through sector-specific prototypes in maritime, spirits and healthcare sectors [106], [110], [40]. It offers a robust tool for assessing modular blockchain implementations in regulated environments.

2. Design and Implementation of Sector-Specific Blockchain Architectures:
   - The research designs and deploys Layer-2 blockchain architectures integrating IoT, smart contracts and ZKP's, reusable across maritime logistics, luxury spirits and healthcare cold chains. This architecture addresses sector-specific challenges, such as document security in maritime logistics, provenance authentication in spirits and cold chain integrity in healthcare. Empirical validation through simulations demonstrates feasibility and performance [69], [62], [96].

3. Advancement of Privacy-Preserving Mechanisms with ZKPs:
   - Novel applications of ZKPs (e.g. zk-SNARKs, zk-STARKs) are introduced for secure, privacy preserving data sharing, ensuring compliance with regulations like GDPR without compromising data immutability. The modular ZKP component is reusable across sectors with empirical validation, showing improved proof generation and verification accuracy [44], [78].
4. Innovative Governance Models for Distributed Supply Chains:
   - New governance models based on distributed consensus and Decentralised Autonomous Organisations (DAOs) are proposed to facilitate interoperability and collaboration among heterogeneous stakeholders. These models address gaps tested in multi-stakeholder environments and are reusable across the three sectors [125], [127].
5. Cross-Sectoral Synthesis of Blockchain Applications:
   - This research contributes to a comparative analysis of blockchain applications across maritime logistics, luxury spirits and healthcare cold chains, identifying common enablers (e.g., traceability, automation) and sector-specific challenges (e.g., counterfeiting, regulatory compliance). This synthesis enriches the theoretical understanding of blockchain's role in service industries, extending beyond the sector-specific focus of prior studies [121], [123].

These contributions collectively advance the academic discourse by providing theoretically grounded, and empirically validated solutions that bridge computer science, supply chain management, and regulatory studies. Table 2 shows how the research generates ripple effects.

Table 2: Relation between objectives, primary contributions and RQs

Linked objectives (SO)	Primary contribution	Linked RQs	Explanation of relation
SO4 (Regulatory compliance), SO2 (Privacy)	1. Multidimensional evaluation framework	RQ2 (ZKPs & privacy), RQ3 (scalability & governance)	The framework integrates technical, economic, regulatory and socio-technical metrics, validated in case studies, addressing compliance (SO4) and privacy-preservation (SO2).
SO1 (Scalability), SO3 (Traceability)	2. Sector-specific blockchain architectures	RQ1 (trust & traceability), RQ3 (Layer-2, IoT scalability)	Designs and deploys architectures for maritime, spirits and healthcare; addresses document fraud, cold chain breaches and counterfeit prevention.
SO2 (Privacy), SO4 (Compliance)	3. Privacy-preserving mechanisms (ZKPs)	RQ2 (ZKPs)	Introduces modular ZKP components (e.g., zk-SNARKs), ensuring GDPR-compliant secure sharing across sectors.
SO4 (Compliance), SO5 (Business models)	4. Governance models (DAOs, Consensus)	RQ3 (governance & scalability), RQ4 (innovation)	Proposes distributed governance structures supporting interoperability, inclusivity and decentralised collaboration.
SO5 (Innovation), SO1–SO4 indirectly	5. Cross-sectoral synthesis	RQ4 (business model implications), RQ1 (sectoral challenges)	Compares maritime, spirits and healthcare use cases to derive common enablers and sector-specific challenges, advancing cross-sector theory.

Beyond its primary objectives, this research is designed to have broader academic, industrial and societal relevance. By developing a modular blockchain architecture for service-sector supply chains, it seeks to address critical gaps in trust, traceability and efficiency, while fostering reusability across the three domains. The relevance of this work extends to interdisciplinary

research, industry practices and sustainability, with the potential to support innovation and long-term progress [5], [6], [21].

Under the scope of this research, the following papers constitute the scientific output of this thesis:

1 - “Enhancing Maritime Supply Chain Security and Efficiency: A Review of Zero-Knowledge Proofs in Blockchain Applications”, publication approved in Maritime Policy & Management, Francis and Taylor with doi.org/10.1080/03088839.2025.2580502

2 - “Revolutionizing Maritime Supply Chains: Blockchain for Efficiency and Security”, publication approved in IEEE Access with DOI 10.1109/ACCESS.2025.3636470.

3 - “Blockchain Solution for Traceability and Transparency of organic materials in Healthcare Supply chain Systems”, currently being considered for publication in Peer-to-Peer Networking and Applications.

4 - “Blockchain in the Spirits Industry: Technology and Business Model Innovation as Transformation Drivers”, submitted to the International Journal of Information Management.

In summary, this PhD research investigates the transformative potential of blockchain technologies in the modernisation of logistics systems across these three critical domains: maritime logistics, luxury spirits distribution and healthcare cold chains. By integrating blockchain with complementary technologies such as Internet of Things (IoT) sensors, smart contracts and Zero-Knowledge Proofs (ZKPs), the research aims to advance blockchain adoption in service-sector supply chains by developing, implementing and evaluating a blockchain-based architectural approach that supports scalability, privacy, regulatory compliance and new business models, while enhancing trust, traceability and operational efficiency across integrated domains such as maritime logistics, luxury spirits distribution and healthcare cold chains. A key innovation of this work is the development of a flexible blockchain architecture that transcends dedicated, single-use implementations, enabling modular reuse of components across diverse use cases. Unlike most blockchain systems, which are typically engineered for specific scenarios and require extensive redevelopment for new applications [5], this architecture emphasises modularity, interoperability and configurability to significantly reduce development time and costs [6], [21]. Drawing on a multidisciplinary framework that spans computer science, supply chain management and legal studies, the work adopts an implementation-focused methodology, including the development and deployment of Layer-2 blockchain architectures in real-world prototypes. This

approach not only theorises but also demonstrates practical advancements, offering a blueprint for digitalising legacy infrastructure in regulated environments.

Thesis Structure

This thesis is structured to explore the application of blockchain technologies in service-sector supply chains. It is designed to provide a progression from concepts to sector-specific implementations, culminating in cross-sectoral synthesis and future directions. The thesis comprises eight chapters, each addressing distinct aspects of the research. Below is an overview of the structure:

- Introduction: This chapter establishes the research context, motivation and objectives. It outlines the scope of applying a modular blockchain architecture to modernise logistics systems, defines the research goals and requirements and highlights the scientific contributions.
- Chapter 1: State of the Art and Blockchain Related Topics: This chapter provides an overall state of the art and reviews blockchain concepts and gaps addressed by the proposed framework. It covers blockchain concepts, architectures, cryptography, governance and sector applications [5], [6], [12].
- Chapter 2: Methodology: Details the DSRM methodology [1], in which an overarching modular architecture is developed for the three studies with modular components (Zero-Knowledge Proofs, Layer2 inventory management platform, IoT sensors integration and reuse across sectors) [56], [57].
- Chapter 3: Blockchain for Maritime Supply Chain Security and Efficiency: Focuses on maritime logistics and on the role of blockchain in enhancing security and efficiency. Includes two peer-reviewed papers: “Reviewing Zero-Knowledge Proofs” and “Modular blockchain architecture for port logistics” [22].
- Chapter 4: Blockchain for Traceability in Healthcare Cold Chains: This chapter examines modular blockchain applications in healthcare cold chains, particularly for blood and gene therapy products. The standards of compliance and healthcare are analysed, alongside the implications in digital health. [17].
- Chapter 5: Blockchain-Enabled Business Innovation in the Spirits Industry: This chapter explores blockchain’s transformative potential in luxury spirits distribution, addressing counterfeiting and consumer engagement. It includes a peer-reviewed paper on technology and business model innovation, examines operational impacts and discusses the use of NFTs

and tokenization for Direct-to-Consumer (DTC) sales. Challenges in legacy sector adoption are also addressed [16].

- Chapter 6: Cross-Sectoral Insights and Discussion: This chapter captures findings and common themes across the sectors, such as differences in modular blockchain applications and their implications [20], [26].
- Conclusions and Future Research: The final chapter summarises key findings, reflects on the impact of the research and proposes future research directions. It also addresses open challenges in modular blockchain architecture, such as scalability to guide subsequent studies.
- References and Appendices: The thesis concludes with a reference list, appendices provide supplementary data, figures and documentation on research ethics, consent and compliance.

This structure intends to provide a cohesive narrative, linking theory with practical implementations, while addressing both academic and industry aspects of blockchain in service-sector supply chains.

Chapter 1: State of the Art and Blockchain Related Topics

The purpose of this literature review is to establish the academic and practical foundations required to address the research problem defined in Chapter 1. Service-sector supply chains, particularly maritime logistics, luxury spirits distribution and healthcare cold chains, face persistent challenges in trust, traceability and regulation. Understanding these challenges requires insights from multiple disciplinary perspectives, including computer science, supply chain management and regulatory studies.

This review therefore examines the state of knowledge in four interconnected domains:

1. Service-sector supply chains: highlighting vulnerabilities such as fraud, counterfeiting and cold chain failures, and the socio-technical complexities that contribute to them.
2. Blockchain technology in supply chains: assessing how current deployments address (or fail to address) these vulnerabilities, and where technical, governance and adoption barriers persist.
3. Privacy and governance frameworks: exploring mechanisms such as Zero-Knowledge Proofs, distributed governance and regulatory compliance models, which are critical in regulated industries.
4. Cross-sectoral synthesis: identifying commonalities and divergences across maritime, healthcare and spirits to reveal where modular blockchain architectures could add value.

This literature review is structured to first clarify what has been achieved, where the limitations remain and how these gaps justify the need for new approaches. This way, a foundation for the research objective is created and questions that will guide the rest of this research are presented.

1.1. State of the Art in Blockchain for Service-Sector Supply Chains

This section presents a comprehensive state-of-the-art review of blockchain applied to service-sector supply chains, with focus on traceability, security, efficiency and regulatory compliance. The review follows the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) methodology, ensuring a systematic, transparent and reproducible synthesis of literature published between January 2018 and July 2025. Guided by the research objectives and Research Questions (RQs), the review adopts the following keywords: Blockchain, Distributed Governance, IoT, Service Logistics, Supply Chain, Traceability and Zero-Knowledge Proofs (ZKPs). These terms reflect conceptual domains relevant to understanding blockchain's potential

across maritime logistics, healthcare cold chains and spirits industry, providing the foundation for the empirical studies developed in later chapters.

1.1.1 PRISMA Methodology and Search Strategy

This methodology was applied to systematically identify, screen and analyse relevant studies, ensuring rigor and transparency in the review process [32], [56]. This approach aligns with established practice in blockchain and supply chain research, where systematic reviews have been conducted within the domains of maritime logistics [38], healthcare supply chains [19], [100] and supply chain management [93]. The search was accomplished in Scopus and Web of Science (WOS), as they have a comprehensive coverage of peer-reviewed literature in computer science, logistics and supply chain management.

1.1.2 Search Criteria

The search strategy was systematically designed to identify studies relevant to modular blockchain architectures applied to service-sector supply chains, with a focus on maritime logistics, luxury spirits distribution and healthcare cold chains. The strategy employed inclusion and exclusion criteria, showcased in Table 3, to ensure high-quality selection of relevant literature aligned with research objectives.

Table 3: Inclusion and exclusion criteria

Inclusion criteria	Exclusion criteria
Written in English	Non-English publications
Peer-reviewed journal articles or conference proceedings	Non-peer-reviewed sources (blogs, whitepapers, non-academic reports)
Published between Jan 2018 – Jul 2025	Published before Jan 2018 or after Jul 2025
Focus on blockchain applications in service logistics or supply chain management	Studies outside service logistics or supply chain domains
Emphasis on traceability, data security, operational efficiency or privacy (e.g., ZKPs, IoT integration)	Studies not addressing traceability, security, efficiency or privacy within blockchain contexts

These criteria ensure the review is rigorous and it focuses on literature relevant to the research objectives.

The search query was developed to align with the research keywords and use cases (maritime logistics, luxury spirits and healthcare cold chains). It was adapted from the research's core terms: "Blockchain" AND ("Modular Blockchain Architecture" OR "Distributed Governance" OR "IoT" OR "Service Logistics" OR "Supply Chain Management" OR "Traceability" OR "Zero-Knowledge Proofs"). To enhance relevance, domain-specific terms (e.g., "Ports," "Cold Chain," "Luxury Spirits") were included, tailored to the syntax of each database.

The literature selection process followed PRISMA methodology, structured in four stages:

The state-of-the-art review was conducted using the PRISMA methodology [32], ensuring rigor and transparency. A total of 16,654 records were retrieved (Scopus: 8,899; Web of Science: 7,755). After removing duplicates, 10,992 records were screened by title and abstract, resulting in 2,504 full-text articles assessed for eligibility. Out of these, 960 were excluded at the title and abstract stage because they did not explicitly address blockchain in supply-chain or logistics contexts, or focused on domains outside the scope of this study, 985 for irrelevance to the populations and 430 due to the full text only being available in languages outside the scope of this review, in line with the predefined language inclusion criteria. The final dataset comprised 129 studies. Figure 2 presents the PRISMA diagram and Table 4 the selection process.




Figure 2: Prisma flow diagram

Table 4: PRISMA summary table

Stage	Description	Records remaining
Identification	Records retrieved from Scopus (8,899) and WoS (7,755),	16,654
Deduplication	34% overlap removed	5,662
Screening	Title/abstract screening; 8,488 excluded as irrelevant	10,992
Eligibility	Full text assessed; 960 excluded (not addressing topic), 985 excluded (wrong population), 430 excluded (language)	2,504
Inclusion	Final studies included (basis of analysis)	129

The state-of-the-art review conducted in this chapter synthesises insights from 129 peer-reviewed papers, forming a foundation for identifying research gaps in blockchain applications for service-

sector supply chains. Prior studies explored blockchain in maritime ports, healthcare cold chains and spirits management, with emphasis on modular blockchain architectures, Zero-Knowledge Proofs (ZKPs) and Internet of Things (IoT) integration to address traceability, security and efficiency challenges [30], [43], [103], [118]. However, a critical gap emerges when examining the intersection of these domains: while individual studies address sector-specific issues, only a small fraction of the literature attempts to explore cross-sector integration. This scarcity underscores a significant research opportunity: the development of a cohesive, modular blockchain framework capable of bridging multiple regulated supply chain environments, reducing redevelopment efforts and fostering cross-sectoral scalability [106], [110].

A total of 129 peer-reviewed articles were retained through the PRISMA process. To contextualise the scope of the literature reviewed, the following characterisation is provided:
First, in terms of temporal distribution, the majority of publications appeared between 2018 and 2025, reflecting the rapid growth of blockchain applications in logistics and supply chains after initial conceptual works; (e.g., Haber & Stornetta, 1991, foundational reference; Toyoda et al., 2017, blockchain tamper-resistance). These historical references fall outside the corpus but provide conceptual lineage.

Second, regarding application domains, approximately one third of the studies focused on maritime logistics (e.g., Liu et al., 2023 [24]; Shin et al., 2024 [43]), another third on healthcare and cold chains (e.g., Kim et al., 2020 [99]; Fiore et al. 2023 [100]), and a smaller but significant proportion on food and spirits traceability (e.g., Agnusdei et al., 2022 [116]; Dabija et al., 2024 [105]).
Third, with respect to research approaches, the set spans systematic literature reviews (e.g., Fiore et al., 2023 [100]; Shin et al., 2024 [43]), simulation and modelling studies (e.g., Sarfaraz et al., 2023 [39]), and empirical investigations based on case studies or surveys (e.g., Lin, 2024 [22]; Nguyen et al., 2023 [31]). Conceptual and technical proposals also feature strongly; Pu, Lam et al., 2021 [33]). Finally, thematically, the corpus concentrates on four recurring themes**:** traceability and transparency**,** security and privacy (including ZKPs)**,** efficiency and scalability (Layer-2, modular architectures) and governance/business model implications**.**

Table 5 summarises the distribution of the 129 peer-reviewed articles retained through the PRISMA process, categorised by application domain and research methodology. It demonstrates the breadth and balance of the literature base that supports the thematic analysis in the subsequent sections.

Table 5: Characterisation of the 129 articles included in the systematic review

Category	Distribution	Representative references
Domain		
Maritime logistics	48 studies (37%)	Liu et al. (2023) [24], Shin et al. (2024) [43], Ahmad et al. (2021) [69]
Healthcare / Cold chain	43 studies (33%)	Fiore et al. (2023) [100], Hosseini-Motlagh (2020) [82], Ramasamy (2025) [93]
Spirits / Food traceability	22 studies (17%)	Agnusdei et al. (2022) [116], Dabija (2024) [105], Parry (2023) [111]
Cross-sector / Generic blockchain frameworks	16 studies (13%)	Beck et al. (2018) [125], Rebello (2024) [75], De Filippi (2020) [126]
Methodology		
Systematic reviews	34	Ben Farah et al. (2024) [5], Imamoglu (2023) [88], Curado Silveirinha et al. (2025) [89]
Conceptual / Framework papers	28	Pu & Lam (2021) [33], Beck et al. (2018) [125]
Case studies / Empirical surveys	42	Lin (2024) [22], Nguyen (2023) [31]
Simulation / Modelling	13	Sarfaraz et al. (2023) [39]
Technical / Architecture proposals	42	Ben-Sasson et al. (2019) [78], Padma & Ramaiah (2024) [61]

1.2. Blockchain Technology: Concepts, Architectures and Consensus Models

Blockchain technology fundamentally operates as a decentralised, distributed ledger that ensures data immutability through cryptographic hashing and consensus mechanisms [40]. At its core, blockchain comprises blocks linked in a chain, where each block contains a list of transactions, a timestamp and a hash of the previous block, preventing retroactive alterations [70]. Architecturally, blockchains are categorised into public (permissionless), private (permissioned) and hybrid models, with public ones like Bitcoin emphasising openness and private ones like Hyperledger Fabric prioritising controlled access for enterprise use, as seen in supply chain applications [109], [29]. Recent advancements integrate blockchain with Internet of Things (IoT) for marine and

underwater applications, enhancing data integrity in dynamic environments, such as real-time cargo tracking in maritime logistics [69].

Consensus models are pivotal for achieving agreement in distributed networks without a central authority. Proof-of-Work (PoW), used in Bitcoin, relies on computational puzzles but is energy-intensive, prompting shifts to Proof-of-Stake (PoS), which selects validators based on staked assets for efficiency [107]. Layer-2 solutions, such as rollups and sidechains, address scalability by processing transactions off the main chain, as demonstrated in frameworks like Polygon for supply chain transactions [75], [70]. In 2024-2025 reviews, hybrid consensus models such as Delegated Proof-of-Stake (DPoS) and Practical Byzantine Fault Tolerance (PBFT) are highlighted for balancing decentralisation with performance in supply chain contexts, particularly for multi-stakeholder environments in logistics [43], [53]. These models support interoperability across heterogeneous systems, crucial for integrating maritime, healthcare and spirits supply chains [40]. The evolution of blockchain architectures toward sustainability and Zero-Knowledge Proofs (ZKPs) integration sets the stage for privacy-focused implementations in regulated sectors, aligning with this research's focus on modular architectures [44], [70].

1.2.1. Blockchain Applications in Socio-Technical Systems

Blockchain's integration into socio-technical systems extends beyond technical utility, influencing social dynamics, trust and organisational structures [40]. Socio-technical perspectives view blockchain as a phenomenon that intertwines human behaviour with technological affordances, such as in decentralised data trading, where it fosters equitable exchanges while addressing power imbalances [125]. Recent studies emphasise blockchain's role in ethical AI governance, mitigating digital threats through decentralised frameworks that enhance accountability in multi-user systems, such as supply chain management [69]. In supply chain contexts, blockchain capabilities reduce transaction times and improve quality by enabling transparent, tamper-proof records among diverse stakeholders, as evidenced in maritime document workflows [47], [69].

Applications in virtual worlds, such as metaverses, demonstrate blockchain's socio-technical impact, where it supports user-driven economies and governance, analysed through lenses of motivation and legitimacy [40]. For healthcare, blockchain addresses threats like data breaches while promoting benefits such as patient-centric control, as seen in blood supply chain traceability [99], [101]. In cultural heritage, it facilitates decentralised management of digital resources, balancing accessibility with preservation [125]. Socio-technical analyses reveal blockchain's

potential for social impact, including in public sectors where it disrupts traditional hierarchies for inclusive governance. For example, Estonian case studies illustrate how blockchain-based objects enable e-governance, blending technical efficiency with societal trust [125]. Token economies in local communities further exemplify the role of blockchain in fostering participation and economic resilience [40]. These applications showcase the need for interdisciplinary approach to mitigate risks like exclusion in decentralised systems, aligning with the research's cross-sectoral focus [47], [99].

1.2.2. Smart Contracts and Decentralised Applications (dApps)

Smart contracts are self-executing code deployed on blockchains, automating agreements without intermediaries by encoding logic in languages like Solidity [109]. They form the backbone of decentralised applications (dApps), which operate on peer-to-peer networks, offering censorship resistance and transparency [29]. dApps differ from traditional apps by leveraging blockchain for backend operations, enabling use cases in finance, gaming and supply chains, such as automated compliance in maritime logistics [47], [63]. In 2024 overviews, dApps on platforms such as Ethereum and Cardano highlight scalability challenges addressed by Layer-2 protocols, such as rollups, which enhance transaction throughput in supply chain applications [70].

Advancements include expanded smart contract use in DeFi, real estate and enterprise solutions, with trends toward cross-chain interoperability, as seen in Polkadot's ecosystem [40], [29]. Leading platforms for 2025, such as Ethereum, Solana and Polkadot, support robust dApps ecosystems with features like low fees and high throughput [29]. In supply chains, smart contracts automate compliance and payments, as demonstrated in frameworks for token economies reaching $80 billion in value by 2024 [40]. Development guides emphasise integrating front-end interfaces with blockchain backends for user-friendly experiences, as seen in CORE Blockchain tutorials [29]. Recent implementations in the spirits industry use smart contracts for provenance verification, reducing fraud [116], [118]. Overall, smart contracts and dApps drive innovation, though vulnerabilities like re-entrancy attacks show the need for rigorous testing to ensure security in supply chain deployments [47], [29].

1.2.3. Digital Identity and Privacy in Blockchain Systems

Digital identity management on blockchain shifts toward self-sovereign models, where users control their data via Decentralised Identifiers (DIDs) [116]. Privacy-preserving techniques, such as selective disclosure, mitigate risks in centralised systems prone to breaches, as highlighted in

healthcare applications [99]. Blockchain enhances security by eliminating single points of failure, though challenges like interoperability persist [116]. Surveys from 2024 identify tools like encryption and mixing for privacy in applications spanning finance to healthcare, with Hyperledger Indy excelling in compliance [116], [100].

Self-Sovereign Identity (SSI) frameworks use blockchain to combat data commodification, enabling verifiable claims without full disclosure, as seen in the European Digital Identity (EUDI) framework for healthcare [100]. Peer-supervised SSI models incorporate blockchain for enhanced privacy in distributed networks, such as blood supply chain management [101]. In metaverses, blockchain resolves transparency-privacy tensions, aligning with regulations like GDPR [116]. Decentralisation protects digital identities from breaches, as emphasised in U.S. policy discussion [116]. Systematic reviews underscore blockchain's role in trustless verification, with Verifiable Credentials (VCs) improving efficiency [100]. However, issues like data leakage in hybrid systems require ongoing innovation, addressed in this research through ZKP integration [70].

1.2.4. Cryptographic Mechanisms in Blockchain: Focus on Zero-Knowledge Proofs (ZKPs)

Cryptographic primitives such as hashing and digital signatures underpin blockchain's security, with Zero-Knowledge Proofs (ZKPs) emerging as a key advancement for privacy [44]. ZKPs allow proving knowledge of information without revealing it, ideal for identity verification in supply chains, such as maritime document validation [47], [44]. Recent studies highlight ZKPs' role in scalable blockchain privacy, extending beyond anonymity to validation in DeFi and voting [44]. Integration with blockchain enhances security by enabling private transactions on public ledgers, as seen in Zcash [44].

In academic credentialing, ZKP-enabled systems provide immutable, privacy-preserving verification. NIST frameworks position ZKPs as central to privacy-enhancing cryptography [44]. Beyond privacy, ZKPs improve scalability via rollups, as implemented in Polygon and zkSync, critical for high-volume supply chain transactions [75], [70]. Paradigm shifts emphasise verification over trust, with applications in compliance, such as GDPR-adherent systems in healthcare [100]. Top ZKP projects for 2025, like Zcash and Mina, focus on lightweight proofs, while HyperPlonk optimises efficiency in graph-based models [44]. On platforms like NEAR, ZKPs enable secure, low-cost computations [18]. Hybrid approaches with Graph Neural Networks (GNNs) address limitations in complex data scenarios, aligning with this research's focus on GDPR-compliant modular architectures [4], [18].

1.2.5. Governance, Trust and Decentralization

Blockchain governance models range from founder-led to Decentralised Autonomous Organisations (DAOs), balancing decision-making with stakeholder interests. Decentralisation fosters trust by distributing power, though paradoxes arise in code-dependent systems [125], [126]. On-chain vs. off-chain mechanisms, like token voting, ensure equitable protocol governance to trust, with models reducing corruption through transparency.

Enterprise consortia employ hybrid models for controlled decentralisation. DAOs exemplify radical governance, as in funding platforms such as GitCoin [47]. Moreover, models like expressive representation promote inclusivity. In public governance, it also enhances democracy and anti-corruption focus. LF Decentralised Trust advances open-source standards. Challenges include centralisation risks in supposedly decentralised setups. Python-based simulations illustrate governance dynamics for supply chains [125].

1.2.6. Governance and Privacy in Distributed Systems

Governance in distributed systems using blockchain emphasises accountability and privacy [34]. Frameworks analyse decision rights and incentives in permission types, as seen in enterprise supply chain consortia [47]. Integration strategies for digital governance highlight blockchain's role in secure data sharing, such as in healthcare's EUDI framework [100]. Security-focused texts explore flexibility in data management, with privacy in cloud-blockchain hybrids [99]. System-based views cover multi-level governance, including privacy tools like ZKPs, which ensure GDPR compliance in this research [44].

Blockchain bolsters integrity in distributed networks, resisting tampering, as demonstrated in blood supply chain traceability [101]. Privacy-preserving surveys identify mechanisms for distributed applications, like selective disclosure in SSI models [19]. Cloud-enhanced ledgers support industrial data trading with privacy, critical for maritime logistics [7]. Journals dedicated to blockchain's security in distributed contexts highlight lightweight DLTs with revision controls [19]. Good governance unlocks distributed trust via mathematics, with political thought shaping community governance [34]. Compliance in IDMS avoids data risks, aligning with the research's modular architecture for privacy-conscious systems [4], [8].

1.2.7. Blockchain Applications in Sectoral Supply Chains

Blockchain transforms sectoral supply chains by enabling traceability, as reviewed in healthcare for medication [99], [101]. Applications span insurance and monitoring in healthcare, with IoT-blockchain integrations ensuring cold chain integrity [100], [101]. Systematic classifications cover cryptographic models for supply chains, emphasising ZKPs for privacy-preserving verification [44]. Adoption opportunities in supply chain management include transparency, as seen in maritime document workflows, and spirits provenance tracking [47], [116]. Blockchain reduces transaction times and enhances quality through tamper-proof records, addressing counterfeiting in luxury spirits and spoilage in healthcare [118], [99]. The research's modular architecture leverages these applications to enable cross-sectoral solutions, reducing redevelopment efforts and fostering scalability [40], [106].

1.3. Synthesis and Research Gaps

The literature on blockchain applications in service-sector supply chains, particularly in maritime logistics, healthcare cold chains and luxury spirits distribution, demonstrates growing interest in technologies that enhance traceability, trust and regulatory compliance. Key advances include modular system architectures, privacy-preserving techniques such as Zero-Knowledge Proofs (ZKPs), integration with IoT devices for real-time monitoring and evolving governance models that support decentralised coordination. Despite this progress, the review reveals three critical gaps that constrain the broader applicability and strategic value of blockchain solutions in regulated sectors:

First**,** existing research remains largely sector specific. Solutions are often designed in isolation, with limited attention to cross-sectoral patterns or transferable architectural components. This limits the potential for reusability and adaptation across domains that share similar compliance and traceability requirements.

Second**,** scalability and governance mechanisms are underexamined in contexts involving complex, high-volume operations, particularly in multi-stakeholder environments such as maritime shipping. Current frameworks often lack the architectural flexibility and coordination logic needed to manage real-time data exchange, enforce access controls and meet evolving regulatory demands at scale.

Third, although emerging applications such as asset tokenization, digital product passports and Decentralised Identifiers (DIDs) are beginning to reshape supply chains, their business implications and sustainability trade-offs remain poorly understood. This gap is particularly significant as industries aim to align technological innovation with ethical governance and long-term resilience. These gaps directly motivate the Research Questions (RQs) articulated in this thesis. By addressing sector-specific challenges through a modular, scalable and governance-aware architecture, this research seeks to advance theoretical understanding while delivering practical, cross-domain solutions for blockchain-enabled supply chain transformation.

Chapter 2 - Methodology

This research addresses the challenges of trust, traceability, efficiency, and regulatory compliance in service-sector supply chains by developing and evaluating blockchain-based solutions tailored to real-world contexts, employing a comprehensive methodological framework across four use cases: maritime supply chain security, healthcare cold chain traceability, spirits industry innovation, and cross-sectoral insights. The methodology is grounded in the Design Science Research Methodology (DSRM), which provides a structured approach to designing, developing, and evaluating innovative artifacts to address real-world problems [57]. Complemented by systematic literature reviews, case study analyses, prototype development, simulations, and comparative analyses, this methodology ensures rigor, replicability, and practical relevance [32], [56]. The following subsections detail the DSRM framework, its integration with the overarching blockchain architecture, and its alignment with the Research Questions (RQs).

2.1 Design Science Research Methodology (DSRM)

The Design Science Research Methodology (DSRM), as proposed by Peffers et al. (2007), guides the development and evaluation of blockchain-based solutions (artifacts) tailored to the unique challenges of each use case [57]. DSRM is particularly suited for this research due to its focus on creating practical, innovative solutions while maintaining scientific rigor. The methodology consists of six phases:

1. Problem Identification and Motivation**:** This phase identifies key challenges in service-sector supply chains, such as inefficiencies in maritime document processing, traceability gaps in healthcare cold chains and fraud risks in the spirits industry [47], [99], [118]. Stakeholder and expert engagement in the blockchain space, industry reports and regulatory analyses inform the problem definition, ensuring relevance to real-world needs, as seen in maritime logistics [69] and healthcare blood supply chains [101].
2. Definition of Objectives for a Solution**:** Specific objectives are derived from the identified problems, aligning with the Research Questions (RQs). For example, RQ1 (enhancing security and efficiency) drives objectives such as automating customs clearance in maritime logistics or ensuring real-time traceability in healthcare cold chains [47], [100]. Requirements are specified as functional (e.g., privacy-preserving verification), non-functional (e.g., scalability) and regulatory (e.g., GDPR compliance) [100].

3. Design and Development**:** Artifacts, including a modular blockchain architecture with Zero-Knowledge Proofs (ZKPs), a layer-2 inventory management platform and IoT sensor integration, are designed to address the objectives [44], [75]. For instance, zk-SNARKs are developed for privacy-preserving document verification in maritime logistics [44], while IoT sensors are integrated for real-time monitoring in healthcare cold chains [101].
4. Demonstration**:** The artifacts are tested in controlled environments, such as simulations or pilots. For example, a blockchain-ZKP system is demonstrated in a maritime port setting to validate document workflows [47], or a healthcare cold chain prototype tests IoT-driven traceability [101].
5. Evaluation**:** Performance is assessed using technical metrics (e.g., transaction throughput, latency), economic metrics (e.g., cost reduction) and socio-technical metrics (e.g., stakeholder trust) [40]. Evaluations include simulations (e.g., agent-based modelling for governance dynamics) and stakeholder feedback via surveys or workshops, as applied in the spirits industry [118].
6. Communication: Findings are disseminated through peer-reviewed publications, industry workshops and educational materials, contributing to both academic and practical advancements in blockchain applications [47], [116], [118].

DSRM's iterative nature allows for continuous refinement of artifacts based on evaluation outcomes, ensuring adaptability to sector-specific requirements and emerging challenges [40].

2.2 Research Questions, Architecture and DSRM Alignment

The Research Questions (RQs) frame the design objectives that the proposed modular architecture addresses. The Design Science Research Methodology (DSRM) provides the overarching research strategy, guiding the iterative development and evaluation of artefacts across the use case [57]:

- RQ1**:** What are the primary challenges to trust and traceability in supply chains involving liquids, cold chain logistics and maritime transportation?
    - DSRM Application**:** The design and development phase creates artifacts (e.g., smart contracts, ZKPs) to automate processes such as customs clearance in maritime logistics or blood tracking in healthcare [47], [101]. The demonstration and evaluation phases test security (e.g., tamper-proof logs) and efficiency (e.g., reduced document processing times) [47], [100];

- Use Cases: Maritime (secure document workflows), healthcare (traceability of blood units), spirits (provenance verification), cross-sectoral (common efficiency gains) [47], [101], [118].

- RQ2: How can blockchain technology, integrated with ZKPs and IoT, enhance security, privacy and efficiency in these interconnected supply chains?
  - DSRM Application: Problem identification and objectives definition phases analyze technical (e.g., ZKP computational complexity) and governance (e.g., stakeholder coordination) challenges [18], [89]. Evaluation phase assesses compliance with regulations such as GDPR or maritime standards [100], [69];
  - Use Cases: Maritime (decentralised governance), healthcare (GDPR compliance), spirits (legacy system integration), cross-sectoral (universal governance barriers) [47], [100], [118].
- RQ3: To what extent do layer-2 solutions and distributed governance models improve scalability and collaboration in liquids, cold chain and maritime contexts?
  - DSRM Application: Design and development phase integrates layer-2 platforms and IoT sensors into the blockchain architecture [75]. Demonstration phase tests scalability (e.g., transaction throughput) and traceability (e.g., real-time IoT data validation) [101];
  - Use Cases: Maritime (shipment tracking), healthcare (temperature monitoring), spirits (cask provenance), cross-sectoral (scalable traceability frameworks) [47], [101], [118].
- RQ4: What are the implications of blockchain-driven innovations, such as asset tokenization and smart contracts, for business models and sustainability in these sectors?
  - DSRM Application: Objective definition and design phases explore innovative models like NFT-based tokenization in the spirits industry or decentralised logistics in maritime cases [118]. Evaluation phase assesses economic and socio-technical impacts [47], [116];
  - Use Cases: Maritime (decentralised governance), healthcare (digital health ecosystems), spirits (NFT-driven sales), cross-sectoral (policy implications) [47], [100], [118].

The Research Questions serve as the analytical backbone for the design and evaluation of the modular blockchain architecture. They are embedded within the Design Science Research Methodology framework and inform the implementation and validation across the sectoral use cases. Table 6 maps the alignment between each RQ and the use cases, demonstrating how

empirical findings contribute to answering the core research inquiries. This alignment ensures coherence between methodological design, technological implementation, and theoretical contribution.

Table 6: Mapping of Use Cases to Research Questions

Research Question (RQ)	Maritime	Healthcare	Spirits	Cross-sectoral insights
RQ1: Trust & traceability challenges	✅	✅	✅	🔄 Synthesises
RQ2: Blockchain + ZKPs + IoT for Security/privacy	✅	✅	✅	🔄 Validates patterns
RQ3: Layer-2 & governance/scalability	✅	✅	✅	🔄 Generalises design
RQ4: Implications for business/ sustainability	✅	✅	✅	🔄 Extracts policy insights

✅ = Use case addresses this RQ
🔄 = Synthesises, generalises, or validates across use cases

2.3. Requirements for Modular Blockchain Architecture

The requirements for modular blockchain architecture emerge directly from the overarching research problem: how to address inefficiencies, trust deficits, privacy challenges and regulatory demands in service-sector supply chains. These requirements are grounded in the need to overcome systemic issues such as documentation fraud in maritime trade, counterfeiting in luxury spirits, spoilage risks in healthcare cold chains and the redevelopment burdens of case-specific blockchain systems [6], [5], [1]. By defining requirements at this level, this research provides a unifying foundation for modular, scalable and privacy-preserving blockchain solutions. Therefore, the selected domains, namely maritime logistics, luxury spirits and healthcare cold chains, serve as application contexts where the proposed architecture can be tested, validated and refined, thereby demonstrating its adaptability across sectors.

First, architecture must ensure end-to-end traceability to provide transparent, tamper-proof records of product lifecycles across all four use cases. In maritime logistics, this involves tracking Bills of Lading (BoL) and cargo movements from containers to mitigate fraud [7]. In luxury spirits distribution, it requires provenance tracking from production to consumer to combat counterfeiting [27]. In healthcare cold chains, it demands real-time monitoring of blood or pharmaceutical units to prevent spoilage [25]. For cross-sectoral applications, traceability must be adaptable to varying

data types and stakeholder needs, enabling seamless integration across industries. This requirement aligns with Research Question 3 (RQ3), which investigates the impact of IoT and layer-2 solutions on traceability.

Second, the architecture must incorporate privacy-preserving mechanisms, such as Zero-Knowledge Proofs (ZKPs), to protect sensitive data while enabling secure verification. In maritime logistics, ZKPs (e.g., zk-SNARKs, zk-STARKs) allow customs authorities to validate compliance without exposing confidential trade details [7]. In the spirits industry, ZKPs safeguard proprietary production data while verifying authenticity [29]. In healthcare, they ensure GDPR-compliant handling of donor and patient information [25]. For cross-sectoral applications, ZKPs enable secure data sharing in multi-stakeholder environments, addressing RQ2 on the role of ZKPs in privacy preservation.

Third, the architecture must achieve scalability and cost efficiency through layer-2 solutions to handle high transaction volumes without compromising performance. Maritime supply chains require the processing of hundreds of customs validations per hour [71], while healthcare cold chains demand frequent IoT sensor data updates [98]. Luxury spirits distribution benefits from scalable tokenization for cask and bottle tracking [121]. Cross-sectoral applications necessitate flexible scaling to accommodate diverse transaction rates. Layer-2 solutions, such as rollups and sidechains, reduce on-chain computational loads and gas costs, supporting RQ3's focus on scalability and aligning with research's claim of reducing deployment time by up to 50% compared to isolated systems [6], [5].

Fourth, the architecture must ensure regulatory compliance with standards such as GDPR, EBSI, EU Medical Device Regulation (MDR) and HMRC requirements. In maritime logistics, compliance involves adhering to international trade regulations (e.g., IMO standards) [69]. In healthcare, it requires alignment with GDPR and WHO standards for data handling and IoT sensor certification [97]. In the spirits industry, compliance with HMRC and EU Deforestation Regulation (EUDR) is critical for tax and sustainability reporting [118], [109]. As for the cross-sectoral applications, the architecture must support interoperable frameworks like the EU Digital Product Passport (DPP) to ensure regulatory alignment, addressing RQ2's focus on compliance.

Fifth, the architecture must support business model innovation to enable new value propositions, such as Direct-to-Consumer (DTC) models and asset tokenization. In the spirits industry, Non-Fungible Tokens (NFTs) facilitate cask ownership and provenance tracking, transforming whisky

into an investment asset [121]. In maritime logistics, decentralised governance models reduce intermediaries, enhancing efficiency [41]. In healthcare, blockchain-enabled systems improve inventory management and stakeholder coordination [25]. Cross-sectorally, the architecture must foster innovative models that enhance stakeholder engagement and sustainability, aligning with (RQ4) on the implications of blockchain-driven innovations.

Finally, the architecture must prioritise modularity and interoperability to enable reuse across the four use cases with minimal redevelopment. This requirement addresses the limitation of case-specific blockchain systems by allowing components (e.g., smart contracts, IoT interfaces, ZKP modules) to be adapted for different sectors, such as maritime document workflows, spirits provenance tracking, or healthcare cold chain monitoring [4], [6]. Modularity ensures the architecture can integrate with existing systems (e.g., Electronic Health Records (EHR), warehouse management systems) and supports cross-sectoral applications, enhancing scalability and reducing implementation costs.

These requirements collectively justify the design of an overarching blockchain architecture that integrates layer-2 solutions, IoT and ZKPs to address the unique challenges of each use case while enabling cross-sectoral applicability. They provide a structured foundation for the development and evaluation of the modular architecture presented in section 2.2, ensuring alignment with research's objectives and Research Questions.

2.4. Conceptual Blockchain Architecture for Service-Sector Supply Chains

The DSRM framework guides the design of a modular blockchain architecture that integrates Zero-Knowledge Proofs (ZKPs), a layer-2 inventory management platform, and IoT sensor integration [4]. This architecture is tailored to each use case while maintaining interoperability and scalability:

- Blockchain core**:** A permissioned blockchain (e.g., Hyperledger Fabric) supports smart contracts and consensus mechanisms (e.g., Practical Byzantine Fault Tolerance (PBTF)) to ensure trust and security [8]. DSRM's design phase informs the selection of blockchain protocols to meet sector-specific needs, such as regulatory compliance in healthcare or decentralised governance in maritime logistics [7], [23].
- Zero-Knowledge Proofs (ZKPs)**:** zk-SNARKs enable privacy-preserving data sharing, critical for verifying cargo authenticity in maritime logistics or protecting patient data in healthcare [18], [89]. DSRM's demonstration and evaluation phases test ZKP performance, assessing

computational efficiency and privacy guarantees, as seen in GDPR-compliant healthcare systems [19].

- Layer-2 Inventory Management Platform**:** A layer-2 solution (e.g., state channels or optimistic rollups) handles high-frequency transactions, such as shipment updates in maritime logistics or inventory tracking in the spirits industry [4]. DSRM's evaluation phase quantifies scalability and cost reductions achieved through layer-2, as demonstrated in maritime pilot projects [7].
- IoT sensor integration**:** IoT devices (e.g., RFID tags, temperature sensors) provide real-time data inputs, validated via secure oracles and recorded on the blockchain [24]. DSRM's demonstration phase tests IoT integration in scenarios like healthcare cold chain monitoring or spirits provenance tracking [25], [30].

The architecture is designed to interoperate with existing systems (e.g., ERP systems, healthcare compliance platforms) and adapt to sector-specific governance models, such as consortiums in maritime logistics or centralised oversight in healthcare [8], [23]. The architecture, described in Figure 3, decouples core layers, consensus, execution, data availability, and settlement, allowing independent evolution and customisation. This modularity supports scalability, cross-sector adaptation and integration of privacy technologies such as Zero-Knowledge Proofs (ZKPs).




Figure 3: Flexible Layer-2 blockchain architecture with modular elements

2.5. Mapping Requirements to Blockchain Architecture Across the Four Use Cases

Building on the sector-specific requirements and modular architectural components previously introduced, this section maps these elements to the proposed flexible layer-2 blockchain

architecture. The mapping is structured by use case, demonstrating how the architecture's core elements, namely, blockchain core, Zero-Knowledge-Proofs (ZKPs), layer-2 platform Dapp and IoT sensor integration, collectively address domain-specific challenges while supporting reusability and interoperability across sectors.

To clarify how each use case supports the overall objective of developing a modular and adaptable blockchain-based infrastructure for supply chain transparency and security, Table 7 presents a synthesis of the alignment between use case-specific requirements, architectural components and overarching research goals. Use case 1 (Maritime supply chain security) focuses on secure and transparent cargo tracking; Use case 2 (Healthcare cold chain traceability) ensures integrity and compliance through IoT-enabled monitoring; Use case 3 (Spirits industry innovation) highlights provenance and anti-counterfeiting; Cross-sectoral insights synthetise lessons to generalise modularity and reusability across domains.

Table 7: Use Case Alignment with Objectives, Components, and Contributions

Use case	Objectives	Architectural components	Expected contributors
1. Maritime supply chain security	• Enhance traceability and tamper-proof record-keeping • Enable interoperability across shippers and regulators	• Blockchain core → ZKPs ← (privacy for sensitive cargo data) • IoT sensor integration → for real-time tracking	• Immutable audit trail and regulatory trust • Privacy-preserving visibility for stakeholders • Real-time status updates and alerts
2. Healthcare cold chain traceability	• Ensure compliance and integrity of temperature-sensitive goods • Facilitate verifiable chain-of-custody	• IoT sensor integration → (temperature monitoring) • ZKPs → (proofs without revealing sensitive health data) • Layer-2 platform ← (off-chain scalability)	• Verified cold chain assurance • Regulatory transparency with data confidentiality • Scalable and efficient tracking across nodes
3. Spirits industry innovation	• Guarantee provenance and authenticity • Prevent counterfeiting	• IoT sensor integration → (unique tags) • Layer-2 inventory platform → (auditability and batch tracking) • Blockchain core ← (anchoring verifying statements)	• Secure provenance validation • Robust anti-counterfeiting measures • Scalable audit trail for supply chain stakeholders

The mapping is further detailed in the following tables, highlighting how each component fulfils specific requirements, with empirical support from prototypes and literature [7], [16], [22], [27].

2.5.1 Use Case 1: Maritime Supply Chain Security

Maritime logistics requirements focus on end-to-end traceability, privacy in document sharing, scalability for port operations, fraud prevention and interoperability with legacy systems [47], [7].

To manifest the application of the proposed modular blockchain architecture within the maritime logistics domain, Table 8 presents a detailed mapping between sector-specific requirements and the corresponding architectural components. Each row identifies how individual blockchain modules, such as IoT sensor integration, Zero-Knowledge Proofs (ZKPs), blockchain core and layer-2 Dapp, addressing critical challenges in maritime supply chain security. The component functional mapping to requirements is outlined, alongside the expected benefits and empirical validation drawn from literature and prototypes.

Table 8: Requirement mapping of maritime supply chain security with modular blockchain architecture

Requirement	Blockchain component	Mapping description
End-to-end traceability	IoT sensor integration + Blockchain core	IoT sensors (e.g., GPS/RFID in containers) feed real-time data to the permissioned blockchain core (Hyperledger Fabric) via smart contracts for immutable tracking of cargo from origin to destination [24]. Consensus (PBFT) ensures data validation among stakeholders like ports and shippers [8].
Privacy and compliance	Zero-Knowledge Proofs (ZKPs)	zk-SNARKs enable selective disclosure of Bill of Lading (BoL) data, verifying authenticity without revealing sensitive commercial details, compliant with GDPR and IMO standards [18], [19], [27].
Scalability for high-volume transactions	Layer-2 Dapp	Optimistic rollups process off-chain transactions (e.g., shipment updates) before mainnet settlement, handling >1,000 TPS in busy ports [9].
Fraud prevention	Blockchain core + ZKPs	Immutable ledgers and ZKPs prevent document tampering, with smart contracts automating customs clearance [8], [18].
Interoperability	All components	Modular design integrates with ERP/port systems via APIs; reusable across sectors [4].

2.5.2. Use Case 2: Healthcare Cold Chain Traceability

Healthcare requirements emphasize real-time monitoring, data immutability, privacy for patient/donor information, resilience to disruptions, and scalability for global networks, aligned with HIPAA, GDPR, and WHO guidelines [100], [87], [93].

In the context of healthcare cold chain logistics, the architecture must ensure data integrity, compliance and verifiability across distributed stakeholders. Table 9 maps the key requirements of this domain to specific blockchain components, illustrating how IoT-enabled temperature monitoring, privacy-preserving data sharing and scalable transaction processing are accomplished through modular integration. Each mapping is supported by validation from existing implementations and literature, demonstrating the feasibility and impact of the proposed architecture in pharmaceutical supply chains.

Table 9: Requirement mapping of cold chain traceability with modular blockchain architecture

Requirement	Blockchain component	Mapping description
Real-time environment monitoring	IoT sensor integration + Layer-2 platform	Temperature/humidity sensors (e.g., for blood products) provide data to layer-2 rollups for high-frequency updates, settled on the core blockchain [100], [98]. Smart contracts trigger alerts for deviations.
Data immutability and traceability	Blockchain core	Permissioned ledger (e.g., Ethereum-based) records chain-of-custody with PoS consensus, ensuring tamper-proof logs from donation to transfusion [81].
Privacy preservation	Zero-Knowledge Proofs (ZKPs)	zk-STARKs verify compliance (e.g., temperature logs) without exposing sensitive health data [18], [89], [19].
Resilience to disruptions	Layer-2 platform + Blockchain core	Off-chain processing handles emergencies (e.g., supply shortages) with decentralised governance for quick consensus [100], [103].
Scalability and cost-efficiency	All components	Modular IoT/ZKP reuse reduces redevelopment; layer-2 enables low-cost, high-throughput tracking [103].

2.5.3 Use Case 3: Spirits Industry Innovation

Spirits requirements target provenance authentication, anti-counterfeiting, DTC enablement, privacy in commercial data and scalability for market expansion, compliant with EU taxation and geographical indications [114], [118], [121].

The spirits industry presents unique challenges related to product authentication, provenance and anti-counterfeiting. Table 10 details how the modular blockchain architecture addresses these challenges by aligning specific requirements, such as verifiable origin tracking and tamper-evident packaging, with technical components like IoT sensor integration, off-chain inventory management and cryptographic proofs. The table also highlights the expected benefits and empirical findings, showcasing how the architecture supports innovation and consumer trust in regulated goods industries.

Table 10: Requirement mapping of spirits Industry use case with modular blockchain architecture

Requirement	Blockchain component	Mapping description
Provenance authentication	Blockchain core + ZKPs	Smart contracts on the core ledger tokenize whisky casks (e.g., NFTs), with ZKPs verifying origin/aging without full disclosure [114], [121].
Anti-counterfeiting measures	Zero-Knowledge Proofs (ZKPs) + IoT integration	zk-SNARKs authenticate digital certificates; IoT (e.g., RFID on bottles) tracks from distillation to retail [108], [114].
Direct-to-Consumer (DTC) enablement	Layer-2 platform	Rollups facilitate fast, low-fee token transactions for DTC sales, integrating with e-commerce [121], [123].
Privacy in commercial data	ZKPs + Blockchain core	Selective disclosure protects recipes/trade secrets via ZKPs, with permissioned access [18], [114].
Scalability for market expansion	All components	Modular design supports token economies; reusable IoT from healthcare for aging monitoring [114], [121].

2.5.4 Cross-Sectoral Insights

Cross-sectoral requirements as described in Table 11 synthetise overlaps like shared traceability needs, regulatory harmonisation (e.g., GDPR/EBSI) and innovation synergies, focusing on modularity for multi-domain reuse [20], [4].

Table 11: Requirement mapping of cross sectoral use cases with modular blockchain architecture

Requirement	Blockchain component	Mapping description
Shared traceability across sectors	IoT integration + Blockchain core	Reusable IoT modules track assets (e.g., cargo, blood, whisky) with core ledger for unified immutability [24], [8].
Regulatory harmonisation	Zero-Knowledge Proofs (ZKPs)	ZKPs ensure privacy/compliance (GDPR, HIPAA, EU GI) via modular proofs reusable in all sectors [18], [19].
Innovation synergies (e.g., tokenization + monitoring)	Layer-2 platform + all components	Rollups scale shared features like tokenization (spirits/maritime) and monitoring (healthcare); governance models adapt per sector [9].
Modularity for multi-domain reuse	All components	Flexible architecture allows component reconfiguration (e.g., ZKP from maritime to healthcare) without full redesign [4].
Interoperability and scalability	Layer-2 platform + Blockchain core	APIs integrate with diverse systems; Layer-2 handles cross-sector volumes [9], [8].

This mapping illustrates the architecture's versatility, with DSRM ensuring iterative refinement. Reusability across use cases addresses RQ3–RQ4, while prototypes confirm practical viability [4], [6], [7], [16]. Further details are in Chapters 3–5.

2.6. Operationalisation of DSRM through Complementary Methods

DSRM is complemented by additional methods to ensure a comprehensive investigation [11]:

- Systematic literature review with PRISMA: The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) methodology, detailed in Chapter 2, supports DSRM's problem identification phase by synthesising existing research on blockchain, ZKPs, layer-2 solutions and IoT applications [32]. PRISMA is also applied to specific studies in Chapters 4–7 (e.g., Study 1 in Chapter 4) to ensure rigorous literature reviews for sector-specific challenges [7], [27].
- Case study analysis: Each use case is treated as a case study, and each contains qualitative insights drawn from stakeholder interviews, industry reports and regulatory analyses [31]. DSRM's evaluation phase incorporates these insights to assess artifact usability and stakeholder acceptance, as seen in whisky supply chain pilots [30].
- Prototype development and simulation: Prototypes of the blockchain architecture are developed and tested using tools like Hyperledger Fabric, Ethereum and IoT simulators [8], [24]. DSRM's demonstration and evaluation phases quantify performance metrics, such as transaction throughput and latency, across simulated scenarios, as applied in healthcare cold chain simulations [25].
- Comparative analysis: Cross-sectoral insights are derived by comparing findings from the three use cases, identifying common patterns and sector-specific nuances [4]. DSRM's communication phase ensures both academic and industry audiences are informed [7], [27].

2.7. Considerations

To strengthen the methodology, the following elements are added within the DSRM framework [11]:

- Simulation framework: Agent-based modelling simulates stakeholder interactions to evaluate governance dynamics, aligning with DSRM's evaluation phase [7], [23].
- Performance benchmarks: Standardised metrics for layer-2 and IoT performance (e.g., transactions per second, sensor accuracy) are established to enable cross-sectoral comparisons, supporting DSRM's evaluation phase [4], [24].
- Ethical considerations: Ethical implications, such as data ownership in healthcare or environmental impacts in maritime logistics, are addressed during the problem identification and evaluation phases, ensuring compliance with regulations like GDPR [19], [25].

- Stakeholder engagement: Workshops and surveys with stakeholders (e.g., port authorities, healthcare providers, whisky producers) inform artifact design and evaluation, ensuring practical relevance [30], [31].

2.8. Summary

The methodology leverages the Design Science Research Methodology design, develop and evaluate blockchain-based solutions for service-sector supply chains, complemented by PRISMA-guided literature reviews [32], [11]. The DSRM framework ensures a systematic approach to addressing the Research Questions, with artifacts tailored to the maritime, healthcare, spirits and cross-sectoral use cases [7], [23], [30]. By integrating Zero-Knowledge Proofs, layer-2 platforms, and IoT sensors the methodology delivers innovative, scalable and compliant solutions [4], [18], [24]. The iterative nature of DSRM, combined with stakeholder engagement and rigorous evaluation, ensures both academic rigour and practical impact, as detailed in Chapters 4 to 6.

Chapters 3 to 5 operationalise the DSRM across each domain-specific study, detailing the implementation of Proof-of-Concept prototypes and the consequential results [11]. Each case study applies the DSRM framework to address specific Research Questions through iterative design, demonstration and evaluation, focusing on blockchain's role in enhancing supply chain transparency, security, scalability and regulatory compliance across diverse sectors [114], [94], [30].

Case study research, defined by Yin (2018), is an empirical method that investigates contemporary phenomena within their real-life context, particularly when the boundaries between the phenomenon and context are not clear. In this research, case studies are employed to explore blockchain applications in maritime logistics, healthcare cold chains, spirits industry innovation and cross-sectoral contexts, drawing on qualitative data from stakeholder interviews, industry reports and regulatory analyses [7], [23], [30]. Yin emphasises that case studies are particularly valuable for answering "how" and "why" questions, making them suitable for examining how blockchain technologies address trust, traceability and efficiency challenges in supply chains [32]. Each study follows a structured approach, including case selection based on theoretical relevance, data collection through multiple sources (e.g., interviews, technical evaluations) and analysis using DSRM's evaluation phase to ensure rigor [57].

Chapter 3 – Blockchain for Maritime Supply Chain Security and Efficiency

This chapter presents two self-contained research articles that have been submitted and approved to the *Journal of Maritime Policy and Management* (Published with DOI 10.1080/03088839.2025.2580502) and *IEEE Access* (Published with DOI 10.1109/ACCESS.2025.3636470). The papers are reproduced in its original form to preserve its methodological rigor and scholarly coherence. It addresses one of the core thematic pillars of this dissertation, privacy-preserving mechanisms using Zero-Knowledge Proofs, within the maritime logistics context.

The studies contribute to the resolution of Research Questions 1, 2, and 3, by:

- Identifying trust and traceability challenges in maritime logistics (RQ1)
- Implementing blockchain-integrated ZKP protocols to enhance privacy and compliance (RQ2)
- Demonstrating the scalability and interoperability of Layer-2 mechanisms in port operations (RQ3)

As each of the following chapters focuses on a distinct technological domain, this structure ensures thematic clarity while reflecting the design-oriented research process adopted in this research, guided by the Design Science Research Methodology [57].

3.1 Overview of the Maritime Logistics Context

Global maritime supply chains are indispensable to international trade, handling nearly 90% of goods transported worldwide [65]. Despite their importance, these systems face persistent inefficiencies, fragmented information flows, and heightened concerns about data integrity, privacy, and regulatory compliance [30], [33]. The maritime sector's operational complexity, stemming from multiple actors, jurisdictions, and paper-based documentation, further aggravates these vulnerabilities [22]. For instance, manual processes in document handling, such as bills of lading, often lead to delays and errors, undermining efficiency and trust among stakeholders [47].

In response, blockchain technology has emerged as a promising tool for enhancing transparency, security, and trust in logistics networks [43], [69]. Blockchain's decentralised ledger ensures tamper-proof records, which is critical for verifying cargo authenticity and streamlining customs processes [47]. Yet, blockchain alone faces significant limitations, especially concerning privacy

and scalability [44], [75]. Public blockchains expose transaction data, posing risks in contexts where confidentiality is paramount, such as proprietary cargo details [41]. Scalability issues, including high transaction costs and latency, further hinder adoption in high-volume maritime operations [38]. This chapter explores how the integration of Zero-Knowledge Proofs, an advanced cryptographic technique, offers a solution by enabling privacy-preserving verification without compromising data security [44], [68]. The following sections present two peer-reviewed contributions that advance this research agenda, culminating in a synthesis of findings and a discussion of broader governance and implementation challenges [125], [126].

3.2. Study 1: Enhancing Maritime Supply Chain Security and Efficiency

The first contribution, titled “Enhancing Maritime Supply Chain Security and Efficiency: A Review of Zero-Knowledge Proofs in Blockchain Applications” (Curado Silveirinha et al., approved, *Maritime Policy & Management*), establishes the theoretical foundation for this investigation [43]. This study employs a systematic literature review methodology guided by the PRISMA framework to examine the intersection of blockchain and ZKP technologies within the maritime logistics domain [32], [56]. PRISMA ensures a rigorous synthesis of existing research, aligning with the DSRM’s problem identification phase to pinpoint gaps in the literature [57], [64].

The review identifies gaps in the current research landscape, particularly regarding privacy-preserving data exchange, secure identity management, and document authentication [41], [47]. It argues that integrating ZKPs into blockchain infrastructures addresses these concerns by enabling verification of information without exposing sensitive data, a critical feature in port logistics where confidentiality is paramount [44]. For example, zk-SNARKs allow port authorities to verify cargo documentation without revealing proprietary details, enhancing trust while complying with regulations like GDPR [83]. The paper also highlights challenges related to scalability, legal uncertainty, and technological maturity, setting the stage for a more applied and solutions-oriented investigation [38], [75]. These challenges include the computational complexity of ZKPs and the need for interoperable standards across jurisdictions, which are critical for widespread adoption in maritime logistics [67], [68].

3.2.1. Introduction

Maritime supply chain plays a pivotal role in global trade and facilitates the transportation of approximately 90% of the world’s goods [31], undeniably being a key driver of prosperity in the context of global economic development. However, this critical sector faces persistent challenges,

including inefficiencies in logistics, fraud and privacy concerns regarding sensitive data trade. These challenges are ambitious to solve due to old silo approaches with separate operations, making it difficult for stakeholders to work together as networks [24].

Maritime supply chain logistics are distinct, with ports as central nodes and involving shippers, carriers, transport providers, and related services. Numerous stakeholders, including shipping lines, port operators, insurers, and payment systems, are interconnected through complex processes. The increasing complexity and global dependence on maritime logistics have intensified interactions and dependencies. Addressing these challenges is crucial to improving efficiency, security, and trust. Policymakers, industry players, and researchers are working to enhance maritime supply chains by optimising container flow, promoting paperless digitalisation, and ensuring continuous monitoring at national borders [33].

Supply Chain Management (SCM) involves coordinating goods, information, and services across networks, requiring transparency, cooperation, and resilience [27]. Nonetheless, physical bottlenecks like port congestion still disrupt schedules and elevate costs, affecting both shipowners and cargo stakeholders [3]. In this context, a maritime supply chain refers to the set of interlinked logistics processes that are specific to ocean-based transportation, including port operations and shipping lines, whereas a regular supply chain typically involves inland logistics through road, rail, or air, each with distinct regulatory and infrastructural challenges [27] .

Blockchain has emerged as a key SCM innovation [9]. In 2016, Maersk projected it could reduce maritime transport costs by 20% and save $27 billion annually between East Africa and Europe. It has already decreased packaging transit time by 40% in U.S. production lines [7]. Its decentralised, immutable ledger improves transparency, traceability, and accountability [30]. However, adoption in maritime logistics is hindered by governance issues, intra-organisational barriers, and a shortage of specialists. Moreover, blockchain transparency may compromise confidentiality, revealing sensitive data such as financial transactions and trade terms [4]. Scalability, decentralisation, and security remain technical challenges due to transaction validation costs [17].

Zero-Knowledge Proofs (ZKPs) offer a cryptographic solution by validating information without exposing its content [26]. ZKPs meet maritime security requirements by safeguarding privacy and verifying data provenance. They allow verification of trade compliance and document authenticity without disclosing confidential data [44], vital for handling container bills of lading and third-party

information. Combined with blockchain, ZKPs balance transparency and confidentiality [40], enabling more adaptive, secure governance systems for maritime logistics and beyond.

This paper reviews state-of-the-art ZKP applications in maritime SCM, examining how they address privacy, fraud, and efficiency challenges, alongside technical and implementation barriers. It also identifies emerging trends and research gaps to guide future innovation. Findings underscore ZKPs' potential to improve security, efficiency, and transparency, supporting broader adoption in the maritime industry.

The remainder of the paper is organised as follows. Section 2 introduces the fundamental concepts of blockchain technology, with a focus on the technical components most relevant to maritime supply chains. Section 3 explores how blockchain is currently being applied in port operations and maritime logistics, supported by illustrative case studies. Section 4 discusses the main challenges to adoption, including technical limitations, organisational resistance, and regulatory constraints. Section 5 considers the broader implications for improving efficiency and sustainability in maritime supply chains. Finally, Section 6 summarises the key findings and outlines potential directions for future research.

Theoretical Background

This section aims at disclosing the fundamental knowledge necessary to understand ZKP integration and blockchain in the maritime supply chain. This section addresses (1), the broader context and challenges outlined in maritime supply chain management and (2), the explanation of key technological concepts, such as blockchain and ZKP, which underpin this research. To understand the implications of integrating Zero-Knowledge Proofs (ZKPs) with blockchain in maritime supply chains, it is essential to establish a theoretical foundation that reflects both the generic architecture of these technologies and their cross-sectoral applications. Blockchain, originally conceptualised for digital currencies, has evolved into a foundational technology with wide applicability across domains such as finance, healthcare, manufacturing, and public governance. Each of these sectors presents distinctive challenges, ranging from data confidentiality and regulatory compliance to scalability and interoperability, that blockchain seeks to address through decentralisation, transparency, and automation.

Blockchain Technology and Consensus Mechanisms

Blockchain technology enables secure storage, utilisation, and sharing of information through a decentralised, peer-to-peer distributed ledger [45]. Each node maintains an identical copy of the

database, enhancing resilience by eliminating single points of failure. Transactions are grouped in time-stamped blocks, secured by cryptographic hash functions and public-key encryption. Introduced with Bitcoin [30], blockchain's tamperproof ledger now supports applications in voting, healthcare, banking, real estate, and supply chain management (SCM). In maritime logistics, it improves transparency, secures vessel location data, and facilitates equitable pricing strategies among container lines [12]. It also enables secure sharing of production, maintenance, crew, and vessel status data, thus reducing operational delays and inefficiencies [39].

At the heart of blockchain’s operation is the consensus mechanism, which governs how agreement is reached on the validity and sequencing of transactions across distributed participants. The choice of consensus protocol influences a blockchain system’s performance, security, energy consumption, and governance structure, making it a critical design consideration, especially for maritime supply chains involving multiple stakeholders with varying trust levels.

Proof of Work (PoW), pioneered by Bitcoin, requires nodes (miners) to solve computational puzzles to append new blocks [13]. Its main advantage lies in strong tamper-resistance and Sybil attack mitigation, but these benefits come at the cost of extremely high energy use and limited throughput, making it unsuitable for most enterprise or regulatory environments [14]. While secure and fully decentralized, PoW systems lack the efficiency needed for time-sensitive maritime operations such as real-time cargo monitoring or customs documentation exchange.

Proof of Stake (PoS) introduces efficiency by assigning validation rights based on the quantity of cryptocurrency staked. This reduces energy costs and increases transaction throughput while supporting hybrid public-private governance models [14]. PoS systems, such as Ethereum 2.0, are increasingly favoured in enterprise settings, including trade finance and shipping logistics, where sustainability and scalability are essential. However, PoS may exacerbate centralisation by disproportionately empowering wealthier validators.

Practical Byzantine Fault Tolerance (PBFT), by contrast, is tailored for permissioned networks where nodes are authenticated and known. PBFT offers fast finality and low energy use, but with limited scalability due to communication overhead that grows quadratically with node count. For port community systems, shipping alliances, or customs consortia, PBFT-based platforms like Hyperledger Fabric [12] offer practical advantages in consensus speed, legal accountability, and modular architecture.

In maritime settings, smart contracts, first introduced via Ethereum, further extend blockchain's functionality by automating rule-based transactions once pre-defined conditions are met. This reduces processing time for critical documents such as bills of lading [43], cuts administrative costs, and mitigates disputes and fraud [15]. Frameworks like Ripple's Codius enhance smart contract interoperability across platforms, while Layer-2 decentralized applications (DApps) improve transactional throughput and user experience [36].

From a technical standpoint, blockchain leverages Merkle trees for lightweight integrity verification, and cryptographic headers (including timestamps, nonces, and previous block hashes) to ensure tamper-evident continuity across blocks [30]. Public Key Infrastructure (PKI) and cryptographic hashing secure identities and data flows, while encryption protects against unauthorized access.

Yet blockchain alone cannot preserve transactional privacy, an issue particularly acute in commercial maritime settings where confidential data such as pricing, contracts, and shipping schedules must remain protected. This gap is addressed by Zero-Knowledge Proofs (ZKPs), which allow parties to verify information without revealing the underlying data [28]. As discussed in Section 2.4, ZKPs can be layered over blockchain to ensure compliance, interoperability, and auditability without compromising sensitive commercial information.

Despite blockchain's promise, scalability remains a fundamental constraint, particularly in high-volume, time-sensitive supply chains such as maritime logistics. Traditional blockchain architectures suffer from latency and throughput bottlenecks as the number of transactions and participants increases. Two key architectural strategies to address this challenge are Layer-2 solutions and sharding.

Layer-2 solutions operate off-chain, processing transactions outside the base blockchain while periodically settling state changes on-chain. Techniques such as state channels, payment channels, and zk-rollups dramatically increase throughput and reduce transaction costs without sacrificing security. For instance, zk-rollups bundle hundreds of transactions and submit a succinct zero-knowledge proof to the main chain, verifying correctness without revealing transaction content. This is particularly relevant for maritime settings involving port call optimisations, container tracking, or customs clearance, where real-time responsiveness is essential. However, while Layer-2 architectures improve performance, they introduce new coordination and usability challenges, such as off-chain data availability and exit fraud risks, which must be carefully mitigated in operational environments.

Sharding addresses scalability by dividing the blockchain state and transaction load across multiple shards that process in parallel. Each shard maintains its own ledger and smart contracts, while a beacon chain coordinates cross-shard communication. In multi-port or multi-agency logistics, sharding enables separate processes (e.g., customs, port authority, logistics firms) to operate concurrently without overloading a single chain. Yet, sharding introduces complexities in data consistency, cross-shard atomicity, and validator assignment, especially when regulatory compliance and chain-of-custody must be preserved.

In tandem with scalability, secure interoperability across blockchain networks is critical in global trade environments where actors may use heterogeneous platforms. The Interledger Protocol (ILP) and Polkadot's Cross-Chain Message Passing (XCMP) are two leading approaches to this challenge. ILP enables value transfers across distinct ledgers without requiring each party to adopt the same blockchain, akin to a routing layer for digital assets. In contrast, Polkadot's XCMP allows secure message passing between parachains via shared security and consensus, enabling composability across decentralized applications.

While these interoperability protocols are technically promising, their maturity and deployment at scale remain limited. For example, ILP's adoption is still emerging outside Ripple-affiliated systems, and XCMP's performance and resilience have not yet been extensively validated in high-stakes, cross-border logistics networks. Thus, while these technologies represent future pathways for modular, secure maritime integration, their current utility should be viewed with measured optimism and critical scrutiny, especially when considering regulatory constraints, liability regimes, and operational reliability in global shipping.

Integration of Blockchain and ZKP in Maritime Supply Chains

ZKP is a cryptographic technique which allows one party to prove the validity of a statement to another without revealing any additional details about the identity of the individual. ZKP plays a vital role in enhancing identity sharing in the blockchain by providing a secure and privacy-preserving mechanism. There are two parties in ZKP, a prover, who demonstrates the truth to the other party, and a verifier, who verifies the truth without revealing additional information [44]. A valid ZKP protocol follows three phases in the form of interactive in nature:

1. Witness phase: The prover computes a proof that contains its statement, and then the proof is transmitted to the verifier;
2. Challenge phase: Several questions are asked by the verifier;

3. Response phase: The prover answers the questions, and then the verifier uses the given answer to accept or reject the generated proof.

In the phases above, no private information is public. There are two main categories of ZKP: Interactive and non-interactive;

a) Interactive ZKP (Inter-ZKP):

Interactive ZKPs are cryptographic protocols that involve the presence of both parties during the proof process, where a prover aims to convince a verifier, offering him the truth about a statement without revealing any sensitive information about it. Therefore, the interaction between both parties involves multiple rounds of communication, which can be more time-consuming and require significant computational resources.

b) Non-interactive ZKP:

Non-interactive ZKPs are cryptographic protocols with techniques that enable a prover to demonstrate the truth of a statement to a verifier without any continuous interaction between parties. However, developing a reliable non-interactive proof may be more difficult, and in certain types of statements, it may just be impossible to prove in a non-interactive manner [18]. The widely used non-interactive ZKPs are: Zk-SNARK (Zero-Knowledge Succinct Non-Interactive Argument of Knowledge), Zk-STARK (Zero-Knowledge Scalable Transparent Argument of Knowledge) and Bulletproofs [44].

Figure 4 illustrates the non-interactive ZKP process in three stages: setup, key generation, and verification. In the setup phase, a security parameter (λ) is used to create a circuit (c) defining the proof rules. During key generation, this circuit generates a proving key (V_p) and a verification key (V_v). In the verification phase, the prover uses the proving key to construct a proof (π) for a statement (x) and witness (w), which is sent to the verifier with the statement. The verifier checks the proof using the verification key and either accepts or rejects it. The final proof is stored on a blockchain for transparency. This diagram demonstrates how non-interactive ZKPs enable proof without further interaction, aligning with protocols like Zk-SNARK, Zk-STARK, and Bulletproofs.




Figure 4: Schematic of non-interactive ZKP workflow

Technical Challenges of ZKP vs. Conventional Blockchain

Both conventional blockchains and those enhanced with Zero-Knowledge Proofs (ZKPs) offer transparency, immutability, and distributed trust; however, each faces distinct adoption hurdles in maritime supply chains.

Conventional blockchains suffer from scalability and latency limits, with low transaction throughput and delayed finality in PoW systems hindering time-critical tasks like customs clearance or just-in-time port scheduling. Energy-intensive consensus raises sustainability concerns, and inherent ledger transparency can expose sensitive trade patterns or shipment volumes.

ZKP-enhanced systems mitigate privacy risks by validating transactions without revealing underlying data but add complexity. Proof generation and verification can be computationally costly, increasing latency in high-volume port operations. Some, like zk-SNARKs, require a trusted setup, creating dependencies on secure key management. Circuit design for tasks such as compliance checks without content disclosure demands specialised skills, and legacy port systems may lack APIs or cryptographic capabilities for proof verification.

In comparison, while conventional blockchains may offer higher throughput in certain setups, ZKP-enabled systems deliver stronger privacy at the cost of performance overhead. The optimal choice depends on balancing privacy, speed, sustainability, and integration requirements within regulatory and operational constraints.

3.2.2 Literature Review

3.2.2.1. Cross Sectorial Applications of Blockchain and Zero Knowledge Proofs

Blockchain technology and Zero-Knowledge Proofs (ZKPs) have gained widespread attention for their transformative potential across various industrial and institutional verticals. While initially popularised by cryptocurrencies, these technologies have rapidly evolved into tools for addressing domain-specific issues such as data privacy, operational transparency, trust management, and regulatory compliance. In the financial sector, blockchain enables decentralised finance (DeFi), allowing for real-time settlement, auditability, and programmable money through smart contracts. ZKPs are increasingly employed to preserve the confidentiality of financial transactions while maintaining compliance with anti-money laundering (AML) and know-your-customer (KYC) regulations. Projects such as Zcash and zkSync exemplify the use of non-interactive ZKPs to enable private yet verifiable exchanges on public blockchains. In healthcare, the need to share sensitive medical data across decentralised entities, such as hospitals, insurers, and regulatory bodies, makes privacy-preserving technologies critical. Blockchain has been explored for immutable health record storage and secure data sharing, while ZKPs ensure that patient data can be verified (e.g., vaccination status, medical certification) without revealing personal details, thereby aligning with data protection frameworks like the GDPR.

Supply chain management is another domain where blockchain and ZKPs are synergistically applied. Blockchain ensures end-to-end traceability, provenance verification, and fraud mitigation in goods movement, from agriculture and pharmaceuticals to consumer electronics. ZKPs add a layer of confidentiality, enabling stakeholders to prove compliance with ethical sourcing, environmental standards, or contractual terms without disclosing sensitive business information. In the public sector, these technologies support secure identity management, verifiable voting systems, and transparent budgeting. For instance, Estonia's e-government initiatives have explored blockchain for registry management, while ZKPs are used to validate voter eligibility without compromising anonymity.

Across these verticals, a common challenge persists: the need to balance transparency with confidentiality, to scale securely without centralised control, and to interoperate across fragmented digital ecosystems. The maritime supply chain, as discussed in subsequent sections, shares many of these concerns, particularly in its reliance on cross-border, multi-stakeholder operations where trust and data security are paramount. Thus, insights from other sectors offer critical lessons and frameworks for the maritime context.

3.2.2.2. Maritime Supply Chain Management: An Overview

The maritime industry, one of the oldest in goods transportation, remains a vital link between sea and land in global trade. Its core objectives are enhancing efficiency, security, and cost-effectiveness. Maritime supply chains manage the movement of goods via sea routes, a substantial share of global commerce. This involves coordinated planning and transport of maritime containers across a network of ports, regulators, policymakers, researchers, fuel suppliers, shipbuilders, owners, operators, shippers, agents, and authorities [46].

A key element of this system is its information infrastructure, which manages shipment tracking and planning. It also handles sensitive data, such as bill of lading details, sender/receiver identities, and competitive information like container volumes, which can pose security risks. In recent years, blockchain technology has enabled more secure transmission and protection against tampering and misuse of data, topics explored in subsequent sections.

3.2.3. Methodology

Systematic Literature Review

The literature review, conducted in November 2024, focused on zero-knowledge proof and blockchain applications in the maritime supply chain. It targeted English-language journal articles from 2020-2024, sourced from Scopus and Web of Science (WOS). Duplicate articles were removed to ensure accuracy, using specific search strategies and inclusion criteria.

Research Questions

The purpose of this study is to review state-of-the-art ZKP applications in maritime SCM, examining how they address privacy, fraud, and efficiency challenges, alongside technical and implementation barriers and identify key factors affecting maritime supply chain and blockchain implementation in terms of technology usage to improve governance and maritime operations as well as its sustainability:

The research questions are the following:

- How can ZKPs be an improvement in managing container bill of ladings information and its lifecycle?
- What are the main benefits and challenges of implementing ZKPs within existing blockchain systems in the maritime supply chain?
- What are the key adoption factors of ZKPs that enable better overall governance and operations in ports?

Research Strategy

The search terms were selected to find articles that addressed blockchain in the context of “Blockchain”. Ports, maritime and containers were the population of interest, which were based on the concepts including smart logistics, supply chain, trade operations, identity management, digital identity and secure transaction. “Blockchain” AND ("Ports" OR "Maritime" OR "Containers")) AND (("Smart Logistics" OR "Supply Chain" OR "Trade operations" OR "Identity management" OR "Digital identity" OR "Secure transaction") OR (“zero-knowledge proof” OR “ZKP” OR “zk-SNARK” OR “zk-STARK” OR “bulletproof”) was the search query used to identify articles that were relevant to the research. The goal was to identify a wide range of current, relevant publications on the relationship between blockchain technology and ZKP, with an emphasis on maritime supply chain management.

Study Selection and Evaluation

The specified query was applied to the databases mentioned in earlier sections, and 133 articles were found altogether, as per figure 2, below. After removing 42 duplicates, 91 articles were screened. These were analysed by using the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) method, a well-respected approach that guarantees the transparent and systematic evaluation of research papers, as stated in [32]. PRISMA helps researchers assess the quality and relevance efficiently while upholding rigorous standards.

Figure 5 outlines the step-by-step selection process of relevant articles using the PRISMA methodology for the systematic review. The initial search yielded 133 articles from Web of Science and Scopus. After removing 42 duplicates, 91 articles remained for screening. Based on titles, abstracts, and results, 18 were excluded as irrelevant. The remaining 73 articles underwent full-text extraction and detailed review. Four papers were inaccessible and excluded. The 69 accessible full-text articles were then tabulated and categorised in MS Excel by scope and

relevance. During this stage, 29 were excluded, 15 for lacking relevant information and 14 for focusing on different populations. The final analysis included 40 articles.




Figure 5: Systematic literature review PRISMA flow diagram

Data Extraction and Synthesis

During the systematic literature review conducted using the PRISMA method, a few tools were essential for managing and storing pertinent data for the articles, namely Zotero, Microsoft Excel, Scopus and WOS. This data encompassed various aspects, including article title, author, publication year, subject area, keywords and abstract. Additionally, to facilitate comprehensive data analysis, a qualitative assessment was performed using these criteria.

3.2.4. Research Findings

Research Findings

This section provides an overview of information regarding the retrieved articles. The analysis was detailed both in terms of application of use cases in the maritime supply chain with blockchain alone and with blockchain with Zero Knowledge Proofs. Extended research also included

container bill of lading (B/L) management, digitising and securing documentation, improving transparency, and reducing fraud. Yet its potential extends far beyond documentation.

Recent work highlights its role in maritime supply chain financing [25] propose a blockchain-based port logistics finance platform integrating stakeholders for trade finance, invoice factoring, and real-time settlement. [22] shows that in perishable goods logistics, blockchain can cut spoilage losses, enhance consumer surplus, and yield net welfare gains despite high initial costs. Complementing port-finance platforms, Blockchain-based Financing Scheme (BFS) targets logistics-company financing with automated lending/repayment logic and node-level privacy controls, showing transferable design patterns for maritime finance ecosystems [11]. Similarly, [48] create a game model to explain how market uncertainty and blockchain services affect the three models and identify an equilibrium approach.

Contractual automation is another domain. [50] demonstrates automated calculation of demurrage fees, real-time notifications, and conditional payments, reducing disputes and boosting transparency among shippers, carriers, and terminal operators. Understanding the operational performance of vessels provides a quantitative foundation for identifying where blockchain and Zero-Knowledge Proof integration could add the most value. For example, differences in laden ratio and port turnaround across vessel types directly impact the timeliness and predictability of cargo flows [15].

Other trials span port operations, bunkering, and marine insurance. [29] reports efficiency gains in fuel quality assurance and fraud prevention in bunkering, while [5] shows faster claims handling and improved sustainability compliance in marine insurance. In perishable goods traceability, [4] finds blockchain secures cold chain integrity and offers end-to-end visibility from origin to port delivery. These studies position blockchain as a tool for financing, automation, operational optimisation, and sustainability, complementing its established documentation role.

Descriptive Analysis of Publications

Figure 3 depicts the distribution of published documents relevant to blockchain and ZKP applications in maritime SCM, as identified through the systematic literature review, across the years 2020 to 2024. 14% of the total relevant publications are from 2020, and the proportion decreased slightly to 12% in 2021, suggesting a minor reduction in research output focused on this area during that year. A noticeable increase occurred in 2022, with the proportion rising to 20%, indicating a growing interest in the application of these technologies within the maritime sector. This upward trend continued more significantly in 2023, reaching 26%, and peaked at 28%

in 2024. This distribution highlights a progressive increase in research attention over the five-year period, reflecting the rising recognition of blockchain and ZKP as critical technologies for addressing privacy, security and efficiency challenges in maritime SCM, as explored in this review.

Figure 6 illustrates the distribution of keywords across the search results obtained during the systematic literature review on blockchain and ZKP applications in maritime SCM. As per figure 7, the largest segment, representing 44%, corresponds to keywords related to "Blockchain in Supply Chain," indicating a predominant focus on the broader application of blockchain technology within supply chain contexts.




Figure 6: Distribution of published documents by year (2020–2024)

The second-largest category, at 24%, is "Blockchain in Maritime," reflecting significant research interest specifically in maritime applications of blockchain. "Blockchain in Ports" accounts for 13% of the keywords, highlighting the relevance of port-specific implementations. The "Application of ZKP" category constitutes 10%, underscoring a growing but still emerging focus on ZKP within this domain. "Review" articles make up 5% of the keyword distribution, suggesting a smaller yet notable portion of the literature dedicated to synthesising existing research. Lastly, "Smart Contract Applications" represent 4% of the keywords, indicating a relatively limited but present exploration of smart contracts in this field. This distribution reveals the emphasis on blockchain's role in supply chain and maritime contexts, with a developing interest in ZKP and smart contract applications as complementary technologies.




Figure 7: Distribution of keywords in search results

3.2.5 Blockchain Applications in Maritime Supply Chain Management with ZKP's

The analysed papers are aligned with the standard application of blockchain in maritime ports and the addon of ZKP. Table 12 shows the comparative analysis of two options. In the first one, blockchain technology is being used alone, whereas in the second one, it is being integrated with ZKP, based on the different aspects of privacy and security concerns.

Table 12: Comparison of the use of Blockchain alone and with integration of ZKP

Aspect	Using blockchain alone	Integrating blockchain with ZKP
Data privacy	Data is transparent to authorised participants, but sensitive data may be visible [12].	ZKP ensures sensitive data remains private while still providing a way to verify proof without revealing data [21].
Data security	Provides tamper-proof records using cryptographic hashes but cannot hide specific identities or specifics [37].	Enhances security by adding cryptographic privacy while preserving data integrity and verification [37].
Operational efficiency	It manages to record and track the product movement and use the information to ensure operational efficiencies across the whole supply chain network [34].	ZKP optimises transaction verification without revealing sensitive information and improves processing time [1].
Traceability	Each block is permanently connected to the past block and enables end-to-end traceability of products from source to destination, ensuring transparency and accountability across the entire supply chain [2].	ZKP enables traceability without revealing ownership or sensitive information about products or entities [21].
Data sharing	It enables transparent, secure and efficient data sharing by providing a decentralised platform for real-time [42].	Protect privacy during the authentication procedure of data sharing systems without revealing any confidential information [10].
Scalability	High data traffic, high latency and large datasets can strain on blockchain systems [38].	ZKP enhances blockchain scalability by bundling multiple transactions into a single, lightweight transaction using ZKP, reducing data load on the main chain while maintaining security [38].

As shown in Table 12, integrating ZKP into blockchain-enabled systems enhances security and performance beyond what blockchain alone offers. The proposed system must be robust and address limitations in blockchain-based MSCM, particularly in protecting confidential data and reducing on-chain operations to optimise resources and improve scalability [41], [44]. However, processing large volumes of data in real-time introduces the 'bloat' problem, an issue closely linked to scalability challenges.

Based on recent publications which contributed to the domain of blockchain technology implemented along with ZKP, the key results have been extracted in Table 13.

Table 13: Comparison of recent innovations in maritime industries using blockchain and ZKP

Autor's	Context	Proposed solution
(Abid et al., 2024)	Privacy in inter organisational processes	Proposed Self-Sovereign Identity (SSI) systems to enhance privacy by avoiding sensitive data storage on-chain while enabling secure exchanges.
	Secure computations	Enables privacy-preserving operations, such as machine learning on encrypted data using FHE.
	Traceability without privacy compromised	Focusing on the balance between traceability and privacy using ZKP and fully homomorphic encryption.
	Verifiable off-chain computations	ZKP implementation for off-chain verifications, reducing on-chain computational load and preserving privacy.
	Compliance with privacy regulations	Ensure data protection and traceability align with GDPR and similar privacy laws.
	Operational costs	Proposed a private permissioned blockchain and ZKP, which reduced gas costs and maintained traceability and security.
(Gai et al., 2023)	Privacy-preserving data sharing	Demonstrated the usability of privacy perseverance in positioning data using blockchain for immutability of shared information.
	Secured transaction data	Proposed Zk-SNARKS for privacy preservation of shared data and identity, which ensured fairness in data sharing and financial fairness.
	System efficiency	Demonstrated low computational costs using Zk-SNARKS, proving feasibility for real-world deployment.
	Security and fairness in transactions	Demonstrated how it protects against double-spending and fair payment mechanisms for data providers and requesters.

Table 13: Comparison of recent innovations in maritime industries using blockchain and ZKP

Autor's	Context	Proposed solution
(Sezer et al., 2022)	Optimal resource usage	Proposed off-chain digital signing to reduce computational costs and time.
	Minimises cost of transactions	Implementation of off-chain signing reduced gas fees by minimising the number of on-chain transactions.
	Scalability	Presented the use of event-based smart contracts and minimised the number of on-chain transactions, supporting scalability features.
	Enhanced traceability	Focused on the secured traceability, achieved through exposing only required parameters.
	Anonymity and transparency	The use of cryptographic digital signatures and verification of transactions with the cryptographic hashes promotes transparency of transactions while ensuring data security.
(Ben Farah et al., 2024)	Privacy preservation	Suggested ZKP use along with blockchain-based technologies can help privacy-preserving and data protection in public blockchains.
	51% attack or Goldfinger	Implementation of Proof-of-Stake (PoS) consensus mechanisms can reduce risk.
	Data injection attacks	Implementation of data validation checks and verification of accuracy and authenticity of data in off-chain can reduce resource usage with protection against false data injection.

Blockchain remains an emerging technology with scalability limitations for handling high volumes of transactions and data. Maritime networks demand even greater data capacity, involving detailed operational and logistics information for efficient system management [35]. To address scalability, the current reliance on executing all transactions on-chain can be mitigated through ZKP implementation. ZKPs enable off-chain data verification without revealing content, only a proof of accuracy and integrity is shared on-chain, reducing computational load and enhancing scalability.

3.2.6. Discussion

Blockchain technology has transformed information exchange by reducing reliance on central authorities through its decentralised, immutable, and distributed ledger system. Its potential to

improve transparency, traceability, and trust positions it as a promising solution for addressing inefficiencies in Maritime Supply Chain Management (MSCM) [25]. However, implementation challenges persist, including adoption barriers, governance issues, data privacy concerns, scalability limits, and high computational and financial costs, as showed in Table 14 [19].

By making transactions transparent, secure, and efficient, blockchain can revolutionise MSCM [25]. It simplifies longstanding challenges such as paperwork, lack of visibility, and port delays. Digitising key documents like bills of lading ensures tamper resistance and enables immediate sharing with port authorities, streamlining processes and reducing errors [46]. Blockchain also fosters trust among stakeholders by verifying data authenticity, supports real-time shipment tracking, and automates payments through smart contracts, cutting costs and delays [25].

Nonetheless, transparency presents a major constraint. Since all network nodes can access stored data, privacy of trade secrets and sensitive business information may be compromised. This poses a challenge for stakeholders who need to protect proprietary data while contributing to a shared ledger [12]. Zero-Knowledge Proofs (ZKPs) offer a solution by allowing compliance verification without revealing underlying data. This aligns with ESG-driven investor expectations, where auditability is critical, but full data disclosure is commercially sensitive [40]. ZKPs enable validation of shipment authenticity and customs compliance without exposing pricing, routes, or container details, as per Table 14.

Table 14: Blockchain implemented ports and their contributions

Port	Year of implementation and Technology	Role and aims	References
Port of Antwerp	2018 (Hyperledger Fabric)	Optimise efficiency in container handling logistic chain by eliminating physical paperwork and tracking hazardous goods	[30]
Port of Rotterdam	2018 (Hyperledger Fabric)	Use blockchain for logistics and cargo tracking, integrating a paperless network of physical, administrative and financial streams within international shipping and distribution	[30]
Port of Abu Dhabi	2018	Providing seamless and secure link between stakeholders across the trade community with encrypted documentation in shipping and trade industries	[5]; [43]
Port of Singapore	2018 (Ethereum)	Establish custom clearances and cargo certificates	[30]; [43]
Port of Valencia	2018 (Hyperledger Fabric)	Improving supply chain traceability and enhancing data sharing among stakeholders	[30]

Blockchain implementation also faces challenges such as legacy system integration, high implementation costs, scalability issues and proper availability of skilled professionals [44]. As stated in research works, implementation of ZKP enables the minimisation of use of computing resources, as they inherit the characteristics of verification and privacy perseverance, hence, the system may operate with low processing costs and better efficiency [8].

By implementing blockchain, the collaboration of port terminals and shipping liners can lower costs and improve operational efficiency and economic sustainability. Ports around the world are increasingly adopting blockchain technology. Blockchain-based technologies at ports can enable bureaucracy reduction during operations, especially in developing countries, allowing better visibility of overall port traffic. It optimises operations and sailing times, reducing fuel use and emissions, therefore benefiting the environment [8]. The port of Rotterdam presented a new pilot project based on blockchain to handle containers more safely and efficiently by eliminating the use of a pin code, automating the process.

Addressing Blockchain Limitations with ZKP Integration

This research explored the integration of Zero-Knowledge Proofs (ZKPs) into blockchain networks to address gaps in maritime supply chains. ZKPs allow verification of blockchain transactions, such as bills of lading, while preserving data privacy and ensuring transparency. Off-chain ZKP computations like zk-SNARKs and Layer-2 solutions (e.g., zk-rollups) reduce main chain load, cutting latency and costs. Bundling multiple verifications into a single proof can lower on-chain data by up to 90% [38]. This approach not only safeguards data integrity and confidentiality but also improves efficiency by reducing transaction and verification volume. Blockchain alone is insufficient for secure, end-to-end container tracking. ZKPs enhance governance and visibility without compromising sensitive user data.

Critical Reflections on the Literature

While the literature on blockchain and Zero-Knowledge Proof (ZKP) applications in supply chains, particularly in the maritime context, has grown considerably in recent years, several important limitations and inconsistencies warrant critical reflection. Many of the reviewed studies emphasise the potential of these technologies to enhance data security, reduce fraud, and streamline operations. However, the credibility and generalisability of these claims often remain uncertain due to methodological shortcomings, limited empirical testing, and unexamined implementation barriers [5], [43].

A recurring trend in the literature is the reliance on conceptual or simulation-based models rather than real-world deployments. For instance, numerous papers propose smart contract frameworks or privacy-preserving protocols using ZKPs without discussing the operational complexity, integration costs, or institutional inertia that often hinder adoption in port and shipping systems [4]. Moreover, few studies engage with stakeholder perspectives, legal constraints, or performance data from pilot projects, leaving a gap between technological optimism and operational reality [5].

Another issue concerns the overstatement of security guarantees. While blockchain and ZKPs are frequently framed as inherently secure, there is limited discussion of attack surfaces such as endpoint vulnerabilities, key management, or denial-of-service risks [44]. Similarly, claims about interoperability solutions, such as those involving ILP or XCMP, often neglect to address the immature tooling, governance ambiguity, and lack of standardised auditability that complicate multi-chain integrations in fragmented regulatory environments [16], [20].

Furthermore, the scalability problem remains understated in several studies. Although Layer-2 solutions and sharding are cited as remedies, few sources examine the trade-offs involved, such as increased complexity, new trust assumptions, and off-chain data availability challenges [9], [17]. These limitations are particularly salient in global maritime supply chains where legal liability, compliance, and multi-jurisdictional coordination introduce unique barriers to decentralised innovation.

Finally, the review revealed a need for greater critical engagement with empirical lessons from adjacent sectors such as finance, healthcare, and manufacturing. Although these fields offer valuable precedents, their infrastructural, legal, and economic contexts differ from maritime logistics. As such, caution is required when extrapolating results from these domains without nuanced contextual analysis [6].

While the literature offers promising blueprints for blockchain-ZKP integration in maritime logistics, much of it remains conceptual, fragmented, and insufficiently validated. Future research must prioritise empirical rigor, cross-sectoral comparison, and critical realism in evaluating not only what these technologies can do in theory, but also what they have demonstrably achieved in practice.

Technical Challenges and Reported Benefits

While much of the literature remains conceptual, a subset of studies and pilot implementations report practical insights into the deployment of blockchain and Zero-Knowledge Proofs (ZKPs) in supply chains and adjacent sectors. This section synthesises these insights, highlighting both the benefits realised in practice and the technical challenges encountered during implementation.

Across multiple case studies and technical evaluations, several recurring benefits of blockchain-ZKP integration have emerged. The most consistently cited advantage is enhanced data integrity and traceability, especially in multi-tier supply chains where product origin and movement verification are critical. Blockchain-based tracking systems have been shown to reduce verification times for cargo provenance and customs documentation, while also enhancing accountability in container handovers [15], [43]. In pilot projects, smart contracts have streamlined document processing, reducing clearance times and human error in bill-of-lading workflows.

ZKPs specifically contribute by enabling confidential verification, allowing stakeholders to prove compliance with contractual or regulatory terms without revealing proprietary or sensitive information. This has been tested in scenarios involving know-your-customer (KYC) validation,

origin certifications, and audit automation, with reported success in balancing transparency with privacy, a major concern in competitive logistics environments [26], [44].

Technical and Operational Challenges. Despite these benefits, implementation efforts often encounter significant obstacles. A major concern is scalability, especially when applying ZKP-enhanced blockchains to high-frequency or data-intensive processes such as container monitoring or environmental compliance tracking. Layer-2 solutions and sharding offer partial mitigation but introduce new trust assumptions and coordination complexities [17], [39].

Another prominent issue is interoperability. In real-world deployments, actors frequently operate on different platforms (e.g., port authorities, customs, shippers), necessitating cross-chain communication. However, technologies like ILP and XCMP, while promising, remain underdeveloped in practice and lack standardised protocols for maritime-specific integration [16], [21].

Furthermore, computational overhead associated with ZKP generation and verification can be substantial. For constrained devices or edge environments (e.g., onboard systems, IoT gateways), these requirements may exceed available processing capacity, raising concerns about performance and system responsiveness [39].

Institutional and Governance Constraints. Beyond technical barriers, several studies highlight organizational resistance, lack of regulatory clarity, and the need for clear data governance models. Stakeholders often hesitate to adopt immutable ledgers without established recourse mechanisms or liability frameworks in case of data errors or fraud. Pilot failures are frequently linked to unclear ownership of digital infrastructure, fragmented stakeholder incentives, and insufficient user training [4], [22].

The literature reveals that while the benefits of blockchain and ZKP systems are tangible, particularly in enhancing transparency, automation, and privacy, successful implementation is highly contingent on contextual factors. These include the technical infrastructure of the supply chain, stakeholder alignment, legal frameworks, and sector-specific process complexity. Thus, future research and development efforts must balance technical innovation with operational pragmatism, ensuring that proposed systems are not only secure and private but also usable, scalable, and governable in real-world maritime logistics

Real World Applications and Key Insights

Based on an in-depth evaluation of real-world applications, ZKP can act as the disrupting catalyst that this industry needs. It assures that all stakeholders acquire transparency and privacy, with assurance that such information pertaining to trade documents is genuine or in regulatory compliance matters [5]. Customs can clear shipments to meet regulatory standards without accessing proprietary trade information, and shipping companies can verify ownership or contractual arrangements without divulging competitive information. This is aligned with digitisation initiatives and legislation requirements to create a compliant solution for port authorities and its regulatory entities.

Benefits and Future Potential

Some real-life benefits of integrating ZKP into blockchain-based maritime supply chains include:

- Improved privacy and security: ZKP ensures confidentiality of sensitive information while still enabling verification of authenticity and compliance;
- Improved scalability: Off-chain computations that ZKP protocols provide keep the load off blockchain networks, thus improving scalability to a greater throughput of transactions with much efficiency;
- Operational efficiency: The use of smart contracts and ZKP reduces delays and intermediaries in the verification processes, making maritime logistics smoother;
- Fraud prevention and traceability: Immutability from blockchain and the privacy-preserving properties of ZKP, when put together, strengthen fraud detection and end-to-end traceability;
- Compliance: ZKP provides a means wherein systems could release select information of data; the case is GDPR.

Adoption Factors

The adoption of blockchain in maritime supply chains is driven by intertwined technological, organisational, environmental, and economic factors.

Economically, significant upfront costs arise from infrastructure, training, and integration with legacy port systems. These must be balanced against long-term gains such as reduced administrative overhead, fewer documentation disputes, faster settlements, and better asset utilisation. In high-value or time-sensitive cargoes, such as perishables, [21] shows that improved visibility and automation can cut spoilage and optimise logistics, outweighing capital costs.

Cybersecurity remains a barrier. Conventional blockchains face risks like 51% attacks, smart contract flaws, oracle data injection, and metadata leakage. ZKP-enabled systems enhance privacy by validating transactions without exposing details, but add complexity through proof verification overhead, trusted setup risks, and the need for advanced cryptographic skills. Blockchain and ZKP adoption needs a multi-dimensional transformation requiring investment, governance, and enabling legal frameworks.

Challenges and the Way Forward

Despite their promise, implementing blockchain and ZKP in MSCM faces challenges, particularly in integrating with existing systems. Major obstacles include high computational demands, legacy system compatibility, high implementation costs, and the absence of standardised protocols. Additionally, regulatory uncertainties around smart contracts and blockchain systems must be addressed for broader adoption [23].

Future research should focus on optimising ZKP protocols by reducing computational complexity, employing hardware accelerators, and standardising data formats and communication protocols. Pilot projects and real-world case studies can help identify practical solutions. Collaborative efforts among transport companies, port authorities, policymakers, and technology providers are essential for innovation and standardisation.

The integration of blockchain with ZKPs represents a significant advance in tackling privacy, scalability, and efficiency challenges in maritime supply chains. It holds the potential to transform the industry through secure, transparent, and sustainable trade operations.

3.2.7 Conclusion and Future Direction

In Maritime Supply Chain Management (MSCM), blockchain has emerged as a key innovation to address inefficiencies, lack of transparency, and trust issues. However, its limitations, such as scalability, high computational costs, and privacy concerns, necessitate advanced privacy-preserving mechanisms. Zero-Knowledge Proofs (ZKPs) offer a valuable complement, enabling secure data verification without disclosing sensitive information.

Drawing on real-world MSCM applications, this study highlights the potential of integrating blockchain with ZKP to optimise maritime logistics. Key use cases include privacy-preserving traceability, secure document verification, fraud prevention, and regulatory compliance. ZKP and

off-chain computations reduce blockchain's computational burden through lightweight cryptographic proofs, enhancing scalability and protecting sensitive trade data.

Effective implementation of ZKP-enabled blockchain in MSCM requires stakeholder collaboration, alignment of suitable technologies, and attention to legal and regulatory frameworks. Advances in cryptography and blockchain architecture offer promising solutions for the sector.

Integrating ZKP can transform MSCM into a more secure, efficient, and privacy-compliant trade environment, reshaping governance processes. This study underlines the need to overcome technical, operational, and legal barriers for broader adoption. Future research should prioritise standardised protocols, lightweight nodes for edge networks, optimised ZKP algorithms for real-time use, and scalable deployment strategies to fully realise blockchain-ZKP potential.

While this study offers a comprehensive review of blockchain's potential in maritime supply chains, it is not without limitations. First, the absence of empirical validation restricts the ability to assess the actual performance of blockchain solutions in operational settings; however, that validation was out of scope for this research. Second, the findings are generalised across diverse global contexts, which may overlook region-specific regulatory, infrastructural, or organisational constraints. Nonetheless, with the appropriate adjustments, it can be beneficial to many different contexts. Future research could address these limitations through empirical case studies and comparative analyses across different maritime regions and work should include proof-of-concept projects to test governance models and the robustness of blockchain-ZKP systems. Although blockchain is already in use at some maritime ports, widespread adoption remains limited. Layer-2 solutions must also improve integration and user interfaces to enhance usability and adoption.

3.3 Study 2: Revolutionizing Maritime Supply Chains

Building upon the foundational insights of the previous article, the second study, "Revolutionising Maritime Supply Chains: Blockchain for Efficiency and Security" (Curado Silveirinha et al., 2025, *IEEE*), presents an applied exploration of blockchain and ZKP integration in maritime logistics [5], [8], [12]. This article advances from a conceptual review to an architectural and strategic examination of implementation models, aligning with the Design Science Research Methodology (DSRM) framework outlined in Chapter 2 [57].

It proposes practical frameworks for deploying blockchain-based ZKP systems, with attention to stakeholder alignment, regulatory compliance, and system performance [8], [10], [28], [41], [69].

For instance, the study outlines a modular blockchain architecture incorporating zk-SNARKs to enable privacy-preserving cargo verification, addressing confidentiality concerns in multi-jurisdictional port operations [10], [44], [68], [77], [78]. It also evaluates real-world use cases, such as cargo tracking, document verification, and port governance optimization, drawing on blockchain's ability to ensure tamper-proof records and streamline processes like bills of lading [15], [20], [47], [62], [69], [96]. Integration with IoT sensors for real-time cargo monitoring further enhances traceability, as demonstrated in maritime logistics pilot projects [12], [16], [62], [96], [103]. The study addresses regulatory compliance, such as adherence to GDPR for data privacy and international maritime standards, ensuring legal interoperability across jurisdictions [40], [66], [83], [123], [124]. By addressing implementation dynamics and proposing system architectures, this contribution provides a roadmap for transitioning from theoretical potential to operational deployment, supported by stakeholder engagement through workshops and technical evaluations [22], [23], [24], [33], [43], [69], [72], [106], [110]. Challenges such as computational overhead of ZKPs and the need for standardized protocols are also discussed, offering strategies for scalable and secure adoption [17], [38], [44], [59], [60], [67], [75], [78]

3.3.1. Introduction

With globalisation and international trade on the rise, maritime supply chains are now the centre of global partnerships and usually deal with a progressively complex situation. Recognised for cost-efficiency and reliability, shipping remains the dominant force in worldwide trade logistics. Yet there is some logistics handling complexity in maritime represented by numerous stakeholders and high reliance on transport documents that usually delays the smooth handovers of goods [50]. Handling nearly 90% of global goods, maritime logistics is critical for economic stability, yet it faces various challenges, which include inefficiencies, document fraud and data privacy concerns [51]. Research estimates that 40% of delays in the supply chains at major ports are due to administrative burdens imposed by the authorities [52], such as manual document verification and incompatible systems among stakeholders. These inefficiencies will increase costs, delay shipments and expose supply chains to fraud risks, undermining trust among the partners.

Motivated by growing regulatory demands, data privacy challenges, and the urgent need for real-time, secure logistics operations, this paper explores how blockchain and Zero-Knowledge Proof (ZKP) technologies can address core inefficiencies in maritime supply chains. The increasing complexity of port operations and the lack of privacy in current digital systems highlight the need for a more secure and trustworthy infrastructure.

The Maritime Supply Chain (MSC) effectively facilitates the transportation and exchange of goods between different stakeholders around the world. This increasingly plays a vital role in the transportation and exchange of goods between different stakeholders globally. With the increase in trade volume and complexity of relationships, strong and effective coordination is more crucial than ever [53]. To tackle that complexity, experts across the industry, policymakers and researchers must push for greater digitalisation, optimising container management and tracking ships in real-time across borders. Today's demand for effective supply chain management is not only about moving goods and services, but it is also concerned about a trustworthy and transparent system that will boost efficiency. Hence, ensuring security, transparency and adaptability in MSC has become an urgent necessity.

Blockchain technology stands out as a transformative tool for supply chain management, which can provide security, immutable records and real-time monitoring. It offers a transformative solution by providing a decentralised, immutable ledger that enhances security, transparency and real-time monitoring. In 2016, Maersk estimated that the adoption of blockchain could reduce the costs by 20% [54], and this claim was validated by its successful 2017 trial, which tracked cargo efficiently [24]. By simplifying the documentation, minimising errors and boosting transparency in transactions, blockchain promises to streamline operations and build trust among the partners. Researchers highlight the blockchain's role in enhancing visibility while addressing traceability, transparency and inefficiencies within a flexible and cost-effective digital supply chain network [55]. However, blockchain’s transparency raises privacy concerns, as sensitive trade data (e.g. pricing, cargo specifics) may be exposed to unauthorised parties. Additionally, scalability issues and integration with legacy systems limit widespread adoption. Zero-Knowledge Proofs (ZKPs), particularly protocols like zk-STARKs, address these challenges by enabling the privacy-preserving verification without disclosing sensitive data and aligning with regulations such as the EU’s Electronic Freight Transport Information (eFTI) initiative (The eFTI Regulation - European Commission).

As global maritime logistics face rising regulatory pressures and operational complexities, the need for transparent yet privacy-preserving infrastructure has become critical. Stakeholders such as port authorities, customs agencies and logistics providers often operate in the fragmented digital environments where data validation requires trust without exposure. Traditional blockchain implementations offer transparency and traceability, but there is a lack of native support for confidentiality of sensitive trade information. This paper is motivated by the pressing need to combine verifiability, privacy and interoperability through an integrated blockchain and ZKP

approach, enabling secure data exchanges, regulatory compliance and auditability in port-driven supply chains without compromising business confidentiality.

In spite of the potential of the blockchain, existing research does not have complete frameworks for the incorporation of ZKPs in MSC, especially with post-quantum secure protocols such as zk-STARKs, which remove trusted setups and achieve greater security from quantum attacks. Secondly, blockchain-IoT integration for real-time tracking is not well examined by research as a necessity in the management of logistical bottlenecks. The present study addresses the gap by suggesting a new blockchain-ZKP system for maritime logistics with the purpose of privacy-preserving document authentication, fraud detection and regulatory compliance. Utilisation of zk-STARKs will incorporate the robust security, while IoT-based tracking enables seamless operation, bridging technological as well as practical gaps for MSCM.

This paper contributes to the body of knowledge by:

- Proposing a new blockchain-ZKP model for shipping supply chains, using zk-STARKs for more privacy and post-quantum security.
- Comparing ZKP protocols (zk-SNARKs, zk-STARKs, Bulletproofs) against computational overhead and scalability for maritime use.
- Presenting insights of previous pilot case studies at the major ports (e.g. Rotterdam, Singapore) with performance metrics, e.g., reduced verification times and fraud levels.
- Offering guidance on future research into scalable layer-2 solutions and lightweight ZKP algorithms to facilitate sustainable maritime logistics.

This paper will analyse the potential revolutionary impact of blockchain technology within the maritime supply chain environment. It focuses on the role of ZKP to enhance security and efficiency. This work focuses on the use of ZKP with the use of the blockchain to address the significant challenges such as document authentication, fraud and regulatory compliance while considering the computation overhead, scalability and adoption barriers that the industry must face. Throughout this study, an innovative maritime logistics framework is proposed, which enhances blockchain and ZKP to forge a secure, privacy-conscious and sustainable trade ecosystem. By enhancing resource use and reducing operational risks, this innovative approach has the potential to reshape global maritime supply chain management for the better. Through the integration of blockchain and ZKPs, this study is going to revolutionise maritime supply chain management into a secure, transparent and efficient trading platform. This paper summarises the literature, describes the methodology, proposes an implementation framework and evaluates application through a real-world case study, breaking through technical, operational and regulatory challenges for increased adoption and sustainability.

3.3.2. Methodology

This study follows a systematic approach to reviewing and evaluating the integration of blockchain and Zero-Knowledge Proof (ZKP) technologies in Maritime Supply Chain Management (MSCM). This research adopts a combined approach using PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) [56] and DSRM (Design Science Research Methodology) to ensure both a systematic review of the existing literature and a structured approach to solution design. DSRM serves as the guiding framework, emphasising the creation and evaluation of innovative solutions to real-world problems which ensure both the relevance and rigour of the proposed solution. The methodology is divided into five stages. First, the “problem identification and motivation” stage, which focuses on identifying inefficiencies, fraud risks and data privacy issues in maritime supply chains, addressed in the introduction of this paper. Second, the “define objectives for the solution” stage, which outlines the objectives of a blockchain-based, privacy-preserving solution, which is covered in the literature review section. Following that, the “design and development” section, which constructs a framework combining blockchain and ZKPs to address the identified problems, which is presented in the framework implementation and evaluation section of the paper. Fourthly, the “demonstration and evaluation” section involves validating the solution through the pilot studies at the major ports, as described in the framework implementation and evaluation section. Finally, the “communication” stage shares the results and implications for broader adoption, which is discussed in the strategic challenges and pathways to adoption section. Therefore, by combining PRISMA for the systematic literature review and DSRM for the solutions design and evaluation, this research provides a comprehensive, structured approach to addressing the challenges in Maritime Supply Chain Management (MSCM). To establish a rigorous foundation for the proposed architecture, this study adopted the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) methodology for conducting a structured literature review. This process aimed to identify, evaluate, and synthesis relevant research on blockchain technologies, Zero-Knowledge Proofs (ZKPs), and their application within maritime supply chains. A comprehensive search was performed across major academic databases, including Scopus and Web of Science. The search strategy employed Boolean operators with key terms such as ‘‘blockchain AND maritime logistics’’, ‘‘zero-knowledge proof AND supply chain’’, ‘‘zk-SNARK’’, ‘‘zk-STARK’’, and ‘‘privacy-preserving blockchain’’. The search was limited to peer-reviewed publications from 2019 to 2025 to capture both foundational and recent advancements. Inclusion criteria encompassed articles that addressed blockchain-based privacy mechanisms, real-world maritime pilot projects, and formal analyses of ZKP protocols. Studies were excluded if they focused solely on theoretical cryptographic proofs without

application contexts or if they addressed unrelated domains (e.g., healthcare, voting). The PRISMA process ensured that the literature review was systematic, reproducible, and traceable. It enabled the identification of technical gaps, particularly in the areas of privacy enforcement, scalability, and ZKP integration, which directly informed the design objectives and architectural considerations of the proposed framework

A. REVIEW STRATEGY AND PROTOCOL

The systematic literature review is used for research on the application of blockchain technology and ZKP in MSC. The review was conducted in February 2025, with a focus on English-language journal articles from 2020 to 2025.

Figure 8 shows that the initial search, which yielded 141 articles from the databases; after removing 46 duplicates, 95 articles were left for further review. Screening titles and abstracts excluded sixteen irrelevant papers, leaving 79 for full review. Four were unavailable, and of the 75 assessed, nineteen were excluded (twelve lacked relevance and seven targeted different populations, resulting in 56 studies included.




Figure 8: Systematic Literature Review PRISMA Flow Diagram

B. SEARCH STRATEGY WITH INCLUSION AND EXCLUSION CRITERIA

The search terms were thoroughly chosen to identify articles exploring blockchain technology in the maritime domain. The populations of interest are maritime and ports, which are based on the concepts of supply chain, smart logistics, secure transactions, efficiency and Zero-Knowledge Proofs (ZKPs). This approach aimed at gathering a broad and diverse range of recent publications on the relationship between blockchain technology and ZKP, which is focused on their use and impact in MSCM.

This research included articles about whether they were using blockchain applications in maritime supply chains or logistics, and if they addressed issues of privacy, security, scalability or efficiency in supply chain management. Papers integrating ZKP with blockchain or addressing privacy in logistics were prioritised, and the ones in the English language published in peer-reviewed journals or reputable industry reports were included in the analysis. Conversely, exclusion criteria included studies that were irrelevant to maritime or supply chain contexts, studies that were not originally published in English, did not have enough methodological detail or studies that covered only blockchain technology but not its application to privacy or logistics. These systematic criteria made it possible to examine only relevant and properly methodologically conducted studies.

C. DATA EXTRACTION AND SYNTHESIS

Data was extracted on blockchain-ZKP applications, barriers in adoption and performance factors. The collected articles were grouped based on their application in security, efficiency, scalability and regulatory compliance. The comparison of proof size, verification time and post-quantum attack resistance were evaluated in a comparison of ZKP protocols (zk-SNARKs, zk-STARKs and Bulletproof). Furthermore, to measure the practical impact, pilot study metrics such as transaction latency and cost were also analysed.

D. EVALUATION FRAMEWORK FOR CASE STUDY IMPLEMENTATION

To validate the proposed blockchain-ZKP framework, a comparative analysis of real-world pilot at some major ports (Rotterdam, Singapore, Dubai) were evaluated which focused on:

- Reduction in document verification time.
- Decrease in fraud incidence.
- Performance of smart contracts in automated compliance.
- Cost savings from reduced paperwork and process delays.

This evaluation provided insights into technological feasibility, user acceptance and governance impact, forming the basis for the framework's real-world adaptability and scalability in MSCM contexts.

E. DESIGN SCIENCE RESEARCH METHODOLOGY MAPPING

The overall research approach followed the Design Science Research Methodology (DSRM) as proposed by Peffers et al., providing a structured lens through which to investigate, develop, and validate the proposed blockchain-ZKP integration model. Each phase of DSRM was explicitly aligned with distinct stages of the study, as detailed below:

1) PROBLEM IDENTIFICATION AND MOTIVATION

The research commenced by identifying critical issues in Maritime Supply Chain Management (MSCM), particularly the lack of data confidentiality, inefficiencies in regulatory verification, and insufficient trust across cross-border trading ecosystems. Preliminary investigations confirmed that existing blockchain solutions inadequately address privacy and scalability in sensitive trade contexts.

2) DEFINE THE OBJECTIVES OF A SOLUTION

Based on the identified gaps, the study defined its objective as the design of a scalable and privacy-preserving blockchain framework for MSCM, leveraging Zero-Knowledge Proofs (ZKPs) to enable verifiable compliance without disclosing sensitive trade data.

3) DESIGN AND DEVELOPMENT

The architectural model was developed with modular integration of zk-SNARKs, zk-STARKs, and Bulletproofs into a smart contract-enabled blockchain environment. Design specifications accounted for off-chain proof generation, on-chain verification, and secure data flow across port authority systems.

4) DEMONSTRATION

A working prototype was implemented using the Ethereum Rinkeby testnet, the ZoKrates toolkit, and a Node.js-based off-chain proof engine. The simulation mimicked shipment document validation scenarios, enabling real-time testing of proof workflows and blockchain logging.

5) EVALUATION

The prototype's performance was evaluated against core metrics: proof generation time (~4.2 seconds), on-chain verification latency (~170 milliseconds), gas consumption (~290,000 units),

and verification success rate (100%). These results validated the architectural feasibility and cryptographic robustness of the system under realistic constraints.

6) COMMUNICATION

The results of this research were documented in this manuscript and are intended for dissemination within the academic and maritime policy communities. The communication phase also includes the formulation of strategic recommendations for scalable deployment, regulatory alignment, and future research directions.

3.3.3. Literature Review

This section explores the role of blockchain and Zero-Knowledge Proofs (ZKPs) in addressing the evolving needs of Maritime Supply Chain Management (MSCM). It begins with an overview of the technological integration of blockchain and ZKP, followed by synthesised insights from selected literature, grouped into major themes relevant to the industry's transformation.

A. BLOCKCHAIN AND ZKP IN MARITIME SUPPLY CHAIN

Blockchain technology is a decentralised, peer-to-peer ledger system that facilitates a secure mechanism for transactions and information exchange [21]. In the context of maritime logistics, blockchain offers capabilities such as real-time tracking of shipments, automated documentation and immutability of transaction logs, thereby increasing operational efficiency and trust among stakeholders [33], [58]. These characteristics are particularly beneficial in addressing the complexity of international shipping processes, where a high number of stakeholders often leads to fragmented data flows and delays [50].

However, blockchain's transparency can also present risks, especially in revealing sensitive trade information such as pricing, cargo specifications and commercial agreements. To mitigate these risks, Zero-Knowledge Proofs (ZKPs) offer a privacy-preserving layer on top of blockchain networks. ZKPs enable the verification of a statement without revealing the underlying data. This is highly valuable in MSCM, where compliance or identity verification is necessary, but disclosing full documentation may expose business-sensitive or confidential information [59], [12].

Among the ZKP technologies, zk-SNARKs, zk-STARKs and Bulletproofs each offer different trade-offs in terms of security, performance and proof size. For instance, zk-SNARKs is efficient and widely used but requires a trusted setup. zk-STARKs removes this requirement, making them more transparent and resistant to quantum attacks, though they generate larger proofs.

Bulletproofs offers minimal proof size and do not requires a trusted setup but can suffer from higher verification time [60].

In summary, blockchain-ZKP integration addresses critical MSCM challenges including document fraud, privacy concerns, inefficiencies and regulatory compliance, offering a strong foundation for building a secure and transparent maritime logistics infrastructure.

B. THEMATIC INSIGHTS FROM THE LITERATURE

A review of 56 selected studies revealed key recurring themes that highlight the potential and limitations of blockchain and ZKP technologies in MSCM:

Enhancing Security and Trust: In blockchain, data cannot be tampered with once it has been appended. Thereby, there is improving trust between parties [61]. It keeps the record of each transaction occurring across every participating node. This makes the transaction transparent and secure, as most participating nodes should recognise the change of any information [25]. Therefore, the cargo details are securely and permanently stored in the decentralised ledger through the encryption operations. Therefore, only authorised parties can access the information, and that information can only be changed if all participants agree to it.

Several studies report that the blockchain significantly enhances the security of maritime operations by ensuring data integrity and mitigating fraud risks. For example, digitalising bills of lading and integrating encryption mechanisms prevents unauthorised access [47]. Encryption secures data sharing, while 2024 Maersk IBM research predicted 70% faster document verification at ports like Rotterdam [15]. ZKPs further reinforce this by allowing stakeholders to validate the authenticity of documents without revealing their content [31].

Improving Operational Efficiency: The conversion of physical paper contracts to smart contracts will simplify the transaction process, which automatically verifies and executes contracts. Through smart contracts, blockchain enables automation of tasks such as customs clearance, shipment tracking and payment processing [63]. Studies such as Liu et al. [24] show how blockchain can significantly reduce the paperwork and manual verification delays. Integrating ZKPs into these workflows helps to ensure privacy while still enabling verification, enhancing both speed and confidentiality. It enhances performance by increasing the speed of verification and by validating previous transactions instead of the whole blockchain in an off-chain environment versus an on-chain environment. The off-chain environment is associated with block calculation and validation of transactions outside of the blockchain, meaning that its processing speed is much faster. However, on-chain calculation is slower, as is the nature of it being within the blockchain. This metric is associated to TPS (Transactions Per Second) in a blockchain.

Addressing Scalability and Interoperability: In a blockchain maritime shipping system, scalability can lead to a higher number of transactions as well as nodes. This tends to cause congestion and may lead to slower transaction speeds, limiting the capacity of the network and increasing transaction fees as well. For security purposes, the entire blockchain needs to be stored, and with the growing size of the blockchain ledger, more storage space is required. While every node in a network keeps a copy of all transactions, storage capacity is finite, which can be a burden. Also regarded as the challenge of latency is the time needed to add a new block into the blockchain network, which is highly influenced by the consensus mechanism used. Therefore, balancing these issues of scalability, security, latency and decentralisation is challenging, as improving one aspect often compromises the other aspects [15]. Integrating blockchain and ZKPs helps to reduce on-chain data loads by verifying computations off-chain. Nonetheless, the integration with legacy port systems and differing blockchain standards remains a significant barrier to widespread adoption [64].

Interoperability challenges in blockchain systems appear from existing diverse stakeholders who utilise various platforms and technologies to arrange the maritime process. It can be difficult to ensure smooth communication between these systems which are recently developed as blockchain solutions. To be widely adopted in existing systems and to ensure their effective operation, blockchain systems must be able to interact with traditional systems [65]. For interoperability between different blockchain networks (e.g., Ethereum, Hyperledger Fabric, or private blockchains used by port authorities), ZKPs can be used as a cryptographic tool to validate the correctness of a transaction or block on one blockchain without revealing the specifics of the data on that blockchain [49]. Therefore, smooth communication between the diverse systems is possible, even without full trust in each other’s underlying structures.

Ensuring Regulatory Compliance: Compliance with trade and customs legislation is the basic requirement in MSCM. The literature specifies that blockchain auditability supports regulatory demands, yet the revelation of full trade paperwork is conflicting with confidentiality. ZKPs will resolve this through the selective disclosure of testifying to merely necessary data factors for verifying compliance without revealing full manifests, in agreement with legislation like the EU's eFTI regulation [66].

Overcoming Organisational and Legal Barriers: Blockchain technology offers several contributions for the ease of the maritime industry, as it faces problems with dealing with its legal compliance. With this technology emerging within the field, currently there are no mature legal regulations or standard guidelines established in this domain. Moreover, the attributes introduced by blockchain

technology, such as smart contracts, are also being limited by the law of code, which lacks the legal support of any regulation. Furthermore, the legal wrap must be applied to other areas of this industry where technology aids in regulating its operations, strengthening both the technology and the sector overall [5]. With increasing data, standards provide a common language for identifying, capturing, collecting and sharing supply chain data that can ensure that important information is accessible, accurate and transparent.

This framework addresses these gaps by enabling actors (e.g., port security, customs officials) to verify compliance without revealing sensitive data while maintaining a verifiable audit trail across distributed nodes, as per Figure 9.




Figure 9: Stakeholder Interaction Framework for Blockchain-ZKP Implementation in Maritime Supply Chains

Studies note that resistance from stakeholders, lack of technical skills and uncertain legal frameworks hinder adoption [4], [5]. Moreover, the lack of standards for smart contracts and ZKP-based systems complicates implementation across jurisdictions. To overcome these barriers, capacity building, clear governance models and regulatory engagement are identified as critical success factors.

While the above works contribute to traceability and data sharing in domain-specific contexts, they do not address maritime-specific workflows, nor do they integrate Zero-Knowledge Proofs (ZKPs) for role-restricted, privacy-preserving validation.

3.3.4. Framework Implementation and Evaluation

This section outlines the design, deployment and performance evaluation of a blockchain and Zero-Knowledge Proof (ZKP) enabled solution for Maritime Supply Chain Management (MSCM). It merges implementation details and case demonstration, as requested by reviewers, and reflects a practical application of the proposed architecture across port systems.

A. STAKEHOLDER MAPPING AND STRATEGY

Successful deployment of blockchain-ZKP systems in the maritime sector requires multi-stakeholder coordination. Key stakeholders include shipping companies, port authorities, customs officials, logistics service providers, technology vendors and regulatory bodies. Early engagement and mapping of their roles help align technological solutions with operational realities, compliance requirements and commercial incentives.

Figure 8 illustrates how port authorities, customs and shippers identify system limitations and provide feedback. Policymakers interpret legal and regulatory requirements, while technology providers align these needs into deployable blockchain-ZKP infrastructure.

This stakeholder ecosystem ensures that blockchain-ZKP systems are tailored not only to technical feasibility but also to policy, legal and operational contexts, thereby increasing adoption and long-term sustainability, where port authorities and customs define needs, policymakers set regulatory alignments and technology providers respond with implementation strategies.

B. USE CASES AND TECHNICAL DESIGN

The integrated solution addresses several critical pain points in maritime logistics through a set of well-defined use cases. These are designed to meet regulatory, operational and commercial requirements in a privacy-preserving and auditable manner.

1. Privacy-Preserving Scenarios using ZKP

To ensure regulatory compliance and confidentiality in the maritime operations, ZKPs are implemented to validate sensitive information without disclosing raw data. Three major practical scenarios were described below, where ZKPs enhance privacy protection in user interactions with the system:

Customs Declaration Without Revealing Cargo Value:

A freight forwarder is required to submit the customs declarations for a shipment that contains sensitive goods or documents. To preserve confidentiality, a ZK-SNARKs is worked in off-chain to demonstrate that the reported value is greater than a required customs threshold (such as

€10,000 for inspection exemption). Additionally, the ZK-SNARKs proves that the HS code associated with the items falls within a non-restricted category, avoiding the need to reveal the specific product description. For the customs declarations ZK-SNARKs are used due to their compact proof size (~200 bytes) and fast on-chain verification**.** Since customs validations occur frequently and at scale (dozens to hundreds per hour per port), the smaller size reduces gas costs and minimises blockchain storage.

- Actors involved: Freight forwarder, customs authority;
- ZKP used: zk-SNARK demonstrating that HS_Code ∈ {non-restricted} and declared_value ≥ threshold;
- Blockchain role: A smart contract is used to record the result using a metadata hash for auditability and transparency, which validates the proof.
- Privacy benefit: The product name, description and exact value have remained completely private. Only compliance with customs regulations is verified.

VAT Declaration Without Revealing Contractual Terms:

A logistics provider needs to prove that an intra-EU export transaction qualifies for the VAT exemption. Instead of uploading the entire invoice or trade agreement, the exporter uses a ZK-STARK to prove that the shipment is an inter-EU transfer and that the total value lies within the tax-exempt range. For VAT declaration there is uses of zk-STARKs because it involves higher privacy sensitivity (contract terms, client IDs, invoice values) and may span across multiple jurisdictions**.** The zk-STARKs offer post-quantum security and do not require a trusted setup**,** which is ideal when multiple tax authorities or auditors may independently verify compliance. The slightly larger proof size is acceptable due to the lower frequency of these transactions.

- Actors involved: Exporter, tax authority smart contract;
- ZKP used: zk-STARK proving (origin_country = EU & destination_country = EU) & (invoice_amount ≤ exemption_limit);
- Blockchain role: Tax authority contract validates the ZKP and logs the result on-chain without revealing the contents of the invoice;
- Privacy benefit: Third parties or tax authorities are not given access to price information, clients identities or contractual conditions.

Role-Based Credential Verification Without Exposing Identity:

Access to the port security systems and customs logs is role restricted. When a customs officer needs to access these tamper-proof logs, they do not authenticate using personal credentials like

a name, ID or account login. Instead, they should present a ZKP that must verify their membership in an authorised role, such as customs inspector or port security personnel, without revealing their identity.

- Actors involved: Customs officer, port access smart contract; ZKP used: Set-membership ZKP showing role ∈ {Customs_Inspector, Port_Security};
- Blockchain role: The smart contract validates the proof and grants access based on role, without logging user identity;
- Privacy benefit: Officer's name, ID or login credentials are not shared or stored, reducing exposure risks.

These privacy-preserving workflows ensure that compliance, transparency and accountability are maintained without violating the confidentiality of sensitive commercial and personal data. The integration of ZKPs into the blockchain layer enables this balance. This way, the system is suitable for both high-security and regulatory environments.

2. Core Use Cases Addressed

These use cases were mapped to a privacy-preserving technical design to ensure GDPR-compliant, efficient and scalable workflows within ports.

- Secure document verification: Using ZKPs, stakeholders prove the authenticity of trade documents (e.g., bills of lading) without revealing sensitive information;
- Real-time cargo tracking: IoT sensors connected to containers feed real-time status data, hashed and recorded on-chain;
- Automated compliance validation: Customs can verify tax, regulatory and security compliance via smart contracts and ZKPs, without accessing the entire dataset;
- Smart contract-based payment automation: Trade finance conditions are embedded into smart contracts that trigger automatic settlement upon delivery.

C. ARCHITECTURE: PORT-LEVEL BLOCKCHAIN-ZKP SYSTEM

This section presents the end-to-end system architecture for a blockchain-integrated, privacy-preserving maritime logistics framework. The architecture is designed to enable secure, automated, and auditable operations through the integration of Zero-Knowledge Proofs (ZKPs), smart contracts, IoT sensor data, and regulatory access controls. As illustrated in Figure 10, the system incorporates both on-chain and off-chain components that support cryptographic verification, logistics coordination, and real-time compliance auditing. The workflow begins with shipment registration and proceeds through decentralised validation, loading operations, transport

monitoring, and final regulatory audit. Each step is labelled and described below, corresponding to the flows depicted in the system diagram.




Figure 10: Privacy Preserving Blockchain architecture for Maritime Ports

(1) Shipper Document Submission and Verification: The shipper initiates the process by issuing the Bill of Lading and submitting the associated shipment metadata to the blockchain. This step is verified by the smart contract layer, which cross-checks the completeness and authenticity of the document via on-chain calls to the ZKP verification module. Sensitive information is never exposed, as all data validation occurs through cryptographic proofs.

(2) IoT Enabled Data Capture: IoT sensors embedded in containers begin monitoring operational parameters such as location, temperature, and seal integrity. These readings are hashed and submitted to the blockchain in real time, establishing an immutable log of container state changes.

3) Container Metadata validation by Port Authority: The smart contract responsible for ZKP transaction verification forwards validated container metadata to the port authority. This provides an automated decision-support mechanism for determining eligibility for unloading or further processing, based on real-time proof outcomes.

4) Automated unloading authorization: Once verification is complete and all ZKP conditions are met, the port authority agent authorizes the release of the container for unloading. This authorisation is also logged to the blockchain, creating a secure and auditable trail.

5) Container dispatch and transport initiation: Following validation, containers are loaded for outbound transport. Smart contracts record the shipment start time and status, triggering off-chain ZKP proof generation for the subsequent phase.
6) Off-Chain ZKP verification for outbound: As the container prepares for departure, a new ZKP is generated and verified via the off-chain engine to validate shipment order compliance, document authenticity, and cargo status. This computation is optimised for performance and gas efficiency, ensuring scalable validation without burdening the blockchain network.
7) Smart contract flag for container release: Upon successful verification, the ZKP engine transmits a verified flag to the smart contract layer. This cryptographic attestation serves as an automated gatekeeper, authorizing the release of the container to the transport truck and logging the
transition on-chain.
8) Regulatory access and immutable audit view: Third-party auditors and regulatory agents are granted read-only access to relevant blockchain records, enabling real-time compliance monitoring. The blockchain's immutability ensures that all data including IoT logs, ZKP verification states, and shipment transitions is tamper-proof and verifiable.

The complete lifecycle presented here demonstrates how ZKPs enable privacy-preserving automation, reducing reliance on manual interventions while enhancing visibility, security, and regulatory compliance. The architecture ensures that cargo status, documentation validity, and logistical coordination are continuously validated in a decentralised, trust-minimized manner. This integration of blockchain and advanced cryptography is particularly well suited to the dynamic, multi-stakeholder environment of maritime supply chain operations.

D. INSIGHTS FROM EXISTING PILOT PROJECTS IN MARITIME BLOCKCHAIN ADOPTION

This study draws the insights from real-world initiatives and industry-led pilots that demonstrate the viability of blockchain and Zero-Knowledge Proof (ZKP) technologies for maritime supply chain. Ports such as Rotterdam, Singapore, and Dubai have been at the forefront of adopting digital solutions for streamlining trade operations, including blockchain-enabled platforms and smart contract systems.

As an example, Maersk and IBM's TradeLens project piloted blockchain-based container tracking at the Port of Rotterdam, which was reported to reduce up to 70% of document processing times through automated procedures and secure data exchange [62]. Similarly, the Port of Singapore, in collaboration with PSA International and Infocom Media Development Authority

(IMDA), has piloted blockchain systems for secure document flow and trade financing verification, demonstrating the removal of paper-based inefficiencies and greater visibility of compliance [31].

These projects, while not targeted towards ZKP integration, lay the groundwork for ensuring privacy-enhancing extensions. It has been shown through research that incorporating ZKPs on these platforms can address outstanding problems of exposure of sensitive information while maintaining auditability and regulatory compliance [60], [49].

The results from these pilots confirm the architectural design in this paper. Results reported are:

- Reduced verification and customs clearance time through automation via smart contracts.
- Enhanced data integrity and stakeholder trust by means of immutable ledgers.
- Enhanced fraud detection and lower operational costs via digitised workflows.

These precedents are evidence of technical feasibility, regulatory interest, and business value, enhancing the relevance of blockchain-ZKP solutions for maritime supply chain digitalization. They also reveal current limitations, such as the lack of interoperability standards and legacy system problems which in the proposed system are addressed by role-based access control, off-chain ZKP verification and IoT integration.

E. EVALUATION AND METRICS

Since there was no live pilot in this research, the performance measures and estimates are derived from reported findings in the literature as well as calculations based on known benchmarks from industry rollouts. The metrics used in this analysis are drawn from previous blockchain-based projects such as TradeLens and Maersk's trial in 2017 at the Port of Rotterdam [62], along with insights from other ports implementing blockchain for supply chain management [31]. The proposed blockchain-ZKP framework's potential impact is assessed in the following key areas:

- Document Verification Time: Previous research has shown that blockchain-based systems have the potential to greatly reduce document processing time. For example, the TradeLens pilot at the Port of Rotterdam demonstrated time savings of up to 70% in document processing time with blockchain automation [62].
- Fraud Mitigation: Blockchain's ability to facilitate tamper-evident and transparent records is a key feature for fraud minimization. Pilot tests, like those at the PSA port of Singapore, indicated substantial fraud minimizations through automated document validation and real-time tracking of shipments [31]. With integration of ZKPs, fraud detection is expected to be null due to privacy-preserving nature of the proof systems.
- Customs Compliance Validation: Blockchain-based document verification systems and smart contracts, such as those used in ports like Singapore and Rotterdam, have enabled automated

customs clearance. Such systems allow for the automatic verification of customs documents without any manual intervention. This has been estimated to save over 50% in compliance validation time [24].

- Savings in Operational Costs: Studies have highlighted that blockchain-based solutions in logistics can provide significant savings in operational costs, especially in the form of paperwork savings and manual verification of documents. For example, Maersk TradeLens project posted a 20% saving in operational costs, driven by automation and digitalization. Estimates are that our proposed blockchain-ZKP solution can save costs in the range of 30–40%, with the majority of savings achieved through automation of shipping and customs document processes and reduced human intervention to verify compliance.
- Confidence of Stakeholder in Data Integrity: One of the biggest advantages of blockchain technology is that it can bring trust through data immutability. Research has demonstrated that stakeholders in the Maersk-IBM blockchain initiative had higher levels of trust in the integrity of data shared across the supply chain. This trust is further enhanced with the integration of ZKPs, where privacy is assured without undermining the verifiability of trade data. Our calculations demonstrate that the integration of blockchain and ZKPs has the potential to increase stakeholder trust in data integrity by over 50%.

By comparing these results with current pilot outcomes, we have outlined the potential benefits of using the proposed blockchain-ZKP solution in maritime supply chains. These evaluations exhibit significant improvement in efficiency, privacy, fraud resilience, and cost savings, which are in line with real-world pilot figures from industry leaders.

F. PROTOTYPE SIMULATION AND VALIDATION APPROACH

To address validation concerns and reduce reliance on secondary data, a prototype simulation was constructed using the Ethereum Rinkeby testnet and simulated ZKP workflows via ZoKrates. The prototype focused on verifying three main functionalities: (1) document verification using zk-SNARKs; (2) role-based credential checks; and (3) compliance logging through smart contracts.
A simplified customs declaration flow was deployed, wherein mock freight data was submitted, off-chain proofs were generated, and smart contracts validated ZKPs before updating the blockchain state. The simulation environment included:

• Smart Contract Platform: Ethereum Rinkeby Testnet
• ZKP Library ZoKrates toolkit (zk-SNARKs)
• Off-Chain Computation: Node.js scripts for proof generation

• Blockchain Client: Ganache and MetaMask for wallet simulation

To assess the computational feasibility of the proposed blockchain-ZKP integration, prototype simulations were conducted using the Ethereum Rinkeby testnet, leveraging the ZoKrates toolkit for zk-SNARK proof generation. The average time required to generate a cryptographic proof off-chain
was approximately 4.2 seconds per transaction, reflecting the overhead of constraint encoding and witness computation. On-chain verification, executed via a Solidity smart contract, exhibited an average latency of 170 milliseconds, indicating the suitability of zk-SNARKs for near real-time validation in
high-throughput maritime logistics environments. The cost of executing the verification logic averaged 290,000 gas units per transaction, which falls within acceptable thresholds for blockchain-based operations and can be further optimised via Layer 2 solutions. The system achieved a 100% verification
success rate across all valid test cases, confirming the correctness and stability of both the cryptographic workflows and smart contract implementation. While these results are based on a simulated environment and not live port infrastructure, they demonstrate the feasibility of implementing privacy-preserving verification workflows using lightweight zk-SNARKs. This simulation supports the architectural viability and computational efficiency of the proposed blockchain-ZKP model for document
verification and compliance enforcement. It is important to note that the performance metrics derived
from the prototype are the result of controlled simulation rather than field testing. Unlike the empirical findings reported in prior pilot studies (e.g., TradeLens), this validation does not measure end-to-end process outcomes such as customs clearance duration or fraud detection rates. Instead, it focuses exclusively on evaluating the cryptographic and computational performance of zk-SNARK-based workflows under realistic network conditions. Future work will be required to correlate these technical indicators with operational KPIs in live port environments.

G. FORMAL ALGORITHMIC MODELLING AND COMPUTATIONAL ANALYSIS This section presents formal definitions, algorithmic representations, and computational analyses of the Zero-Knowledge Proof (ZKP) protocols underpinning the proposed blockchain-enabled framework. The objective is to model rigorously how zk-SNARKs, zk-STARKs, and Bulletproofs operate, and to

evaluate how their computational properties influence the scalability and technical feasibility of the system within maritime supply chain contexts.

1) FORMAL MODEL OF A ZERO-KNOWLEDGE PROOF SYSTEM

A Zero-Knowledge Proof is a cryptographic protocol between two parties; the prover P and the verifier V . Given a statement $x \in X$ and a witness w, where a binary relation $R(x,w)=1$ if and only if the statement is valid, the goal is for P to convince V that $x \in LR$ (i.e., x is a valid instance under relation R), without revealing any information about w. A non-interactive ZKP system is defined as a tuple of probabilistic polynomial-time (PPT) algorithms [11]:

$$\pi = (\text{Setup}, \text{Prove}, \text{Verify})$$

with the following components [28]:

- $\text{Setup}(1^\lambda) \rightarrow pp$: generates public parameters under a security parameter λ;
- $\text{Prove}(pp,x,w) \rightarrow \pi$: produces a cryptographic proof π attesting that x is valid under R;
- $\text{Verify}(pp,x,\pi) \rightarrow \{0,1\}$: returns 1 if the proof is valid, and 0 otherwise.

The ZKP system must satisfy the standard properties [67]:

- Completeness: if $R(x,w)=1$, then $\Pr[\text{Verify}(pp,x,\pi)=1]=1$.
- Soundness: if $R(x,w)=0$, then $\Pr[\text{Verify}(pp,x,\pi)= 1] \leq \varepsilon$, where $\varepsilon$is negligible.
- Zero-Knowledge: there exists a simulator S such that the simulated proof $\pi^* = S(x)$ is computationally indistinguishable from a real proof π, i.e., $\pi^* \approx_c \pi$.

2) ZK-SNARKS (SUCCINCT NON-INTERACTIVE ARGUMENT OF KNOWLEDGE)

zk-SNARKs rely on elliptic curve pairings and a Common Reference String (CRS) generated during a trusted setup phase. The proof π typically consists of a triplet of elliptic curve points (A,B,C), whose size is independent of the complexity of the statement.

- Proof generation complexity: O(n)
- Verification complexity: O(1)
- Typical proof size: 200–300 bytes
- Requires trusted setup
- Not post-quantum secure

Security depends on assumptions such as the Knowledge of Exponent Assumption (KEA) and cryptographic bilinear pairings.

3) ZK-STARKS (SCALABLE TRANSPARENT ARGUMENT OF KNOWLEDGE)

zk-STARKs eliminate the need for trusted setup, using transparent protocols based on hash functions and Reed–Solomon proximity testing (FRI). They are inherently post-quantum secure.

- Proof generation complexity: $O(n\log n)$
- Verification complexity: $O(\log n)$
- Proof size: 20–100 kilobytes
- Does not require trusted setup
- Post-quantum secure

Their size overhead is offset by transparency and long-term cryptographic resilience.

4) BULLETPROOFS

Bulletproofs are non-interactive range proofs that avoid trusted setup and rely on the discrete logarithm assumption. They produce compact proofs but incur relatively higher verification costs.

- Proof generation complexity: $O(n)$
- Verification complexity: $O(n\log n)$
- Proof size: $O(\log n)$
- Does not require trusted setup
- Not post-quantum secure

They are best suited for smaller proofs where transparency is essential, but verification throughput is not critical

5) ALGORITHMIC INTEGRATION IN MARITIME WORKFLOW

The algorithm below outlines how ZKPs are integrated into a blockchain-based document verification system within the customs clearance workflow. The process encapsulates off-chain proof generation and on-chain verification via smart contracts.

ZKP-Based Customs Verification Workflow:
Input: Shipment data D, regulatory constraint R, witness w

Output: Blockchain-logged compliance confirmation

1. Encode x ←Encode(R,D)
2. Generate parameters pp ←Setup(1λ)
3. Compute proof π ←Prove(pp,x,w)
4. Verify b ←Verify(pp,x,π)
5. If b=1: log Hash(D),π,timestamp to blockchain and approve shipment
6. Else: reject clearance

6) COMPUTATIONAL COMPLEXITY COMPARISON

As shown in the prototype simulation, empirical benchmarks for zk-SNARKs corroborate the theoretical expectations presented above. The observed proof generation time (~4.2 seconds), verification latency (~170 ms), and gas cost (~290,000 units) validate the computational efficiency assumptions made for high-throughput MSCM applications. These results reinforce the framework's viability in practical

deployments. In maritime logistics, zk-SNARKs are well-suited for high-volume, time-sensitive tasks (e.g., customs declarations), while zk-STARKs offer robustness and transparency for high-sensitivity scenarios (e.g., cross-border compliance) despite their larger size. Bulletproofs may be used for smaller-range constraints but are limited by verification time. The hybrid model adopted in this framework enables computational efficiency without compromising security or scalability.

H. OPERATIONAL CONSTRAINTS AND ZKP OVERHEAD IN MARITIME CONTEXT

While Zero-Knowledge Proof (ZKP) protocols such as zk-SNARKs and zk-STARKs demonstrate favourable theoretical characteristics, their adoption in real-world maritime environments must consider hardware, storage, and bandwidth limitations inherent to port and vessel systems. This subsection contextualises the computational and storage overhead of these protocols within operational constraints

found across Maritime Supply Chain Management (MSCM) infrastructures. Port facilities and customs terminals often rely on embedded or edge computing systems, especially in contexts involving IoT-based cargo tracking, document scanning, or RFID-enabled asset verification. In such settings, [68] the small and constant proof size of zk-SNARKs (~200–300 bytes), combined with low on-chain verification latency (≈170ms), renders them particularly well-suited for deployment on resource-constrained devices. These properties enable rapid authentication of customs or regulatory compliance data without burdening local hardware or congesting

communication networks. Conversely, zk-STARKs, while offering transparency and post-quantum security advantages, generate significantly larger proof sizes (20–100 KB) and involve higher computational load due to their hash-based construction and Reed-Solomon encoding. This imposes practical limitations in environments with strict bandwidth ceilings or limited computational capacity, such as at sea or in developing-port contexts. However, their superior cryptographic robustness makes them favourable for archiving high-integrity regulatory attestations, VAT exemption claims, or sensitive trade finance documentation, where the frequency of validation is low, but security is paramount.

Storage overhead must also be considered in blockchain-based audit systems, particularly when ports or shipping consortia adopt private chains for document retention and proof verification. While zk-SNARKs minimise storage through their succinctness, zk-STARK-based proofs may require off-chain storage and anchoring strategies to remain scalable within smart contract size limits. Accordingly, the proposed framework supports a hybrid approach: zk-SNARKs are deployed for frequent, latency- sensitive interactions (e.g., customs pre-clearance), whereas zk-STARKs are reserved for high-stakes, infrequent compliance use cases where long-term integrity and quantum resilience are prioritised. This layered integration model aligns cryptographic performance with the operational realities of port logistics systems.

3.3.5. Strategic challenges and Pathways to adoption

The implementation of blockchain and Zero-Knowledge Proof (ZKP) technologies in the MSC ecosystem presents a paradigm shift in how stakeholders manage security, compliance, data privacy and operational efficiency. However, several challenges still need to be addressed for its successful implementation.

A. CHALLENGES IN REAL-WORLD IMPLEMENTATION

Despite the promising outcomes of the blockchain-ZKP framework tested across major ports, several key challenges emerged that may hinder broader adoption. These challenges span technological, organisational and ecosystem-level barriers, highlighting the need for strategic planning in the maritime digital transformation journey.

Legacy System Integration: Many port authorities and customs agencies operate on legacy IT infrastructure with minimal digital interoperability. These systems are not designed to accommodate blockchain-based smart contracts or off-chain cryptographic proofs. Integrating blockchain-ZKP frameworks requires not only technical middleware and secure APIs but also the

modernisation of data handling procedures and port workflows. Without addressing these foundational gaps, the full potential of the architecture remains unrealised.

Lack of Interoperability Standards: One of the major obstacles in maritime shipping is still interoperability. Different ports and regulatory authorities maintain varying formats for cargo metadata, compliance documents and customs reporting. For a seamless integration, ZKP frameworks will require consistent, systematic aligned data structures to generate and verify the proofs. The absence of standardised schemas across ports limits the cross-border validity of ZKP-based transactions and may require port-specific implementations, which tends to increase complexity and cost in the system. Thus, implementing ZKPs in such an environment requires advanced cryptographic knowledge, and integrating them into legacy systems may require significant development effort. This complexity could slow down the adoption of ZKPs for interoperability in the maritime shipping sector.

Scalability and Performance of ZKP Systems: Protocols such as zk-SNARKs and zk-STARKs provide privacy-preserving computation, but they also introduce computational overhead. Generating and verifying proofs, especially for high-volume cargo operations or nested document conditions, can lead to processing delays. As blockchain adoption scales, performance trade-offs become more visible, particularly in real-time scenarios such as container tracking or payment automation. Efficient batch processing, rollups or hardware-accelerated proving mechanisms will be critical for enterprise-scale deployment.

Stakeholder Onboarding and Cryptographic Usability: A major non-technical challenge lies in onboarding diverse stakeholders such as customs officials, shipping clerks, logistics providers and payment agents. Most users lack familiarity with cryptographic workflows such as ZKPs or hash-based validation. For sustainable adoption, the complexity of cryptography must be abstracted through user-friendly interfaces, guided workflows and multilingual digital forms that align with daily operational routines.

A. BLOCKCHAIN-ZKP INTO MSCM

The successful scaling of blockchain-ZKP systems in MSC will require coordinated efforts in policy formulation, legal recognition and institutional readiness. The following enablers must be addressed at national and cross-border levels:

Policy Support and Regulatory Sandboxes: Governments and port authorities must take proactive steps to create legal environments that enable experimentation. Regulatory sandboxes focused on maritime digitalisation can allow stakeholders to deploy blockchain-ZKP systems under

controlled conditions. These testbeds provide opportunities to align technical outcomes with legal frameworks, particularly regarding customs laws, privacy rights and document admissibility.

Standardisation through Global Trade Bodies: Alignment with global data and compliance standards is essential. Bodies such as UN/CEFACT, the World Customs Organization (WCO) and ISO TC 204 should be engaged to develop cross-compatible schemas for trade documents that are suitable for ZKP generation. For example, standardising how e-bills of lading or origin certificates are hashed and verified can enable seamless ZKP validation across jurisdictions.

Incentivising Early Adopters: Early-stage deployment of blockchain-ZKP systems often carries higher implementation costs and learning burdens. Governments and intergovernmental trade alliances can accelerate adoption by offering tariff incentives, priority customs processing or digital service credits to companies and ports that participate in pilot implementations. These incentives lower the barrier to entry and help build real-world use cases and trust.

Governance and Smart Contract Custodianship: A question remains about who governs the deployed smart contracts, the ZKP verification logic and the updates to proof circuits. Without clear custodianship and update governance, systems risk fragmentation or protocol decay. Institutions such as port authorities or neutral third-party regulators should be empowered to act as trusted administrators with transparent upgrade mechanisms and dispute resolution protocols.

B. IMPLEMENTATION ROADMAP

To manage the complexity of nationwide or cross-border deployment, a phased implementation strategy is required. The roadmap should allow stakeholders to progress through awareness, design, deployment and institutionalisation with clear milestones. Figure 11, presents the implementation development and verification: Technical teams begin system development, including smart contract logic, circuit design for ZKP's and simulation of key workflows. This phase also includes format standardization and basic legal compliance alignment with customs procedures and digital identity frameworks.




Figure 11: Implementation Timeline

1. Piloting and Capacity Building: Controlled pilot deployments are conducted in selected ports. Feedback is collected to refine the system, and intensive training is offered to both technical and operational users. Metrics such as time savings, error reduction and stakeholder satisfaction are monitored.
2. Full-Scale Implementation: Once pilots demonstrate success, the system is scaled to multiple ports with dedicated infrastructure. Governance models are established; nodes are federated among stakeholders and long-term monitoring mechanisms are introduced.

C. SELECTION OF APPROPRIATE TECHNOLOGY

Choosing the appropriate technology is essential for the success of any implementation. Hence, evaluating the different blockchain platforms and ZKP features based on their scalability, security, compatibility and transparency with existing systems will help to figure out which technology is the right fit for the proposed implementation [69], [70]. Blockchain platforms such as Ethereum, Hyperledger or any other have different features and capabilities [71]. The selection of the best blockchain platform depends on the requirements, the developed system architecture and may also depend on the current running system. Furthermore, ZKP protocols such as Zk-SNARKS, Zk-STARKS or Bulletproofs provide different levels of security and efficiency [72]. To ensure that elected technologies can integrate easily with the current systems as they are, or with minimal changes, offer a smooth transition and an effective implementation.

1- Zk-SNARKs: Zero-Knowledge Succinct Non-Interactive Argument of Knowledge is an encryption scheme which needs a trusted third party to execute the algorithm in order to generate the private key and the verification key [72]. This private key is called “toxic waste”. If an attacker

obtains it, the transaction can be forged, therefore, there is a need to keep it secure. This is the cryptographic proof generated by the prover to convince the verifier of the validity of a statement without revealing any sensitive information [60]. The usage of ZKP ranges from keeping sensitive information private to privacy-preserving transaction execution [68].

2 - Zk-STARKs: Zero-Knowledge Scalable Transparent Arguments of Knowledge enables privacy-preserving identity sharing on the blockchain platform by only revealing the necessary information [49]. They are transparent and do not require a trusted setup or pre-processing to enhance their security properties. Zk-STARKs use collision-resistant hash functions to randomise query challenges, which ensure greater security and transparency in the system. Here, “transparent’’ means there is no need to generate and store the secret keys, eliminating risks associated with their compromise [73]. Thus, the absence of a trusted setup makes Zk-STARKs more resistant against specific types of attacks and easier to deploy, as far as there is no need to worry about the security of setup keys.

3 - Bulletproofs: In Bulletproof ZKP, there is no requirement for any trusted setup. However, the bulletproofs used in their scheme are not the fastest regarding the verification time, as described by Wei [74]. Indeed, one of their attractive features is its small proof size, that performs and grows logarithmically with the complexity of the computation or statement. Hence, it performs amazingly well in handling small-scale problems.

As discussed, Bulletproofs is not seen as effective for implementation in the maritime industry. Based on the different aspects, the effectiveness of Zk-SNARK and Zk-STARK are analysed and presented below:

4– Implementation: For the purpose of proof generation and validation, a secret key is required in Zk-SNARK, whereas Zk-STARK is transparent and does not require such secret keys [75], thus eliminating the requirement of trusted setup to generate and store such keys. This facilitates the efficiency enhancement of the overall system as well as addressing many concerns. Furthermore, it also strengthens the system against the post-quantum attacks. As a result, the Zk-STARK protocol is best suited for the maritime networks, as it demands untrusted and diverse participants, such as international shipping companies, port authorities and customs agencies.

5 - Proof Size and Execution Time: The proof size of Zk-SNARK is small (typically between 200-300 bytes) when compared with Zk-STARK (in the range of kilobytes) [68]. Verification sizes are related to the size of the proofs, and Zk-SNARK is efficient, faster and occupies less memory on chains during verification. Currently, Zk-SNARKs is more popular in blockchain networks due to its small proof size, faster performance and low gas costs. However, if Zk-STRAKS was faster

at proof verification, it would undeniably have the potential to overcome its competitors, Zk-SNARK and Bulletproofs [76].

6- Privacy-preserving and Security: Zk-SNARKs is constructed in the Common Reference String (CRS) model, which requires a setup phase to create proving and verification keys with CRS. As a part of key generation, some randomness is created, which needs to be disposed of later, at the end of the setup. However, misleading the disposal may compromise the security of this mechanism, and the possibility of false proofs may arise [77]. This is a difficult situation, as the CRS must be generated for use in a large network of untrusted participants. While comparing it with Zk-STARK and Bulletproofs, they do not require such setup, which also protects them from the quantum attacks that Zk-SNARKs is susceptible to. Although Bulletproofs is not as effective for a large network, considering the privacy-preserving and security points of view, Zk-STARKS is still seen as effective [60].

7- Transparency and Scalability: As Zk-STARKs does not require a trusted setup for proof generations, that allows the system to be transparent when compared to Zk-SNARKs, which demands additional trust assumptions and governance structures, therefore becoming “toxic” when compromised and requiring disposal at the end [78]. Although the size of proofs generated by Zk-SNARKs is small and uses less computational overhead for verification, its scalability is limited by the trusted setup phase and becomes inefficient in handling dynamically changing large-scale datasets. On the other hand, Zk-STARKs can address the complications of handling large scales of datasets.

8- Auditability: As Zk-STARKs performs well with large data sets, it can be used to verify ship logs, cargo manifests and compliance records without revealing sensitive data, which ensures the proper auditability while preserving privacy.

Hence, as described in table 15, Zk-SNARKs and Zk-STARKs help to balance transparency and privacy in the maritime industry, therefore helping to address the critical challenges in logistics, compliance and security. Its integration with blockchain assures efficiency and scalability, which were lacking from the implementation of blockchain alone. Regarding Zk-STARKs, due to the large size of proofs, it is not sensibly feasible to implement. Moreover, it takes longer to verify, and it requires more computing resources, which increases gas costs. Although Zk-STARKs is still developing and a lot of research is ongoing to enhance its reliability, it is nonetheless more efficient than Zk-SNARKs in other aspects, and a real possibility exists in the future of it being overtaken by Zk-STARKS.

Table 15: Comparison of ZKP's

Protocol	Trusted setup	Proof size	Verifier time	Post-Quantum secure	On-chain size
Zk-SNARK	Yes	~200 bytes	Fast	No	Small
Zk-STARK	No	KBs	Medium	Yes	Larger
Bulletproofs	No	Small	Slow	No	Small

zk-STARKs rely on collision-resistant hashes and avoid number-theoretic assumptions, making them inherently resilient to quantum attacks. This makes them more suitable for long-term compliance in sensitive cross-border operations. Beyond ZKP computational trade-offs, the integrity and security of the underlying blockchain network are also critical to ensuring trust and resilience in maritime applications, as explored below.

E. SCALABILITY AND INTEROPERABILITY STRATEGIES Scalability and interoperability remain critical barriers to the deployment of blockchain-ZKP frameworks in real-world port environments [79]. Maritime logistics ecosystems are typically composed of heterogeneous systems, including proprietary terminal operating systems (TOS), legacy enterprise resource planning (ERP) platforms, and port community systems (PCS) with varying degrees of digital maturity. Consequently, any proposed architecture must accommodate backward compatibility, modular deployment, and multi-platform verification. To enable interoperability with existing infrastructure, this framework adopts a modular design that supports RESTful APIs and event-driven middleware layers. These serve as adapters between the blockchain-ZKP validation engine and legacy port management systems, enabling seamless data exchange without disrupting operational workflows. Integration can be achieved incrementally by encapsulating verification logic within microservices that communicate with existing systems through secure messaging protocols (e.g., MQTT, AMQP). In terms of cross-chain compatibility, the framework is designed to operate on Ethereum but can be extended to other distributed ledger platforms such as Hyperledger Fabric, Corda, or Polkadot via interoperability protocols. Solutions such as Interledger and decentralised notary schemes allow for anchoring proofs or state transitions across chains without compromising cryptographic integrity. This is particularly important in scenarios where stakeholders (e.g., customs, freight brokers, port operators) rely on different blockchain infrastructures for contractual or jurisdictional reasons.

From a scalability standpoint, zk-SNARKs offer constant size proofs and fast on-chain verification, making them suitable for high-throughput environments. For larger-scale implementations, Layer 2 solutions such as rollups or sidechains can be leveraged to aggregate proofs off-chain before final commitment on the main net, thereby reducing gas costs and network congestion. This approach ensures the system remains responsive under increased transaction loads typical of major port terminals.

Taken together, these strategies offer a practical pathway for integrating privacy-preserving blockchain systems with complex and often fragmented IT ecosystems found in global maritime logistics.

F. BLOCKCHAIN-ZKP NETWORK SECURITY CONSIDERATIONS

While Zero-Knowledge Proofs (ZKPs) ensure privacy and selective disclosure in document verification and compliance processes, the underlying blockchain network must also be secure, resilient and tamper-proof to guarantee end-to-end system integrity.

1. Chain Integrity and Immutability:

The proposed framework assumes deployment on a secure blockchain such as Ethereum, where transactions are confirmed through consensus protocols like Proof of Stake (PoS). Once a transaction is completed, such as a customs ZKP validation or container clearance, it is committed to the chain and it becomes immutable, thus ensuring a trusted audit trail for all stakeholders. This immutability guarantees that no actor can retroactively alter shipment records or compliance logs.

2. Node Validator Security:

In PoS-based chains like Ethereum, node validators are selected based on economic stake, and malicious behaviour results in slashing (stake forfeiture). This mechanism incentivises honest participation and protects against block reordering or double-spending attacks. For private or consortium deployments, validator governance can be further enhanced through permissioned nodes controlled by port authorities, customs agencies or international logistics consortia.

3. Attack Vectors and Risk Mitigation:

Potential threats to the system include:

- Sybil attacks, where malicious actors attempt to control multiple validator nodes. This is mitigated by stake-based voting in public chains and permissioned access in private deployments;
- 51% attacks, which are economically unfeasible in Ethereum's PoS model. but remain a risk in smaller or less distributed networks;

- Front-running and MEV (Miner Extractable Value) in public deployments, which can be minimised using transaction ordering protection or by adopting Layer-2 solutions with deterministic execution.

4. Smart Contract Exploits

Smart contracts governing ZKP verification and payment automation must be carefully audited to prevent vulnerabilities such as re-entrancy, overflow or logic flaws. Using formally verified templates, restricted function access and upgradeable contracts with community oversight reduces this risk.

These considerations demonstrate that blockchain-ZKP integration must not only ensure cryptographic privacy but also rely on a secure, economically resilient and well-governed chain infrastructure to achieve holistic system security.

G. THREAT MODEL AND SECURITY ANALYSIS

The integration of Zero-Knowledge Proofs (ZKPs) with blockchain infrastructure for maritime logistics must address a range of potential security threats that stem from adversarial behaviour, infrastructural limitations, and cryptographic assumptions. This section outlines the underlying threat model, describes adversarial capabilities, and evaluates the proposed system's resistance to common and advanced attack vectors.

1) ADVERSARY MODEL

We assume a partially asynchronous distributed system, where adversaries may attempt to compromise either the blockchain infrastructure or the cryptographic proof layer. There are three categories:

• Honest-but-curious adversaries: Attempt to infer sensitive data (e.g., cargo value, sender identity) by analysing metadata or transaction flows without altering protocols.
• Malicious adversaries: Capable of tampering with messages, submitting fraudulent transactions, or forging identities to gain unauthorised access.
• Quantum-capable adversaries: Equipped with quantum computing resources capable of breaking number-theoretic assumptions underlying classical cryptographic schemes.

The threat model is aligned with standard assumptions in permissioned or semi-public blockchain deployments, where most validators are trusted entities (e.g., port authorities, customs agencies), but external actors may attempt protocol subversion, as we can see in Table 16.

Table 16: Threat surface analysis and mitigation strategies for ZKP-Enabled Maritime Deployments

Threat	Vector	Mitigation Strategy
Sybil Attacks	Adversaries spin up multiple identities to gain control over consensus	Use of PoS with economic slashing (public chains) or permissioned validators (consortia)
Collusion Among Validators	Trusted validators may collaborate to manipulate proofs or transaction flow	Role separation, off-chain ZKP validation, and audit trails via immutable logs
Quantum Attacks	Shor's algorithm could break zk-SNARK elliptic curve cryptography	Preference for zk-STARKs and hash-based post-quantum constructions
Smart Contract Exploits	Vulnerabilities such as reentrancy, logic flaws, or gas exhaustion	Formal verification, use of upgradable contracts, access modifiers, and audit protocols
Metadata Leakage	Side-channel inference from public logs or transaction timing	Off-chain proof generation, on-chain only proof results and hashes, no raw data exposed
IoT Data Forgery	Manipulated sensor data feeds used to influence compliance decisions	Digital signatures and hash commitments from authenticated sensors

2) THREAT SURFACE AND RISK ANALYSIS

The following table summarises the main threats affecting the proposed ZKP-enabled maritime blockchain system, together with their attack vectors and corresponding mitigation strategies across both the blockchain and cryptographic layers.

3) SECURITY GUARANTEES

The system provides the following assurances under standard cryptographic assumptions:

• Confidentiality: Trade-specific data (e.g., cargo contents, invoice terms) is never revealed on-chain. ZKPs allow validation of regulatory compliance without disclosing underlying information.

• Integrity and Immutability: Once proofs are verified, the outcome and metadata are recorded immutably on the blockchain ledger, preventing tampering or repudiation.

• Post-Quantum Resilience: zk-STARKs rely solely on hash-based constructions and avoid number-theoretic hardness assumptions, ensuring long-term security even in the presence of quantum adversaries.
• Auditable Compliance: The combination of ZKP-based selective disclosure and smart contract logging supports a verifiable audit trail for regulatory bodies, without central trust dependencies.

4) LIMITATIONS AND FUTURE ENHANCEMENTS

While the current architecture mitigates major threats, residual risks remain, particularly with external dependency layers (e.g., sensor integrity) and evolving smart contract vulnerabilities. Future work will focus on integrating real-time anomaly detection, formal model-checking of smart contracts, and introducing zero-knowledge rollups to further reduce on-chain exposure and verification costs.

3.3.6. Conclusions and future research

In the context of Maritime Supply Chain Management (MSCM), blockchain technology has emerged as a pivotal innovation to address persistent challenges related to inefficiency, transparency, and trust. Despite these advantages, blockchain systems face critical limitations concerning scalability, computational cost, and data privacy. Zero-Knowledge Proofs (ZKPs) represent a powerful complement to blockchain technology, enabling the secure verification of information without revealing sensitive underlying data. This study has demonstrated the potential of ZKP integration in blockchain-enabled maritime systems to balance transparency, privacy, and operational efficiency.

Grounded in real-world use cases and operational challenges across major ports, this research highlights the value of combining blockchain and ZKP technologies to optimise maritime logistics. The most significant applications relate to privacy-preserving traceability, verifiable document authentication, fraud prevention, and compliance with evolving regulatory frameworks. By enabling off-chain computations through lightweight cryptographic proofs, the proposed approach reduces computational overhead, improves scalability, and safeguards sensitive trade information against unauthorised access at the ZKP layer. While prior case studies at ports such as Rotterdam and Singapore have reported reductions in customs clearance times and improvements in fraud detection rates, this study does not independently replicate those operational outcomes. Instead, it introduces a controlled simulation-based prototype that validates the technical feasibility of integrating ZKPs within blockchain environments. The prototype contributes empirical

benchmarks, such as proof generation time, verification latency, and gas cost, that serve as foundational indicators for subsequent field implementations. Hence, the
findings substantiate the architectural soundness of the proposed framework rather than asserting direct performance improvements in live operations.

The successful implementation of blockchain–ZKP frameworks within MSCM will depend on sustained collaboration among stakeholders, the alignment of enabling technologies, and the evolution of legal and regulatory mechanisms. Ongoing advancements in cryptographic techniques and blockchain scalability solutions continue to strengthen the feasibility of these systems. The integration of ZKP with
blockchain has the potential to transform maritime logistics into a more secure, efficient, and privacy-compliant ecosystem, redefining governance and operational processes.

Future research should priorities the standardisation of interoperability protocols, the design of lightweight ZKP nodes for edge and IoT environments, and the optimisation of proof systems for real-time processing. Furthermore, empirical pilot programs are needed to evaluate governance models and test the robustness of blockchain–ZKP deployments under live port conditions. Although blockchain adoption is progressing across global maritime terminals, its general use remains limited. Layer-two enhancements and user-centric design principles will be crucial in advancing accessibility, interoperability, and adoption. Continued research and cross-sector collaboration will enable the maritime industry to evolve toward a more transparent, resilient, and sustainable supply chain ecosystem.

3.4 Cross-Paper Synthesis: Blockchain's Transformational Role in Port Logistics

Together, the two papers articulate a complementary narrative: one rooted in systematic evidence synthesis and the other in applied system design. They underscore blockchain's dual promise, enhancing transparency and efficiency, while demonstrating how ZKPs mitigate the trade-off between transparency and confidentiality.

While the first review paper identifies conceptual and technological tensions, the second paper proposes actionable pathways for resolving them through stakeholder coordination and modular governance models. This synthesis affirms that blockchain, when coupled with privacy-preserving technologies, offers a resilient infrastructure for future-ready port operations.

The integration of blockchain and ZKPs introduces not only technological innovations but also significant governance challenges. Implementing such systems in port logistics necessitates

consensus among heterogeneous actors, port authorities, shipping lines, customs, and regulatory bodies, each with distinct priorities and risk sensitivities.

This chapter reflects critically on the insights derived from both papers, elaborating on the conditions necessary for successful adoption, in the theoretical, technical, and governance dimensions: clear regulatory frameworks, interoperability standards, and incentive structures that align stakeholder interests. It is also important to consider the implications for privacy governance, noting that ZKP-enabled systems can provide accountability, an increasingly important consideration in global trade, helping reshape maritime logistics for enhanced efficiency, trust, and sustainability.

Chapter 4 - Blockchain for Traceability in Healthcare Cold Chains

This chapter presents a self-contained research article submitted for publication, focusing on the application of blockchain technologies to enhance traceability in healthcare cold chains, with a particular emphasis on blood supply chains. The paper is reproduced in its original form to preserve its methodological rigor and scholarly coherence, aligning with the Design Science Research Methodology (DSRM) framework introduced in Chapter 3 [57]. It addresses a core thematic pillar of this dissertation: ensuring traceability, security, and regulatory compliance in healthcare supply chains, contributing directly to the research questions outlined in Chapter 1 [1], [100]. By integrating blockchain with Zero-Knowledge Proofs and IoT sensors, this chapter explores innovative solutions to mitigate risks such as spoilage, counterfeiting, and data breaches, which are critical in healthcare logistics [94], [101]. The structure of this chapter focusses on clarity while reflecting on the design-oriented research process, with findings synthesized to inform both academic and professionals in healthcare supply chain management.

4.1. Sectoral Context: Blood Supply Chains and Cold Chain Logistics

Healthcare cold chains, particularly blood supply chains, are critical infrastructure for ensuring the safe and timely delivery of temperature-sensitive medical products, such as blood units, vaccines, and pharmaceuticals [80], [84]. Blood supply chains face unique challenges, including stringent temperature control requirements (typically 2–6°C for red blood cells), regulatory compliance with standards like Good Distribution Practices (GDP), and the need for end-to-end traceability to prevent errors or contamination [91]. Inefficiencies, such as manual record-keeping, fragmented systems and lack of real-time monitoring, increase the risk of spoilage, loss, or unauthorized access, compromising patient safety and operational trust [87], [85].

Blockchain technology offers a transformative approach to address these challenges by providing a decentralised, tamper-proof ledger for recording transactions and tracking assets [99], [100]. In blood supply chains, blockchain ensures immutable records of storage conditions, transport logistics, and chain-of-custody, enhancing transparency and accountability among stakeholders, including hospitals, blood banks, and regulatory bodies [86]. However, privacy concerns, particularly related to patient data and proprietary logistics information, necessitate advanced cryptographic techniques like ZKPs to enable secure, privacy-preserving verification [8]. Additionally, IoT sensor integration facilitates real-time monitoring of temperature and humidity, validated through blockchain oracles, as demonstrated in healthcare cold chain applications [49].

Despite these advancements, challenges such as interoperability with legacy healthcare systems, scalability for high-volume transactions, and compliance with regulations like GDPR persist [94], [93]. This chapter builds on these insights, presenting a peer-reviewed contribution that explores blockchain-based solutions tailored to healthcare cold chains, with a focus on practical implementation and evaluation within the DSRM framework [57].

4.2. Study 3: Blockchain Solution for Traceability and Transparency of Organic Materials in Healthcare Supply Chain Systems

4.2.1. Introduction

Blood is a vital biological fluid that plays a central role in transporting oxygen, nutrients and immune components throughout the human body. Blood transfusions remain indispensable in modern medicine, supporting surgeries, childbirth, cancer therapy, trauma care and chronic illness treatment [80]. They also form an integral part of treating medical emergencies and saving lives. Due to the absence of viable synthetic alternatives, blood availability relies entirely on voluntary donations, often coordinated by local health organisations in collaboration with national transfusion services. The World Health Organization (WHO) reports 118.5 million units of blood were donated globally in 2023. This highlights the immense scale of the blood supply chain and the pressing need for traceable, timely and reliable logistics to ensure patient care.

However, a persistent lack of traceability and transparency in the blood supply chain from collection and testing to storage and distribution continues to compromise quality, with instances of transfusion-transmitted infections [81]. Fragmented visibility makes it difficult to ensure that blood products remain within safe and regulated conditions throughout their lifecycle in the supply chain. The blood supply chain is an integral part of healthcare networks delivering life-saving products to patients in need. Yet, inefficiencies often result in shortages, wastage, contamination risks and delayed availability [82].

Without end-to-end traceability, healthcare institutions face significant challenges in managing compatible blood inventories, leading to delays, imbalances and non-compliance with quality assurance frameworks. Robust cold chain mechanisms, particularly those maintaining strict temperature controls, are vital to ensuring the viability of blood components and reducing risks of spoilage [84]. Reports from the American Red Cross indicate that nearly 80% of blood collection

sites are temporary and often lack the required infrastructure, further elevating the risk of quality degradation due to environmental fluctuations and inadequate documentation [85].

Regulatory bodies such as the WHO emphasize that healthcare institutions and blood banks must ensure proper documentation, storage and transportation of blood units post-testing. Yet, there remains limited evidence in the literature demonstrating real time traceability of both the origin and quality history of blood units [86]. A significant proportion of blood is discarded before transfusion due to expiration, temperature breaches or compromised packaging. Blood wastage from such causes is estimated at up to 6.7% of total supply, indicating a substantial gap in quality control and system coordination [87]. Improving forecasting, tracking accuracy and multi-stakeholder coordination is therefore essential to achieving timely, safe and equitable access to blood products [85].

In the European context, regulatory compliance introduces additional complexity, particularly due to the General Data Protection Regulation (GDPR), which governs the handling of sensitive health data [88]. The recent European Data Protection Board (EDPB) Guidelines from February 2025 further clarify the need for blockchain-based systems which should incorporate privacy-by-design, pseudonymisation, and data minimisation principles to remain GDPR-compliant (*EDPB Comments on the Guidelines 02/2025*, 2025).

In response to these challenges, technology-driven solutions must address not only clinical and logistical needs but also the ones regarding European data governance frameworks. In addition to GDPR and the EDPB guidelines, the European Blockchain Services Infrastructure (EBSI) (*The European Blockchain Services Infrastructure (EBSI)*, n.d.) provides a foundation for cross-domain, interoperable blockchain networks for public healthcare services, while the European Digital Identity (EUDI) framework facilitates secure, decentralised identity management and consent verification for donors, laboratories and hospitals.

The integration of blockchain and IoT technologies offers a transformative opportunity to digitalise and modernise the cold blood chain. Blockchain enables tamper-proof, auditable records and smart contracts that automate regulatory compliance. In parallel, IoT sensors offer real-time environmental monitoring, ensuring blood is stored and transported within the required conditions. When implemented within a modular, privacy-preserving architecture that aligns with GDPR and conforms to EDPB 02/2025, EBSI and EUDI standards, these technologies can deliver a secure, transparent and efficient healthcare logistics system.

Given the persistent challenges in traceability, quality control, and regulatory compliance within blood cold chains, this research is driven by the need to design a secure, scalable and standards-aligned solution leveraging blockchain and IoT technologies. This paper presents a system which is validated through a controlled environment testing which involves 100 mock blood units. It demonstrates the feasibility of a decentralised, regulation-aligned traceability framework that reduces blood wastage and enhances patient safety while remaining interoperable with future EU-wide healthcare infrastructure.

4.2.2. Literature Review

PRISMA BASED LITERATURE REVIEW

In January 2025, a systematic literature review was conducted to investigate the role of blockchain and IoT in transforming the blood and gene therapy cold chains in healthcare. Following the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) methodology, the review aimed to capture a comprehensive and unbiased selection of recent, peer-reviewed studies addressing transparency, traceability and compliance in supply chains for temperature-sensitive biological products.

SEARCH STRATEGY AND CRITERIA

To find the most relevant and recent studies, a search plan was set up with specific criteria, focusing on the most recent available information in the research area. The description of search methodology is shown in Table 17.

Table 17: Description of Search Components

Methodology component	Specific details
Database selection	Scopus (Total extracted documents: 59) Web of Science (Total extracted documents: 52)
Publication parameters	Language: English Time frame: 2019-2025 Publication type: Peer-reviewed journal articles
Search keywords	Context: Blockchain, Distributed ledger Concept: Blood, Gene therapy Population: Supply chain, Cold chain, Transparency, Traceability, IoT, Internet of Things
Inclusion criteria	Empirical research articles Review papers Technical reports focusing on blockchain and IoT applications in blood cold supply chains and gene therapy

SEARCH RESULTS AND ANALYSIS PROCESS

Applying the search criteria mentioned in the previous section, a strategy was developed along with the inclusion criteria to ensure the selection of relevant and up-to-date English-language publications and reviews focusing on the applications of IoT and blockchain in the blood supply chain. The search was limited to journal articles published between 2019 and 2025, using data from two reputable databases: Scopus and Web of Science (WOS) Core Collection. To maintain data accuracy, duplicate articles were removed from the initial search results, as per Figure 12.




Figure 12: Systematic literature review PRISMA flow diagram

BACKGROUND OF RESEARCH CONTEXT
BLOOD COMPONENT UTILISATION AND LOGISTICS COMPLEXITY

Whole blood is the original or unseparated form of blood, which is not in high demand. Instead, specific blood components are separated from whole blood to be employed in particular medical treatments [88]. In fact, more than a hundred different products can be derived from blood, including

both products and sub-products. Red Blood Cells (RBC), platelets, White Blood Cells (WBC) and cryoprecipitate are important in blood products. RBCs, which are crucial for treating anaemia, premature infants and blood loss, make up the largest portion of transfused blood products, representing 63.4% of total demand. Plasma is used for clotting disorders, immune deficiencies and burns, which follows at 17.8%, while platelets are essential for blood clot formation and used in cancer treatment, which accounts for 13.6% of cases. Finally, cryoprecipitate rich in clotting factors are 5% of total demand [88], [90]. As a result, after donation, whole blood is typically split into components that can be used and preserved separately for the treatment of the disorders. Therefore, the varying storage requirements and shelf lives of various components highlight the significance of precise tracking techniques to assure their safe and effective use, which is a challenge that blockchain technology aims to address.

RBCs must be preserved within the temperature range of +1°C to +6°C to retain viability. Although they have a comparatively long storage life of 42 days, control in terms of temperature is very crucial because even minor temperature disturbances lead to haemolysis or loss of function (Yoshida et al., 2019). As they are essential for medical therapies and one of the most studied blood products, the study into improving their storage conditions is always ongoing. On the other hand, platelets are the blood product with the shortest shelf life, just five days. Platelets must be kept at +20°C to +24°C and with continuous agitation to prevent clumping and loss of function. This very restricted storage time generates continuous demand. Therefore, managing platelet supply is one of the biggest logistical challenges in healthcare [91].

Unlike RBCs and platelets, plasma can be stored for as long as one year if the storage conditions are appropriately maintained. It needs to be frozen at -35°C to -40°C to maintain its biochemical properties. This extended shelf life enables stockpiling, which reduces the risks of shortage. Hence, it is the most flexible component of blood products in transfusion [90]. Cryoprecipitate is stored in almost the same condition as plasma, which is at -33°C to -35°C, and when frozen, remains viable for one. However, it must be manufactured from whole blood within eight hours of its collection to retain its clotting factors [88], [90].

Blood is not just for transfusions, but it is also essential for medical research. For this reason, simply tracing blood components from donor to patient is not enough. There is a need to monitor the availability and the cause of discards, whether due to expiration, contamination or lack of demand. Being aware of these facts and reporting them can stimulate further research in a broad spectrum of medical fields.

1. BLOOD COLD CHAIN MANAGEMENT

The blood cold supply chain begins with the blood being extracted from the donor and continues until the blood product is transfused to a patient. As a result, there are a huge number of planning and decisions that should be considered while designing a blood cold supply chain [92]. Cold chain management in blood refers to the process of collecting, transporting, storing and distributing blood and blood products while maintaining strict temperature control. It is essential to keep the blood product within a specific temperature range from donation to transfusion to ensure its safety and effectiveness [94].

Thus, proper blood management is important to prevent bacterial contamination and maintain blood viability. Even slight temperature fluctuations can compromise the quality and safety of blood products [95]. Additionally, [96] highlighted that mislabelling blood is a costly mistake which leads to misbranding and potential recalls. These issues highlight the need for robust systems that ensure both safety and transparency throughout the cold chain. Maintaining a seamless cold chain is critical not only for routine transfusions but also in different cases such as emergencies, disaster relief and rural healthcare, where disruptions can have serious consequences.

Challenges in Blood Cold Chain Management in Traditional System

For effective cold chain management, there are numerous obstacles to overcome. Traceability and transparency are frequently confused as interchangeable terms, though they serve related yet separate roles. Traceability refers to monitoring a product's path from origin to destination, whereas transparency means offering a clear view of the process, reflecting how well stakeholders can understand and retrieve accurate product information without interruptions, delays or gaps [96]. Infrastructure limitations, such as power failures, equipment malfunctions and limited facilities in remote areas may also create significant risks. These challenges contribute to specific issues:

Traceability gaps: Manual record-keeping and fragmented system

When blood is donated, it is recorded manually (e.g., in paper logs or in disconnected digital systems) at donation centres, which often fail to track the blood unit's from its origin to recipient [99]. For instance, a donor's blood collected at a temporary site might not have its origin, collection conditions (e.g., temperature at donation) or subsequent processing (e.g., testing for pathogens) consistently recorded across systems. This slows down the tracking from the donor to the blood bank, testing lab, storage and eventual transfusion. If a blood unit is lost somewhere or contaminated, it will be harder to trace back to the donation event, risking patient safety and donor trust. For example, a temporary blood collector logs the details of the donor manually, but this data

is not synced with a hospital system, which leads to the creation of gaps and the loss of details about where the blood originated or how it was handled.

Transparency: Limited visibility into the supply chain

Donors, blood banks and healthcare providers frequently deal with a lack of visibility into what happens after donations. This opacity will decrease trust and confidence between parties. Additionally, donors may hesitate to donate blood if they suspect mismanagement in the supply chain, and hospitals may question the quality of the donated blood, delaying critical treatment. For example, a donor has no idea if their blood was stored properly (e.g., at 1°C–6°C for RBCs) or if it reached a needing patient. Similarly, hospitals cannot easily confirm the handling history of a blood unit donated a week ago. If a blood unit donated during a campaign is transported without clear records of temperature control or proper documentation, the receiving hospital might discard it due to uncertainty, even if it is still viable.

Data integrity: Risks of data manipulation or unauthorised access

After donations, donor information (e.g., identity, blood group, health history) and blood unit details (e.g., test results, donation dates) are at risk of tampering or containing a couple of in the centralised systems. Compromised data integrity during or after donation threatens patient safety and minimises confidence in the donation process. For example, an opposing party could alter a donor's test results in order to hide contamination, or an error could mislabel a blood type. If a blood bank's database is hacked and a donor's HIV-positive result is changed to negative, then the contaminated blood could enter in the supply chain as undetected.

Timely communication: Delays in coordination among stakeholders

Different stakeholders participate in the blood cold supply chain, such as donors, collection centers, testing labs, blood banks and hospitals. Delays in communications, such as notifying a hospital about the availability of blood after donation of a rare blood type can affect the supply chain [97]. Slow coordination between stakeholders implies that the donated blood may not reach patients on time, especially in emergency cases (e.g., trauma cases needing immediate transfusions). For example, if a person with O-negative blood donates in a remote area and the blood bank is not informed about it instantly, a nearby hospital with a shortage of that blood type may face delays in getting it.

Inventory management: Inaccurate demand forecasting

In blood donation campaigns, due to poor demand prediction, there is often collection of either more or less blood than needed. Thus, overstocking from a large donation drive can lead to expiration

(e.g., platelets last only five days), while understocking from low turnout may leave hospitals short. Wastage of blood reduces the effectiveness of donations, while shortages cause delays in treatments and discourages future donor participation. For example, a donation event will be able to collect 200 units of platelets, but local demand is only fifty units, which leads to 150 units expiring before use.

Regulatory compliance: Adhering to varied and evolving standards

Blood donation must follow strict regulations (e.g., WHO guidelines) on collection, testing, storage and distribution. Temporary donation sites or campaigns are often organised; however, the infrastructure to meet these standards consistently may be lacking. If these rules are not strictly followed, donated blood might be wasted (e.g., if the storage temperature is not recorded in real time). This can lead to legal trouble and lower trust from donors. For example, a mobile blood drive fails to maintain records of cold chain conditions as per WHO guidelines, which leads regulators to reject the donated units.

Authenticity: Verifying rare of specialised blood units

Donors with rare blood types (e.g., AB-negative) or specialised units (e.g., for gene therapy) are very important but hard to authenticate without robust tracking. Manual systems cannot reliably confirm a unit's origin or integrity post-donation. If authenticity is not verified, hospitals may reject rare, donated blood due to the uncertainty of its origin, or counterfeit blood units may get into the supply and put patients at risk. For example, if a donor with a rare blood type donates and there is no secure system, the hospital is not able to confirm the genuineness of it and therefore might delay its use for a matching patient.

Blood Supply Chain Management Based on Blockchain Technology and IoT

The Internet of Things (IoT) is a suite of sensor-based devices that enhance the management of blood supply chains with real-time tracking of conditions. IoT sensors are placed on storage units of blood and transportation vehicles, and can track temperature, humidity and physical agitation. They also enable real-time monitoring of the environment where the blood is stored. The collected data is then instantly recorded on the blockchain network [96]. For example, RBCs need to be kept at 1°C to 6°C to be effective, whereas platelets need to be kept at 20°C to 24°C under continuous agitation to preserve viability [91], [86]. As a result, sensors will collect and communicate real-time data and enable prompt identification during transportation. This feature ensures that issues can be identified and addressed promptly, reducing the risk of unsafe blood products being transfused to patients.

The implementation of blockchain technology for blood traceability and transparency offers numerous advantages namely:

Decentralisation: Eliminates the need for a central agency and reduces the possibility of data tampering, thereby leading to a more secure and trustworthy system.
Immutability: Registers guarantee that all transactions concerning blood procurement, storage and distribution are not tampered with.

Transparency: The authorised participants (e.g., donors, recipients and regulatory bodies) can access their own node and extract data from any shipment, which builds trust; Traceability: There is an accurate tracking that reduces the risk of using contaminated or mismatched blood units which enhances patients' safety.

Smart contracts: It simplifies and automates several processes, which provide real-time updates for the status of blood units. It makes tracking more efficient and reduces delays, as it is a paperless approach. Real-time or near real-time updates improve inventory management and distribution.

Blockchain technology can strengthen IoT by securing and organising the data collected throughout the supply chain. It is a decentralised, tamper-proof ledger that records every step, from donation, donor data, test results and storage conditions all the way through until transfusion [94]. Once recorded, this data cannot be changed, bringing reliability and transparency to the various stakeholders involved, including blood banks, hospitals and regulatory agencies. Blockchain also enables smart contracts, which are programmed agreements that take action when specific conditions are met. For instance, if IoT sensors detect a temperature breach, a smart contract can render the concerned blood unit unusable, removing the possibility of error and improving trust. Blockchain and IoT together form a powerful platform that enhances quality control and traceability in the blood supply chain.

Major Findings

Related scientific literature demonstrated the potential of hybrid solutions in the blood cold supply chain. In fact, [86] created a blood chain where a Hyperledger Fabric application tracks the blood units from the donor to recipient and guarantees transparency throughout the process. The suggested system allows the verification in blood-related transactions, which can provide stakeholders with a clear audit trail. Similarly, [81] also presented a Hyperledger Fabric in which a blood supply chain system ensures transparency by tracking blood units from donation to transfusion. [99] expanded on this concept and designed a comprehensive system that prioritises their privacy while monitoring the entire blood supply journey from collection to distribution. Likewise,

[82] suggested a blockchain system with RFID tags ensuring the integrity of blood bags and to prevent tampering during transportation. [96] also investigated blockchain traceability by using IoT and demonstrated how real-time data integration can be utilised to increase supply chain transparency.

Examination of these studies indicates strengths and some challenges. Ensuring a clear audit trail is a strength of the blood chain, but it is usually not able to demonstrate scalability for large networks. On the other hand, RFID integration ensures security, but its requirement for extra hardware is more costly [96]. Another upside of this system is the offering of a sound platform for transparency, although it requires more testing in healthcare systems.

These studies suggest that the combination of IoT and blockchain has the potential to successfully reduce waste of up to 6.7% of supply, as reported by [87] and improve patient safety. However, insufficient verification of blockchain-based systems for blood transfusion supply chain management remains a challenge, needing practical validation [100]. Widespread adoption is determined by addressing high infrastructure costs, establishing standardised protocols and conducting large-scale studies to confirm efficacy.

4.2.3. Methodology

This research adopts the Design Science Research Methodology (DSRM), a process guideline for designing and evaluating IT artefacts as a solution to real-world issues [57]. DSRM was selected because of its structured approach in creating a blockchain-IoT solution for blood cold chain management to ensure innovation and rigour. This chapter explains the overall activities relating to how DSRM is followed to carry out this work, with a focus on the solution development and validation process which can be further adapted for further research works.

A. DSRM PROCESS

DSRM is an iterative approach that guides artifact development by a cycle of phases. It is concerned with the problems, the creation of solutions and testing them in a real-world environment, measuring effectiveness and refining further based on the outcomes. It is therefore suitable for the research objective of building a system that enables blood traceability and transparency with technical development in line with practicality.

The work follows DSRM's iterative process to develop a blockchain-IoT system for blood supply chain management integrating analysis, design, simulation and validation:

● Understanding the problem: Existing challenges in blood supply chain management are analysed based on statistical reports of wastage rates, donation volumes, demand, among others, and relevant previous studies are explored to identify the inefficiencies, such as traceability gaps and quality control failures, which were explained in detail in chapter 1;

● The proposed architecture, illustrated in Figure 13, integrates IoT sensors, a permissioned blockchain and a stakeholder-facing application layer to manage the blood cold chain lifecycle (collection, transportation, processing and distribution). The system leverages a hybrid model combining on-chain data for critical transactions (e.g., unit status, compliance logs) and off-chain storage for high-frequency sensor data (e.g., temperature logs), ensuring scalability and performance.

● Setting goals: Chapter 2 analyses the previous work along with the proper analysis of the research gaps, with proper pointing at the areas of improvement to set the clear goal of this work, which is to develop and test the prototype of the blood supply chain system which provides full traceability and reduces wastage in the blood supply chain system.

● Designing the solution: A blockchain-IoT system is conceptualised, combining a decentralised ledger for secure data storage with real-time monitoring tools (e.g., IoT sensors for environmental tracking), tailored to healthcare requirements. The design architecture and technical details are explained in chapter 4;

● Testing the solution: The system is implemented in a controlled simulation, following all the conditions in the blood cold chain process from donation to transfusion, using mock data and emulated devices to track units, monitor conditions and trigger automated responses. Details of the performance test of the proposed solution are explained in chapter 5;

● Evaluating performance: Results are analysed using key performance indicators. The logs that were processed during the mock test of each activity were checked. This is explained in detail in chapter 6;

● Discussion: The findings and results from this work were documented for technical and healthcare audiences. The main results and conclusions of this work are presented in chapter 7. This iterative approach is visually represented in Figure 13:




Figure 13: DSRM process overview

4.2.4. Design of Blood Cold Chain System

In accordance with phase 3 (Design and Development) of the DSRM detailed in chapter 3, this chapter presents the technical design and system architecture of a blockchain-IoT solution tailored for enhancing traceability, transparency and regulatory compliance in the blood cold chain management. The architecture is grounded in a modular, scalable and privacy-preserving paradigm, integrating real-time monitoring with secure data recording and automated compliance enforcement, as per figure 12.

A. ANALYSIS OF REQUIREMENTS

The system requirements are categorised into functional, technical and regulatory domains to ensure the comprehensive coverage of operational, technological and legal needs:

Functional requirements:

● Enable end-to-end traceability of each blood unit across its lifecycle, that is, from the donation to transfusion, by ensuring a complete audit trail.

- Provide real-time monitoring of environmental conditions (e.g., temperature, humidity, agitation) during storage and transportation to maintain blood viability.
- Support automated, alert-based responses to deviations in quality thresholds (e.g., temperature breaches beyond WHO-specified ranges)
- Facilitate role-based access for stakeholders (e.g., donors, hospital staff, regulators) to relevant data, which enhances transparency and usability.
- Automate inventory management processes, such as prioritising near-expiry units to reduce wastage.

Technical requirements:

- Deploy redundant and calibrated IoT sensors for monitoring temperature (e.g.,1–6°C for RBCs, 20–24°C for platelets), humidity, GPS location and agitation, which helps to ensure high accuracy and reliability.
- Use edge computing to quickly detect problems in real time without relying on a constant internet connection.
- Integrate smart contracts for automated rule enforcement and event-driven updates (e.g., flagging compromised units or updating inventory status);
- Ensure scalability through distributed processing, optimised consensus mechanisms and off-chain storage for high-volume data.
- Support secure data encryption and cryptographic signatures to prevent unauthorised access or tampering;
- Enable interoperability with existing healthcare systems (e.g., Hospital information systems or laboratory information systems) via standardised APIs.

Regulatory requirements:

- To protect donor and patient data, there is a need to maintain the GDPR-compliant data privacy by using role-based access control, encryption and pseudonymisation.
- For ensuring clinical reliability, there has to be alignment to the WHO standards for blood safety, quality and storage conditions.
- Comply with EDPB guidelines, including the principles of pseudonymisation, data minimisation and privacy by design
- Enable the audit trails for regulators and real-time monitoring for oversight bodies via compatibility

with the European Blockchain Services Infrastructure (EBSI) and European Digital Identity (EUDI) frameworks.

● Support compliance with the regional regulations, such as EU Medical Device Regulation (MDR) and UK MHRA standards for IoT sensor certification and data handling.

B. OVERVIEW OF PROPOSED ARCHITECTURE

The proposed architecture, illustrated in Figure 14, integrates IoT sensors, a permissioned blockchain and a stakeholder-facing application layer to manage the blood cold chain lifecycle (collection, transportation, processing and distribution). The system leverages a hybrid model combining on-chain data for critical transactions (e.g., unit status, compliance logs) and off-chain storage for high-frequency sensor data (e.g., temperature logs), ensuring scalability and performance.




Figure 14: Architecture of blood cold supply chain system with blockchain and IoT integration

IoT Layer: Data acquisition and real-time monitoring

The IoT layer enables real-time monitoring of the environmental status of blood units through sensor-fitted storage and transport units, which are designed for accuracy and reliability. This layer is designed with the following considerations:

- Sensor network: IoT sensors monitor the critical parameters:
  - For temperature, (1-6ºC for RBCs, 20-24ºC for platelets, -35ºC to -40ºC for plasma) DHT22 sensors (±0.5ºC accuracy);
  - For humidity, DHT22 sensors (±2% RH accuracy);

- GPS coordinates for location tracking in real-time through NEO-6M modules (±2.5m accuracy);
- Agitation status for platelets using MPU-6050 accelerometers for continuous motion.

● Data transmission frequency: Temperature and humidity data is collected every sixty seconds, GPS data every five minutes and agitation data every ten seconds; hence, there is balancing real-time monitoring with network efficiency;

● Redundancy and calibration: Each storage or transport unit includes dual sensors to mitigate the hardware failure risks and is calibrated to WHO standards (e.g. ISO/IEC 17025 for temperature accuracy);

● Power management: Sensors operate on low-power protocols (e.g., Message Queuing Telemetry Transport (MQTT) over Wi-Fi) with battery backups (twelve-hour capacity) to provide functionality during power outages;

● Edge computing integration: Raspberry Pi 4 edge servers (4 GB RAM, Node.js runtime) perform local anomaly detection (e.g., temperature spikes >6°C for RBCs) within 100ms, and it triggers alerts or logged events before blockchain writes;

● Data preprocessing: Edge servers serve as noise filters and aggregate data (e.g., averaging temperature over ten second windows) to reduce blockchain transaction volume.

Blockchain layer: Secure storage and event automation

The blockchain layer, built on the Hyperledger blockchain, operates as a permissioned network to ensure privacy, immutability and automation:

• Hyperledger consensus protocol: Hyperledger Fabric uses a permissioned consensus mechanism in which transactions are endorsed by authorized peers and ordered through an ordering service, commonly based on the Raft consensus protocol. After ordering, transactions are validated and committed to the ledger. This approach enables fast transaction finality, typically within one to two seconds, while maintaining low energy consumption compared to proof-of-work blockchain systems.

● Smart contracts: Written in Rust, smart contracts automate:
  - Quality checks (e.g., flagging units with temperature breaches >6°C for RBCs);
  - Inventory updates (e.g., prioritising units with <7 days to expiry);
  - Compliance logging (e.g., recording GDPR-compliant audit trails);
  - Alert triggers (e.g., notifying stakeholders of non-compliant units within three seconds).

- Data storage strategy:
    - On-chain: Critical metadata (e.g., unit ID, blood type, test results, compliance status) stored immutably;
    - Off-chain: High-frequency sensor data (e.g., minute-by-minute temperature logs) stored in a secure cloud (e.g., AWS S3 with AES-256 encryption), referenced by on-chain hashes to ensure integrity.
- Security mechanisms:
    - Cryptographic signatures (ECDSA with SHA-256) validate all transactions;
    - Role-Based Access Control (RBAC) restricts data access (e.g., donors view anonymised lifecycle data, regulators access full audit logs);
    - Zero-knowledge proofs (e.g., zk-SNARKs) enable verification of compliance without exposing sensitive data.
- Compliance enforcement: Smart contracts are dynamically upgradable via governance protocols, ensuring alignment with evolving standards (e.g., EDPB 02/2025 updates) without system redeployment;
- Interoperability: The blockchain integrates with EBSI for cross-border data sharing and EUDI for secure identity verification.

Application layer: Stakeholder interaction and system control

The application layer provides a web-based dashboard and APIs for stakeholder interaction, designed for usability and interoperability:

- Role-based dashboards:
    - Hospital staff: View real-time inventory, filter units by blood type or expiry and receive breach alerts (e.g., via SMS or email);
    - Lab technicians: Upload screening results, validate unit eligibility and access transport condition logs;
    - Regulators: Access immutable audit trails and compliance reports, exportable in JSON or PDF formats;
    - Donors: Access a public portal to view anonymised donation outcomes (e.g., “Your blood was used in a transfusion on [date]”) via EUDI-authenticated login;
    - System administrators: Monitor network health, calibrate IoT devices and update smart contracts.
- User interface features:
    - Real-time visualisations (e.g., temperature graphs, unit life cycle timelines);

- Multi-language support (e.g., English, German, French) for EU-wide adoption;
- Accessibility compliance for inclusive stakeholder access.
- Notification system: Push notifications and email alerts for critical events (e.g., temperature breaches, near-expiry units), configurable by stakeholder role.

C. COMPONENT SUMMARY WITH ITS CHALLENGES TO ADOPT

The proposed blockchain-IoT based system for blood cold chain management integrates multiple components to ensure traceability, transparency, and compliance. These components were mentioned in the Table 18 below which provides a concise overview of required elements, their associated components, and their specific functions within the system.

Table 18: Description of Search Components

Element	Associated component	Function
IoT sensor	Blood storage units, transport containers	Monitor temperature (1°C–6°C for RBCs), humidity, GPS location and agitation
Blockchain ledger	Hyperledger blockchain	Securely store IoT data, transaction logs, and audit trails
Smart contracts	Automated scripts on the blockchain	Enforce compliance (e.g., flag breaches), trigger alerts, update inventory
GPS tracking	IoT-enabled devices	Provide real-time shipment monitoring for logistics optimisation
Cloud analytics	Data processing platform	Analyse trends, predict demand and support inventory management
Stakeholder interface	Web-based dashboard	Enable access to records, alerts and reports for authorised users

Key consideration and challenges to adopt: Implementing the blockchain-IoT system in a real-world healthcare setting presents several challenges, which may include technical, operational, and regulatory hurdles. Here, Table 19 will summarise these challenges and the corresponding strategies to address them and guide the systems for the practical deployment.

Table 19: Challenges and Strategies

Challenges	Associated strategy
High IoT sensor	Modular design allows phased deployment and potential use of low-cost alternatives
Interoperability with legacy systems	RESTful APIs and data mapping standards for healthcare integration
Stakeholder trust	Training modules and transparent access logs for each stakeholder
Scalability	Edge computing + Hyperledger scalable consensus mechanism
Regulatory evolution	Upgradeable smart contracts and modular policy interfaces

D. RESULT OF FIRST DSRM ITERATION

The initial design iteration produced a prototype integrating Hyperledger Blockchain with emulated IoT sensors. Early testing revealed the system's ability to log temperature data and flag breaches within three seconds, confirming feasibility. However, integration with legacy systems required additional API development, which was addressed in subsequent iterations. This prototype forms the basis for demonstration and evaluation in the next phases.

I. DEMONSTRATION

This chapter will demonstrate a blockchain-IoT-based system which is designed for end-to-end traceability and for quality control in blood cold chain management. The system is tested

with a simulated emergency donation campaign and subsequent transportation to an urban hospital, using synthetic data to replicate real-world conditions. This demonstration evaluates the system functionality, stakeholder interaction, robustness under failure scenarios and real-world application.

A. DEMONSTRATION SETUP AND EXECUTION

The demonstration used synthetic data to simulate the lifecycle of 100 mock blood units, from donation to transfusion. Synthetic data was generated using a Python-based script to create realistic but anonymised datasets. It contains donor IDs (randomised alphanumeric strings), blood types (distributed per WHO prevalence rates, e.g., 37% O-positive), timestamps, geolocation coordinates (representing urban and rural collection sites) and environmental conditions (temperature, humidity). Temperature data was randomised within WHO compliant ranges (e.g., 1–6°C for RBCs) with occasional breaches to test alert mechanisms.

At the mobile collection center, blood units were labelled with unique identities and tracked using IoT sensors, which are connected to Arduino Nano 33 IoT devices (32-bit ARM Cortex-M0+, 256 KB flash, Wi-Fi connectivity). Sensors used were DHT22 for temperature and humidity (accuracy: ±0.5°C, ±2% RH) and NEO-6M GPS modules for location tracking. Every minute, the data was transferred to a local edge server (Raspberry Pi 4, 4 GB RAM) that ran Node.js for preprocessing. The edge server forwarded the data to Hyperledger blockchain through RESTful APIs, with an average network latency of 100–200ms and a packet loss rate of 0.5%. Each transaction recorded an anonymised donor ID, blood type, timestamp, geolocation and environmental conditions. Healthcare institutions (such as collection centres, laboratories, hospitals and regulators) ran the permissioned Hyperledger blockchain network's nodes on virtual machines (4 vCPUs, 8 GB RAM, Ubuntu 20.04).

The Hyperledger consensus mechanism validated the transactions within one to two seconds. Moreover, if a temperature breach was discovered (e.g., >6°C for RBCs), a smart contract flagged the unit as non-compliant and added that status to the blockchain. Laboratory technicians uploaded the test findings through a secure web interface, which were then approved by the hospital node. Hospitals kept all units under continuous monitoring until the transfusion. During the transfusion, the final transaction was recorded, bringing the lifecycle of the blood unit to an end and enabling full traceability and auditability.

B. STAKEHOLDER INTERACTIONS AND DATA FLOW


The primary stakeholders include mobile blood collection teams, laboratory technicians, hospital staff, regulatory authorities and system administrators. Each of these roles interacts with a specific node on the blockchain and is governed by role-based access control.

Mobile collection teams initiate the chain by registering blood units, capturing donor metadata (anonymised), timestamp, geolocation and environmental readings at the point of collection. Laboratory technicians add testing results, timestamps and metadata that confirm the unit's safety. Hospital staff manage storage logs, monitor expiry prioritisation and verify storage conditions. Clinicians finalise the record with transfusion data. Regulatory authorities use a read-only node to

monitor audit logs and compliance records. System administrators manage network diagnostics, IoT calibration and smart contract updates. Each of these activities is logged into immutable blocks, creating a transparent and trustworthy system, as shown in Figure 15.

Figure 15: Stakeholder Integration and data flow in the blockchain-IoT blood cold chain system

C. SIMULATION BASED VALIDATION



The simulation verified the architecture by tracking 100 synthetic blood units from collection to transfusion. Synthetic data ensured GDPR compliance by avoiding real donor information. Collection teams contribute initial metadata, including anonymised donor ID, geolocations and sensor logs. Lab technicians append validated screening results and timestamps. Further, hospital staff update records with storage data, expiry logs and conditions. Clinicians add the transfusion confirmations and regulators keep track of audit and policy updates. This process offers complete transparency by tracking all units throughout their lifecycle and automating quality assurance by using smart contracts.

D. SYSTEM RESPONSIVENESS AND RELIABILITY

The system demonstrated a high level of responsiveness in real-time event handling. Smart contract-based alerts were activated within an average of three seconds of temperature breaches, so authorised users were able to retrieve records without significant delay. Although timing varied based on network load, authorised users retrieved records (e.g., a temperature log or patient info) with an average latency of 500 ms, which is within an acceptable operational window for healthcare environments. Due to this speed, healthcare workers or operators can make fast, informed decisions and quickly intervene if something goes wrong.

E. TESTING FOR FAILURE SCENARIO

Three failure scenarios were simulated by using synthetic data in order to assess the robustness of the system, namely:

1) Sensor failure: A 10% sensor outage was emulated by disabling temperature sensors on ten units. Continuous monitoring was maintained when backup sensors (redundant DHT22 modules) activated within five seconds. All affected units were flagged, and no data loss occurred.

2) Network outage: A five-minute network disconnection was simulated during the transportation. After that, the edge server cached data locally (up to one MB) and synced with the blockchain upon reconnection, ensuring no transaction loss. Smart contracts delayed non-compliance flags until data was verified after reconnection. This prevented the false alarms that were caused by the temporary outage.

3) Malicious data tampering: To test the system's security, a simulated attack was conducted where an unauthorised external entity attempted to alter a synthetic blood unit's temperature log (e.g., changing 8°C to 5°C to conceal a breach) via a forged API request lacking a valid cryptographic signature. The transaction was denied because it did not reach validator consensus, which is enforced by Hyperledger consensus protocol and the immutability of the Hyperledger blockchain. An audit log recorded the attempt (e.g., {"event": "invalid_transaction", "unit_id": "123", "attempted_value": 5.0}) and a smart contract sent out an alert to the regulators within ten seconds, based on a one to two seconds transaction finality time and a five to eight seconds alert propagation delay. This test confirmed the system's ability to prevent unauthorised modifications in a healthcare context.

The tests presented previously confirmed the system's resilience, with a 100% recovery rate for sensor and network failures and zero successful tampering incidents. The results highlight the system's suitability for real-world deployment, even under adverse conditions.

4.2.5. Evaluation

This chapter will present a comprehensive evaluation of the proposed blockchain-IoT system for managing the blood cold chain, which is designed to meet critical goals such as end-to-end traceability, operational transparency, rigorous quality control, regulatory alignment and minimisation of product wastage. The evaluation leverages a simulation of 100 synthetic blood units, stakeholder feedback and failure scenario testing. Therefore, results confirm the system's effectiveness, while a roadmap for real-world pilots outlines the path to deployment.

A. EVALUATION FRAMEWORK AND RESULTS

The evaluation framework measures the five objectives using quantitative and qualitative metrics, as shown in Table 20. To support this evaluation, synthetic data was generated to mimic the real blood unit life cycles (such as donor registration, testing, storage and transfusion), which ensures GDPR compliance while enabling realistic system testing. This dataset (such as anonymous donor IDs or blood types) was aligned with WHO prevalence and with environmental conditions, which were processed within a controlled simulation environment. Table 20 presents objectives, metrics, targets, outcomes and status, which were derived from the simulation.

Table 20: Evaluation Framework and Results

Objective	Metric	Target	Outcome
Traceability	Percentage of units fully tracked across lifecycle	100%	100% tracked
Transparency	Stakeholder survey scores (1-5 Likert scale) on data access	≥4.0	Full access
Quality control	Detection rate of environmental violations	100%	100% detected
Wastage reduction	Reduction in wastage from baseline 6.7%	≤3.0%	2.5% wastage
Regulatory compliance	Adherence to GDPR, WHO and EDPB	Full compliance	Full compliance

Quantitative results: The simulation process has 100 mock blood units from collection to transfusion. All units were tracked with the immutable records of donor metadata, test results, storage conditions and transfusion details, hence achieving 100% traceability with 500ms retrieval latency. The stakeholder (donors, hospital staff, regulators) accessed individual role-specific logs via a web dashboard, which confirmed full transparency. The stakeholders engage with the system and experience its automation features, which include real-time alerts and trace logs. Environmental violations (e.g., temperature breaches) were detected within three seconds, with robust tests (Section 5.5) that maintained data integrity and monitoring during disruptions, ensuring 100% quality control. Automated prioritisation reduced wastage from 6.7% to 2.5%, hence a 62% improvement in wastage of blood [87]. Audit trails achieved full GDPR, WHO and EDPB 02/2025 compliance, with instant log access.

Qualitative results: Stakeholder feedback, collected via a Likert-scale survey (1-5), assessed usability, trustworthiness, transparency, decision support and regulatory readiness. The survey included twenty participants across five stakeholder groups (with an average of three per group: donors, hospital staff, laboratory technicians, mobile collection teams, regulatory authorities). The average score of 4.5 (Table IV) indicates strong system acceptance. Key qualitative insights include:

- Donors: Valued the public portal's transparency, increasing trust in donation outcomes;

- Hospital staff: Appreciated real-time inventory insights and expiry prioritisation, reducing operational delays;
- Regulators: Praised immutable audit logs, simplifying compliance verification.

B. STAKEHOLDER SURVEY SUMMARY

After participating in the demonstration, each stakeholder group completed a structured Likert-scale questionnaire. This survey assessed the system's usability, trustworthiness, transparency, decision-support capacity and regulatory audit readiness. Responses were rated on a scale from 1 (strongly disagree) to 5 (strongly agree). Table 21 summarises the average scores for each group:

Table 21: Stakeholder Evaluation Summary

Stakeholder group	Q1	Q2	Q3	Q4	Q5	Average score
Donors	4.5	4.5	5.0	4.5	4.5	4.6
Hospital staff	4.5	4.0	4.5	5.0	4.0	4.4
Laboratory technicians	4.5	5.0	4.5	4.5	4.5	4.6
Mobile collection team	4.5	4.5	4.0	5.0	4.0	4.4
Regulatory authorities	5	4.5	5.0	4.5	4.5	4.7

Feedback highlighted strong trust in the immutability of blockchain records and appreciation for role-specific dashboards. Donors felt empowered by transparent access to the status of their contributions. Overall, the system received high marks across all stakeholder types.

C. CHALLENGES AND FUTURE CONSIDERATIONS

The simulation relies on synthetic data, while ensuring GDPR compliance by avoiding real donor information. Despite strong evaluation results, several challenges were observed. Pilot testing is required to confirm the performance using real blood units because it may have some restrictions regarding its application to real-world scenarios. Another condition may be the scalability tests, which showed that processing more than 500 concurrent units increased latency to 700 ms. This suggests that off-chain storage or sharding is required to manage the

larger-scale installations. But the high cost of the IoT sensors ($40 per unit) poses a barrier for the adoption in low-resource healthcare settings. For the stakeholders, who were unfamiliar with the dashboard and blockchain concepts, it potentially requires one to two hours of initial training. There are further difficulties in integration with the existing healthcare systems which will present further challenges. The Hospital Information System (HIS), which manages patient records, scheduling and blood inventory, and the Laboratory Information System (LIS), which handles blood screening and test result reporting, often use proprietary formats and lack standardised APIs. Therefore, it complicates seamless data exchange with the blockchain-IoT system, as HIS and LIS vary across institutions. Other possible challenges may include:

- Regulatory complexity: Beyond the GDPR, compliance with regional regulations (such as the EU Medical Device Regulation and UK MHRA standards) and evolving guidelines (such as the EDPB) requires a significant deal of paperwork and audits;
- Stakeholder adoption barriers: After the initial training

phase, adoption may be delayed by resistance from medical personnel who are not familiar with blockchain for IoT technology;

- Energy consumption: The Hyperledger consensus protocol and continuous IoT sensor operation will consume significant energy, thus, there are rising sustainability concerns for large-scale use;
- Data privacy risks: Although synthetic data mitigates privacy concerns, real-world deployments may face re-identification risks not captured in simulations;
- System maintenance: Long-term maintenance of IoT sensors and blockchain nodes incurs ongoing costs and requires specialised technical expertise.

These limitations highlight the need for targeted solutions in the pilot phase to ensure practical deployment.

4.2.6. Discussion and Contributions

A. *CONTRIBUTIONS* OF THE STUDY

This research contributes to healthcare supply chain innovation by presenting and validating a blockchain-IoT system that enables full traceability and real-time monitoring of blood units. The key contributions include:

- A functional prototype achieving 100% traceability and a 4.2% reduction in simulated blood wastage;

- A role-based, permissioned blockchain architecture designed for GDPR and WHO compliance;
- The use of DSRM for structured problem-solving and validation;
- Practical insights into stakeholder engagement, system usability and regulatory audit readiness;
- A scalable and adaptable model that can inform digital health transformation across multiple medical supply domains.

B. SUMMARY OF FINDINGS

The study successfully demonstrated that a decentralised, sensor-driven architecture can resolve long-standing challenges in blood logistics, including traceability gaps, inventory inefficiencies and quality breaches. The system was shown to:

- Automate compliance and condition-based actions through smart contracts;
- Provide audit-ready, immutable records for regulators;
- Enhance stakeholder confidence and operational transparency;
- Reduce simulated blood wastage by over 60% (from 6.7% to 2.5%).

C. *ETHICAL CONSIDERATIONS AND DATA GOVERNANCE*

Beyond regulatory compliance, the system upholds ethical standards by embedding privacy-by-design principles. Donor data is pseudonymised and role-based access ensures that only authorised users can view sensitive information. The donor portal enhances transparency and consent awareness, enabling individuals to understand their contributions. These measures align with the European Data Protection Board's emphasis on data minimisation, user rights and auditability, reinforcing the system's ethical and legal readiness for deployment in healthcare environments.

D. FINAL REMARKS

This study bridges theoretical innovation with practical application in one of healthcare's most sensitive and critical logistics systems. It provides a robust foundation for digitalising the blood cold chain and sets a precedent for how emerging technologies such as blockchain and IoT can be responsible for life-saving operations. The research offers both a validated technical solution and a strategic roadmap for public health modernisation.

4.3. Discussion: Compliance with GDPR, EDPB, and Healthcare Standards

The application of blockchain technologies in healthcare cold chains, particularly for blood supply chains, necessitates rigorous compliance with data protection and healthcare regulations, such as the General Data Protection Regulation (GDPR), European Data Protection Board (EDPB) guidelines, and healthcare-specific standards like Good Distribution Practices (GDP) [100], [94]. The research presented in this chapter, guided by the Design Science Research Methodology (DSRM) [57], demonstrates how blockchain, integrated with Zero-Knowledge Proofs (ZKPs) and IoT sensors, addresses these regulatory requirements while enhancing traceability and security [49], [94], [101].

GDPR mandates strict controls on personal data processing, emphasizing data minimization, purpose limitation, and the right to erasure, which are critical in blood supply chains where patient data is involved [100]. ZKPs, such as zk-SNARKs, enable privacy-preserving verification, allowing stakeholders to validate blood unit provenance or storage conditions without exposing sensitive information, thus aligning with GDPR's data minimization principle [49]. For instance, a blockchain-based system can verify compliance with temperature requirements (2–6°C for red blood cells) without revealing patient identities, as demonstrated in pilot projects [99]. The EDPB further emphasizes accountability and transparency in automated data processing, which blockchain's tamper-proof ledger supports by providing an auditable record of transactions [100]. Challenges arise in ensuring GDPR's right to erasure, as blockchain's immutability conflicts with data deletion requirements, needing hybrid architectures with off-chain storage for erasable data [49], [44].

Healthcare standards like GDP require stringent monitoring of storage and transport conditions to ensure product safety [94]. IoT sensors integrated with blockchain oracles provide real-time data on temperature and humidity, recorded immutably to meet GDP's documentation requirements [94], [101]. For example, blockchain-based systems in blood supply chains ensure traceability from donation to transfusion, reducing risks of spoilage or contamination [99]. However, interoperability with legacy healthcare systems, such as Electronic Health Records (EHRs), remains a challenge, requiring standardized protocols to ensure seamless data exchange [98]. The research highlights the need for modular blockchain architectures to address these compliance challenges, enabling adaptability to evolving regulatory frameworks [4]. Stakeholder coordination, involving hospitals, blood

banks, and regulators, is also critical to align system design with legal and ethical requirements, as validated through workshops and technical evaluations [57], [94].

Implications for Digital Health Logistics

The findings from this chapter underscore blockchain's transformational potential in digital health logistics, particularly for blood supply chains, by enhancing traceability, security, and regulatory compliance [94], [99]. The integration of blockchain with ZKPs and IoT sensors, as explored in the research article, offers a robust framework for addressing the unique challenges of healthcare cold chains, such as ensuring product integrity and patient data privacy [49], [101]. These advancements have broader implications for digital health logistics, reshaping operational models and stakeholder interactions across the healthcare sector.

Technically, the proposed blockchain architectures, incorporating layer-2 solutions for scalability and IoT for real-time monitoring, enable efficient handling of high-volume transactions in blood supply chains [4], [93]. For example, layer-2 platforms like optimistic rollups reduce transaction costs and latency, making blockchain viable for large-scale healthcare logistics [4]. ZKPs ensure privacy-preserving verification, critical for protecting sensitive data in multi-stakeholder environments, such as verifying blood unit authenticity without disclosing donor information [49], [99]. These technical innovations support the development of digital health ecosystems, where decentralised platforms facilitate secure data sharing among hospitals, logistics providers, and regulators [94].

From a governance perspective, blockchain introduces opportunities for modular, consortium-based models that align diverse stakeholders, including blood banks, healthcare providers, and regulatory bodies [100], [99]. These models foster trust through transparent, auditable records while addressing GDPR and GDP requirements [100], [94]. However, governance challenges include achieving consensus on data standards and managing computational overhead of ZKPs, which require ongoing optimization [44]. Incentive structures, such as tokenized rewards for compliance, can further encourage stakeholder participation, as seen in similar blockchain applications [4].

The implications extend to sustainability and patient safety, with blockchain reducing waste from spoilage and enhancing accountability in blood supply chains [94], [99]. By providing a scalable, secure, and compliant infrastructure, blockchain-driven solutions pave the way for future-ready digital health logistics, supporting broader adoption of technologies like smart

contracts and decentralised identifiers (DIDs) [49], [98]. This chapter's findings, validated through DSRM's iterative design and evaluation phases [57], highlight the need for continued research into interoperability standards, regulatory alignment, and stakeholder engagement to fully realize blockchain's potential in transforming healthcare logistics.

Chapter 5 - Blockchain-Enabled Business Innovation in the Spirits Industry

This chapter presents a research article submitted for IEEE conference, focusing on the transformative potential of blockchain technologies in the spirits industry, particularly for traceability, fraud prevention, and business model innovation. The paper is reproduced in its original form to preserve its methodological rigor and scholarly coherence, aligning with the Design Science Research Methodology (DSRM) framework introduced in Chapter 2 [57]. It addresses a core theme of this dissertation: leveraging blockchain to enhance transparency, security, and economic value in spirits supply chains, contributing directly to the research questions outlined in Chapter 1 [57], [106]. By integrating blockchain with smart contracts, and IoT sensors, this chapter explores solutions to mitigate risks such as counterfeiting and inefficient provenance tracking, while enabling novel business models like asset tokenization [118], [104], [121]. The following section provides the background for traditional spirits supply chains and introduces the research article, setting the stage for a detailed investigation of blockchain-driven innovation in this sector.

5.1. Contextual Background: Traditional Spirits Supply Chains

The spirits industry, encompassing high-value products like whisky, wine, and premium liquors, operates within complex global supply chains that face significant challenges related to traceability, authenticity, and fraud prevention [102], [119]. Traditional spirits supply chains rely heavily on manual processes, paper-based documentation, and centralized databases, which are prone to errors, tampering, and inefficiencies [122]. For instance, the whisky industry, a key focus of this research, struggles with counterfeiting, which undermines brand integrity and consumer trust, with illicit trade costing billions annually [105]. Additionally, provenance tracking, verifying the origin, production, and storage history of spirits, is critical for regulatory compliance and consumer demand for transparency, yet it remains fragmented across producers, distributors, and retailers [114].

Blockchain technology offers a promising solution by providing a decentralised, immutable ledger to record the lifecycle of spirits, from production to consumption [118], [106]. Smart contracts automate processes like provenance verification and payment settlements, reducing intermediaries and enhancing efficiency [115]. IoT sensors, such as RFID tags, enable real-time monitoring of storage conditions (e.g., temperature, humidity), critical for maintaining product quality in premium spirits [103]. However, privacy concerns, particularly

regarding proprietary production data, necessitate the use of ZKPs to enable secure, privacy-preserving verification [49]. Regulatory compliance, such as adherence to food safety standards and anti-counterfeiting regulations, further complicates adoption, requiring interoperable systems that integrate with existing industry practices [108], [123].

5.2. Study 4: Blockchain in the Spirits Industry: Technology and Business Model Innovation as Transformation Drivers

The research article, titled “Blockchain in the Spirits Industry: Technology and Business Model Innovation as Transformation Drivers”, builds on the contextual challenges outlined above to propose a blockchain-based framework for the spirits industry [106]. Grounded in the DSRM framework [57], the study employs a mixed-methods approach, combining a systematic literature review using the PRISMA methodology with case study analyses and prototype development to investigate blockchain’s role in enhancing traceability and enabling innovative business models [102], [110]. The article examines real-world use cases, such as provenance tracking for whisky casks, anti-counterfeiting measures through NFT-based tokenization, and automated compliance via smart contracts, drawing on implementations in the Southern Apulia region and beyond [104], [116].

The study proposes a modular blockchain architecture integrating ZKPs for privacy-preserving authentication and IoT sensors for real-time data validation, addressing the industry’s need for transparency without compromising sensitive data [49], [103]. It also explores how blockchain-driven innovations, such as tokenized assets and decentralised marketplaces, reshape business models by enabling direct-to-consumer sales and enhancing consumer trust [118], [121]. Challenges, including scalability, regulatory alignment, and stakeholder coordination, are addressed through stakeholder workshops and technical evaluations, ensuring practical relevance [105], [123]. This article sets the stage for a comprehensive analysis of blockchain’s transformative potential in the spirits industry, contributing to both academic understanding and industry practice.

5.2.1. Introduction

Historically, the whisky and spirits industry is one of the oldest in the world, having originated in Scotland and Ireland, and later on, migrated to the United States of America (USA) and more recently to Japan, which presents themselves as some of the most vibrant countries in terms of leveraging local natural resources to produce new whiskies. Of course, most of these

producers leveraged knowledge from Scotland and Ireland. The whisky industry has evolved in the past decades with regards to its supply chain and also regarding improvements of their customer experience leveraging marketing as a differentiator and specialising itself within the luxury market.

Blockchain has become a more massively adopted technology in the past decade with the creation of Ethereum as a utility blockchain and future application in the real world in 2015. Application of Layer-2 solutions (DApps or Decentralised Apps) originated shortly after as a way to improve current businesses, from a process optimisation and business savings perspective. Application to the retail and luxury market as a differentiation for consumers has been a growing trend, not only in the FMCG (Fast Moving Consumer Goods) space but also in general retail and luxury goods. This is reflected in the creation of consortiums such as AURA (Authenticity, Uniqueness, Responsibility and Assurance) Blockchain, which includes major players such as Richemont, Procter & Gamble and Walmart, all building blockchain-based applications to monitor their supply chains [110].

Projects focused on the traceability of wine, olive oil and similar liquids have emerged as prominent blockchain use cases [103]. In contrast, whisky represents a more niche application, one that not only uses blockchain for transaction immutability, proof of origin and quality assurance, but also serves as a driver for broader digitalisation. In particular, it supports the digital transformation of distilleries and warehouses that still rely on traditional pen-and-paper inventory systems, which are increasingly outdated, inefficient and difficult to manage over time. Platform-independent blockchain applications are gaining traction, particularly for their ability to create smart contracts linked to certificates of origin and their automation capabilities. However, while similar use cases have been explored in sectors such as olive oil, wine and coffee, there is still limited academic literature focused on blockchain innovation and business model development in the spirits industry, especially in the retail segment. Despite this gap, new business models are beginning to emerge in the whisky space, driven by technologies such as NFTs, proof of origin mechanisms and the digital transformation of distilleries and warehouses. These developments will be examined in more detail later in the paper [104], [120].

The addition of IoT sensors to monitor the state of whisky casks is also of importance, as they provide intelligence with regards to the real time status of the spirit itself [110]. Moreover, it also works as a measure of safety and quality assurance regarding the properties of alcohol, which can transform into an explosive atmosphere. Lastly, it supplies a digital twin of a

warehouse or distillery site, which can be leveraged to better manage inventory within the space.

Together, these trends signal a pivotal moment for the spirits industry, where traditional craftsmanship meets emerging technologies. This paper investigates the role of blockchain and complementary technologies, such as IoT and NFTs, in driving digital transformation within the whisky supply chain. By exploring technical implementations, stakeholder adoption and emerging business models, the aim is to assess the feasibility and strategic value of blockchain-based systems in a historically conservative yet increasingly innovation-driven sector.

5.2.2. Literature Review

The approach to the literature review was focused on relevant, up to date English language publications focused on blockchain and its application on the food and beverages industry, since the whisky industry has minimum academic papers within its domain. A study was conducted in December 2024 and limited to journals published in the last five years, between 2019 and 2024, leveraging data results from both Scopus and Web of Science (WOS) Core collection. Duplicate articles were removed to maintain data accuracy from the search results.

Search Strategy and Inclusion Criteria

The research items were selected to identify articles where blockchain applications had already been implemented in similar industries. The population of interest in this study was the supply chain, focusing on concepts such as blockchain, traceability, quality assurance, whisky, counterfeiting and food. For this reason, the query used to retrieve the articles inherent to the topic was ("Blockchain" OR "Traceability" OR "whisky" OR "counterfeiting" OR "Quality assurance" OR "food") AND ("Supply chain ")). Additional keywords such as "Olive Oil" and "Coffee" were included in the research to broaden the search scope, aiming to explore how blockchain technology is applied in industries similar to liquid-based supply chains and studying how emerging technologies such as blockchain can enhance and transform traditionally low-tech sectors, identifying ways to drive positive changes, improve processes and address challenges in these fields.

Search Results

The query was applied to the databases and identified a total of 78 records. After removing 26 duplicate entries, 50 records remained for screening. Of these, four records were excluded, leaving 46 reports for eligibility assessment. Following this, six reports were

excluded, resulting in 40 studies being included in the final review. This systematic review process adhered to the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) methodology (Figure 16), ensuring a transparent and rigorous approach in identifying and assessing the relevance and quality of the studies [32].

Table 22 illustrates the distribution of the selected articles across the years 2019 to 2024.




Figure 16: Systematic literature review PRISMA flow diagram

Table 22. Distribution of selected articles by publication year

Year	Absolute Year	Percentage
2019	4	10%
2020	4	10%
2021	8	20%
2022	12	30%
2023	7	17.5%
2024	5	12.5%
Total	40	100%

Data Extraction and Synthesis

To conduct a rigorous literature review using the PRISMA method, it was necessary to use tools capable of accurate data collection, extraction and analysis. The initial literature search was conducted using Scopus and Web of Science (WOS) databases, which provided a comprehensive and high-quality repository of peer-reviewed publications. To simplify the extraction of key information, such as year of publication, authorship, journal source and study objective, Zotero was used as a reference management tool. This made it possible to efficiently organise and curate the selected articles. Subsequently, the extracted data was analysed and structured using Microsoft Excel, which facilitated the creation of tables and graphs for data visualisation, enabling a clearer summary of the results and trends of the studies examined. Based on this methodology, the following analysis highlights the insights derived from the concepts and trends observed in the collected data, as depicted in the tables and figures below.

Table 22 illustrates the distribution of the 40 selected articles across the years 2019 to 2024. As shown in the table, the highest concentration of articles was published in 2022, accounting for 30% of the total studies, followed by 2021 with 20%. The distribution demonstrates a significant increase in publications around 2022, potentially reflecting a growing interest in the application of blockchain technology in the food and beverage industry during that time. Conversely, a decline is observed in 2024, representing only 12.5% of the publications. This decrease might be attributed to the narrowing focus of research or a stabilisation of academic interest in the domain. This trend highlights a progressive development of academic inquiry, with a peak period likely coinciding with the maturation of blockchain technology and its integration into supply chain practices. Figure 17 shows the graph corresponding to Table 22, which further emphasises this temporal trend, visually representing the annual progression of publication percentages. The upward trajectory leading to 2022 reflects a period of heightened academic exploration, with subsequent stabilisation and slight decline in 2023 and 2024. The 2022 peak suggests that this was a fundamental year for blockchain research in supply chains, possibly due to advancements in the technology itself or increased awareness of its potential benefits in combating counterfeiting and improving traceability.

The keyword distribution presented in Figure 18 provides valuable insights into the research themes explored in the selected studies. The dominant presence of "Blockchain" as the most frequently occurring keyword underscores its central role in academic discourse, reaffirming that the core focus of the literature is on the technology itself. Following this, "Supply Chain"

and "Traceability" emerge as significant themes, highlighting blockchain's potential in ensuring transparency, security and authenticity in supply chain operations. A notable aspect of the graph is the representation of keywords such as "IoT", "Quality Assurance" and "Anti-counterfeiting" with smaller percentages. This suggests that while blockchain's role in these areas is acknowledged, fewer studies have explicitly examined its integration with IoT solutions or its application in quality control and fraud prevention. The relatively lower occurrences of "Olive Oil", "Food" and "Wine" indicate that while blockchain's application in the food and beverage industry is a growing field, it remains a specialised focus within broader blockchain research.




Figure 17: Annual distribution of selected articles published between 2019 and 2024




Figure 18: Keyword distribution in the literature review

Background and Key Concepts

This section will provide the necessary knowledge about blockchain and inventory management system solutions, which are key to understanding why the spirits market can leverage this type of technology.

Whisky Supply Chain Management: An Overview

The whisky supply chain is a complex and highly regulated process that ensures quality, traceability and efficiency from raw material sourcing to the final product reaching consumers [105]. As observed in figure 19, it begins with raw material procurement, where high-quality grains such as barley, rye, corn or wheat are carefully selected, while water quality plays a critical role in defining the final taste profile [102]. Most distilleries enter into long-term agreements with farmers to guarantee consistency of raw materials, traceability and sustainability along the production process. Once the ingredients are sourced, the production process moves through several steps, starting with mashing, where grains are grinded and mixed with water to create a mash, which is fermented using yeast to convert the sugars into alcohol. Over several days, this fermentation results in a wash with a moderate alcohol content, which is then distilled, typically in copper pot stills, to concentrate the alcohol and remove impurities. The specifics of the distillation process, whether for single malt, blended or grain whisky, directly impact the final characteristics of the product, making this a critical step in maintaining the distinct identity of each whisky type. Following distillation, the whisky is transferred into oak barrels for maturation, a stage that profoundly influences its flavour, colour and aroma. In fact, the choice of cask, whether ex-bourbon, sherry or other types, along with climatic conditions, plays a decisive role in the whisky's final profile and, since whisky ownership can change multiple times during the maturation process, involving brokers, investors and distilleries, maintaining accurate records is essential for transparency and traceability. As whisky progresses through the distribution and logistics phase, it undergoes bottling, labelling and preparation for global distribution, where warehousing and transportation must align with strict alcohol taxation laws, making regulatory adherence a critical concern for producers. Upon entering the retail and consumer market, whisky becomes available through wholesalers, specialty liquor stores and e-commerce platforms, where branding, marketing and regulatory labelling, particularly for geographical indications such as Scotch Whisky, shape its positioning in an increasingly competitive industry [102]. As demand for premium and rare whiskies continues to grow, secondary markets have

expanded, fostering a surge in whisky cask ownership and specialised auction platforms, which have transformed whisky from a luxury beverage into a valuable investment asset.




Figure 19: Whisky production process: from grains to bottle

Blockchain Technology

Blockchain is built on a combination of technologies and concepts that have existed for a long time. In fact, some groundwork for what is nowadays referred to as “blockchain” was performed by Stuart Haber and W. Scott Stornetta in 1991, in their article entitled *“How to Time-Stamp a Digital Document”*. Satoshi Nakamoto introduced the unique combination of these technologies in 2008 to create Bitcoin. At its core, blockchain is a digital system that records data in a chain of blocks, with each block containing multiple time-stamped transactions. Each block links to the previous one using a block hash, forming an immutable chain. The blockchain ledger is distributed across all nodes in the network, ensuring that every node has access to the same up-to-date version. Transactions are validated and added through a consensus mechanism, which maintains agreement on recorded transactions and keeps the ledger synchronised across the network [106]. A consensus algorithm is a fundamental mechanism that enables blockchain networks to achieve agreement on transaction validity. The primary objectives of a consensus protocol are to secure the network against attacks and resolve conflicts arising from competing chains. Two widely used consensus mechanisms are Proof of Work (PoW) and Proof of Stake (PoS), each with distinct characteristics and implications for network security and decentralisation. PoW relies on computational power, rewarding users with higher hashing capabilities, thereby increasing their probability of validating the next block. This process, known as mining, involves solving cryptographic puzzles, with successful miners receiving block rewards [107]. However, PoW incentivises the formation of mining pools, which concentrate hashing power, leading to increased centralisation. To address the limitations of PoW, PoS was proposed in 2011 as an alternative consensus mechanism. Unlike PoW, PoS does not require extensive computational resources, reducing energy consumption and promoting decentralisation. Validators are selected based on factors such as the amount of staked tokens and staking

duration. While PoS mitigates some risks associated with PoW, it introduces challenges, including susceptibility to the 51% attack if a single entity controls a majority stake [108].

Blockchain technology can be categorised in permissioned and permissionless blockchain, based on how participants interact with the network and the extent to which decentralisation is achieved [109]. Permissionless blockchains allow open participation, enabling anyone to join, validate transactions and contribute to consensus. They ensure decentralisation by distributing control among participants and at the same time they enhance security through mechanisms such as PoW and PoS, preventing unauthorised changes. These types of blockchain also offer pseudo-anonymity, allowing users to interact without revealing real identities. Although it has great advantages, permissionless blockchains face efficiency trade-offs, including scalability issues, network congestion and high energy consumption. Public blockchains are the most recognised form of permissionless networks, characterised by unrestricted participation, equal node rights and decentralised control, which are mainly used for cryptocurrency transactions and mining. Notable examples include Bitcoin and Ethereum. Mining incentives secure these networks by rewarding nodes for validating transactions and fostering community participation, ensuring trust and transparency while eliminating intermediaries and maintaining immutability. However, scalability challenges arise from network congestion, and mining-intensive models such as PoW consume high energy. Permissioned blockchains restrict participation, granting validation rights only to approved entities. They offer controlled access, ensuring governance by a central authority or consortium. Transparent identities enhance regulatory compliance, while reduced computational requirements lead to higher efficiency. These blockchains typically use Byzantine Fault Tolerant (BFT) consensus mechanisms to maintain network integrity while ensuring high transaction throughput [107]. Private blockchains, a subset of permissioned systems, limit access to a single organisation that dictates participation. These blockchains, such as Ripple and Hyperledger, deliver faster transactions and scalability but trade off decentralisation and security. Trust in these networks depends on governance rather than open consensus mechanisms.

Blockchain Adoption in the Agriculture, Olive Oil and Wine Industries

The implementation of blockchain in the agriculture and food industry space is not new. Multiple Layer 1 blockchain networks have developed projects, while some companies have used their open-source technology to build Layer-2 applications, resulting in blockchain-based solutions for industries ranging from coffee to olive oil [111]. As an example, IBM

developed the IBM Food Trust [115], which is a blockchain-based supply chain solution designed to enhance transparency, traceability and efficiency in food production and distribution by leveraging Hyperledger Fabric to facilitate real-time data sharing among growers, manufacturers, distributors, retailers and consumers, creating a trusted and secure ecosystem where information flows continuously across the entire supply chain. One of its most impactful initiatives is “Farmer Connect”, a project dedicated to improving traceability and fairness in the coffee supply chain by using blockchain technology to promote a more sustainable and equitable system, ensuring that small holder farmers gain visibility into their products journey and receive fair compensation for their work.

There are several cases of blockchain-based solutions in the olive oil industry, such as the Italian project BRUSCHETTA, which is a blockchain and IoT-based framework designed to ensure the traceability and certification of extra virgin olive oil (EVOO) throughout its entire supply chain [112]. The framework integrates IoT sensors to monitor key quality parameters during production, which are then stored on a Hyperledger Fabric blockchain to guarantee data integrity. Consumers can access this information through QR codes, providing them with transparency and proof of authenticity. Another notable case in the olive oil sector is proposed by Ktari [113] in the paper *“Agricultural Lightweight Embedded Blockchain System: A case study in olive oil”* which focuses on enhancing traceability and quality control in Tunisian olive oil production. This system employs a multi-blockchain approach, combining Quorum (a private blockchain) for managing confidential data between supply chain actors and Ethereum (a public blockchain) to provide customers with access to traceability information. It integrates IoT sensors to monitor environmental factors such as temperature, humidity and soil conditions, ensuring that quality parameters are maintained throughout the production cycle. By leveraging embedded platforms such as Raspberry Pi and Arduino, the system offers a lightweight and scalable solution that minimises energy consumption, making blockchain-based traceability more accessible and sustainable for olive oil producers.

In the wine industry, blockchain is increasingly being adopted to improve traceability and combat counterfeiting, as demonstrated in the paper *"Implementing a Wine Traceability System as an Ethereum Distributed Application"* [114], which presents a blockchain-based solution designed to enhance transparency throughout the entire wine supply chain by leveraging decentralised technologies. Built as a decentralised application (DApp) on Ethereum, the system enables various stakeholders, including winemakers, transporters, bottlers, merchants and consumers to securely record and access supply chain data,

ensuring that every stage of production is verifiable. By integrating IoT sensors, the framework collects real-time data on key processes such as fermentation, aging, bottling and distribution, which is then stored on the blockchain, preventing tampering and guaranteeing authenticity, while consumers can verify the wine's origin and production history by simply scanning a QR code on the bottle. One of the main advantages of this approach lies in its decentralised nature, which eliminates the need for intermediaries and enhances trust and security among supply chain participants, while the paper also explores potential future developments, such as the integration of NFTs to assign unique digital identities to wine bottles, further strengthening authenticity verification and fostering greater consumer engagement. Another significant study, *"IoT Technologies for Wine Supply Chain Traceability: Potential Application in the Southern Apulia Region (Italy)"* [116], explores how IoT technologies can complement blockchain to further improve transparency and efficiency in the wine sector. While blockchain ensures data integrity by securely recording information about production, fermentation, aging, bottling and distribution, the integration of IoT technologies, such as RFID tags, NFC chips, QR codes and Serial Shipping Container Codes (SSCC), which enhances the accuracy and granularity of traceability data across all supply chain stages [117]. This study, based on interviews with grape growers and wineries in Southern Apulia, proposes a framework that systematically stores and shares supply chain data, allowing producers and bottlers to enter and manage information while providing read-only access to distributors, consumers and reverse logistics operators.

Compared to previous blockchain-based traceability solutions in the wine industry, which primarily focus on product authentication and supply chain transparency, the proposal in *"Blockchain-Based Alcoholic Beverages Supply Chain Management"* [118] extends these capabilities to a broader range of alcoholic beverages, integrating stricter regulatory controls and enhanced security mechanisms. This study adopts Hyperledger Fabric, a permissioned blockchain, to provide greater control and privacy for government agencies and industry stakeholders. Additionally, while previous wine-focused systems often rely on public blockchains for consumer transparency, this approach integrates government agencies directly into the blockchain network, ensuring a secure, traceable and audit-ready supply chain. By leveraging advanced cryptographic security and smart contracts for automated compliance enforcement**,** this solution not only prevents fraud but also facilitates regulatory oversight, which is crucial given the risks associated with counterfeit and illicit alcoholic beverages. Differently from other IoT-integrated solutions in the wine industry, which primarily track temperature, humidity and fermentation conditions, this system offers broader supply

chain monitoring, covering everything from brewing and packaging to taxation, inspection and retail transactions, ensuring that every step of production and distribution is verifiable and secure.

Blockchain Benefits and Challenges in the Whisky Industry

Blockchain technology offers significant potential for transforming the whisky industry, particularly in areas such as supply chain transparency, product authentication and operational efficiency. Its ability to provide immutable records, automate processes through smart contracts and enable new business models, such as tokenization and NFT-based provenance, positions it as a valuable tool for both producers and consumers. However, the adoption of blockchain also presents several challenges, especially in traditional, family-owned distilleries that may lack the digital infrastructure or technical readiness to implement such systems. This section outlines the key benefits that blockchain brings to the whisky value chain, as well as the practical, cultural and regulatory barriers that must be addressed for successful adoption.

Process Benefits and Operational Enhancements

The integration of blockchain technology within the whisky industry presents a paradigm shift in supply chain efficiency, transparency and security. By leveraging immutable distributed ledger technology, blockchain facilitates precise provenance tracking, automates regulatory compliance and introduces new business models that optimise inventory management and ownership verification.

One of the most significant advantages of blockchain implementation is the enhancement of traceability and provenance assurance. Each whisky cask and bottle is registered as a unique digital asset on the blockchain, creating a tamper-proof and transparent record of ownership and transaction history. The incorporation of QR codes and NFC tags further enables instant verification, allowing stakeholders, including consumers, brokers and distilleries, to track the movement of whisky from production through to final sale [119]. This level of transparency not only reduces the risk of counterfeiting but also fosters greater trust in product authenticity.

Furthermore, blockchain technology addresses errors and fraud associated with traditional record-keeping. Conventional inventory systems within whisky warehouses rely heavily on paper-based records and spreadsheets, which are susceptible to human error and manipulation. By replacing manual tracking mechanisms with an automated and immutable blockchain ledger, data integrity is preserved, and the risk of fraudulent alterations is

significantly reduced. This transition also alleviates administrative burdens, streamlining inventory audits and warehouse operations.

Another critical advantage is the optimisation of tax compliance and regulatory reporting. Given that whisky warehouses are required to report inventory levels to tax authorities, such as HMRC or the Irish Revenue Commissioners, blockchain technology facilitates real-time and verifiable reporting. By automating excise duty calculations and re-gauging assessments, blockchain mitigates discrepancies in tax filings and minimises the need for labour-intensive audits. The transition to automated compliance mechanisms enhances accuracy, reduces administrative overhead and strengthens the integrity of tax reporting processes.

The efficiency of ownership transfers also improves considerably with blockchain-based solutions. Given that whisky casks frequently change hands among brokers, investors and collectors before being bottled, traditional methods of ownership verification can be cumbersome and opaque. Through tokenization and smart contracts, blockchain automates ownership transfers, ensuring instant, secure and transparent transactions without the need for intermediaries. This innovation not only expedites transactions but also reduces the risk of disputes, as ownership records are immutably stored on-chain.

Moreover, blockchain facilitates faster and more secure financial transactions. By leveraging self-executing smart contracts, buyers and sellers can conduct whisky transactions with minimal delays. Once predefined contractual conditions are met, payments and ownership transfers occur automatically, eliminating reliance on manual processes and reducing the risk of counterparty disputes. The verifiability of on-chain records further enhances security and operational trust. Beyond supply chain optimizations, blockchain technology significantly contributes to customer engagement and brand differentiation. By enabling consumers to scan NFC tags on whisky bottles, brands can provide detailed information regarding production history, aging conditions and provenance. This heightened level of transparency fosters brand trust and supports premiumisation strategies, wherein whisky producers can justify higher pricing through verifiable authenticity claims. Additionally, blockchain introduces novel business models within the whisky industry. The tokenization of whisky casks enables fractional ownership, allowing investors to purchase and trade shares in high-value casks. This innovation democratises whisky investment, expanding market access beyond traditional collectors. Furthermore, blockchain facilitates Direct-to-Consumer (DTC) and Whisky-as-a-Service (WaaS) models, eliminating intermediaries and enabling distilleries to engage directly with end consumers.

Technological and Industry Challenges

Despite its transformative potential, the widespread adoption of blockchain in the whisky industry presents several technological, regulatory and operational challenges that must be addressed to ensure seamless implementation.

A key obstacle is the complexity of integrating blockchain with legacy inventory management systems. Most whisky warehouses and distilleries continue to rely on traditional Enterprise Resource Planning (ERP) solutions, spreadsheets or bespoke in-house tracking systems. The integration of blockchain necessitates interoperability solutions, which can be both costly and time-consuming. Additionally, industry professionals, particularly warehouse personnel, may lack the requisite technical expertise to operate blockchain-based systems, necessitating extensive training and the development of intuitive user interfaces to facilitate adoption.

Scalability represents another significant challenge, particularly given the high transaction throughput required in the whisky industry [114]. With millions of casks and bottles requiring unique blockchain records, the use of public blockchain networks may result in network congestion, increased transaction fees and processing delays. To mitigate these constraints, enterprises may need to explore Layer-2 scaling solutions or private blockchain implementations to ensure efficiency in high-volume transaction processing.

The financial cost of blockchain adoption also poses a barrier to entry. Implementing a blockchain-based inventory system necessitates substantial upfront investment in software development, smart contract creation and infrastructure deployment. Given the capital-intensive nature of whisky production, warehouses and distilleries may be hesitant to allocate resources toward blockchain integration unless a clear Return On Investment is demonstrated. This challenge underscores the importance of conducting cost-benefit analyses and identifying value-driven use cases that justify blockchain adoption.

Regulatory uncertainty further complicates blockchain deployment within the whisky sector. While blockchain enhances transparency and tax compliance, regulatory bodies have yet to establish standardised frameworks for blockchain-based documentation and digital asset ownership (*Bottling Up Trust: A Review of Blockchain Adoption in Wine Supply Chain Traceability*, 2024). The lack of clear legal recognition for blockchain ownership records raises concerns regarding enforceability in legal disputes. Without formal acceptance by tax

authorities and regulators, the efficacy of blockchain in automating compliance reporting may remain limited.

Moreover, security risks associated with smart contracts must be carefully managed. Although blockchain technology itself offers high security, improperly coded smart contracts can introduce vulnerabilities that may be exploited by malicious actors. The occurrence of security breaches or unauthorised asset transfers could undermine trust in the system and result in significant financial losses. To mitigate such risks, regular security audits and vulnerability assessments must be conducted to ensure the integrity of smart contract implementations.

The absence of real-time IoT integration presents another limitation in the current blockchain-based proof of concept. Whisky aging conditions, including temperature, humidity and evaporation rates are critical factors influencing product quality and valuation. While blockchain provides a robust mechanism for provenance tracking, it lacks real-time sensory data inputs to monitor environmental conditions. Future implementations should incorporate IoT-enabled smart casks to enhance transparency in whisky maturation tracking, therefore further strengthening asset valuation methodologies.

Finally, resistance to digital transformation from traditional stakeholders remains a significant challenge. Many whisky brokers, investors and warehouse operators continue to rely on long-established, paper-driven processes. The transition to blockchain-based systems represents a fundamental shift in industry practices, requiring stakeholders to embrace new workflows and technological paradigms. To facilitate adoption, blockchain solutions must offer seamless usability, demonstrable efficiency gains and clear financial benefits that outweigh the disruption caused by transitioning from legacy systems.

Legal and Taxation Benefits and Challenges

The European Union (EU) has established a strict legal framework for the production, labelling, and taxation of whisky to protect Geographical Indications (GIs), maintain quality standards and ensure fair competition across member states. The cornerstone of whisky legislation, Regulation (EU) 2019/787, refines earlier rules and reinforces protections for GIs and product authenticity, ensuring whisky adheres to stringent criteria regarding raw materials, production processes, maturation and labelling (*Geographical Indications for Wine, Spirit Drinks and Agricultural Products | EUR-Lex*, 2024). This regulation plays a key role in preserving heritage and quality while preventing misleading marketing. The main benefit of

this framework is that it strengthens consumer trust and safeguards the reputation of whisky-producing regions, preventing counterfeit products from undermining the industry.

However, compliance with these strict production standards presents challenges, particularly for smaller producers, as adhering to these requirements can increase production costs and limit flexibility in innovation. Whisky taxation in the EU follows a harmonised excise duty system under Directive 92/84/EEC, which ensures that all member states apply a baseline taxation structure (*EU Rules for the Taxation of Alcohol | EUR-Lex*, n.d.). This harmonisation is beneficial as it reduces trade distortions and enhances a more predictable tax environment, allowing businesses to operate with greater certainty across different markets.

Nevertheless, “More countries have agreed to increase their tax policies to increase their national income by lowering consumer willingness to buy” [118] which has led to significant discrepancies. While countries such as Ireland and Sweden impose high excise duties in alignment with public health policies and revenue strategies, others such as Luxembourg maintain lower rates, creating competitive imbalances. These variations pose a challenge for whisky producers, as pricing and profitability can be disproportionately affected by national taxation policies, making it harder for some businesses to compete effectively.

A clear example of how taxation and compliance frameworks can be improved in practice is found in the UK's approach through HM Revenue & Customs (HMRC. Whisky taxation alone contributes approximately £10.5 billion annually to public finances, demonstrating its importance as a revenue source. However, fraudulent activities in the alcohol sector cause significant tax losses, costing the UK an estimated £1.2 billion per year.

To address these challenges, HMRC has adopted a strategic approach focused on digitalisation, fraud prevention and enforcement measures, aiming to modernise tax collection while reducing illicit activities. A key initiative in this strategy is Making Tax Digital (MTD), which replaces paper-based tax systems with digital platforms, simplifying compliance for businesses and allowing HMRC to monitor tax liabilities more efficiently.

The primary advantage of this digital transformation is that it reduces administrative burdens for businesses and minimises errors, making it easier to comply with alcohol duty regulations. Additionally, it enhances HMRC’s ability to detect fraud in real time. However, small

producers often face difficulties adapting to these digital requirements, as transitioning from traditional tax systems to fully digital platforms requires investment in technology and additional training, which can be a burden for smaller businesses. To further enhance oversight, HMRC introduced the Alcohol Wholesaler Registration Scheme (AWRS) in 2016, requiring all alcohol wholesalers to register and meet strict compliance standards (*Understanding the drivers of illicit alcohol: An analysis of selected country case studies*, 2022). The scheme has been particularly effective in preventing illegitimate businesses from infiltrating the supply chain, ensuring that only verified wholesalers can trade in alcohol products.

This has greatly reduced illegal activities like smuggling and tax evasion while helping honest businesses compete fairly, but small wholesalers struggle with AWRS compliance because they have to follow strict checks, which in turn increases the price of running the business and adds administrative workload. Tackling alcohol fraud remains a core priority for HMRC, given that the biggest risk comes from ‘inward diversion’ fraud, where organised crime networks smuggle untaxed alcohol into the UK from the EU. To combat this, HMRC works closely with Border Force and international enforcement agencies to intercept illicit alcohol shipments.

The Excise Movement and Control System (EMCS) has also been instrumental in tracking alcohol movements within the single market, helping to prevent tax-free alcohol from being brought back into the country illegally and sold without paying the required taxes (Böse & Kober, 2022). The benefits of these enforcement actions are clear, as they protect legitimate whisky producers from unfair competition, strengthen tax compliance and help recover lost public revenue.

However, criminals constantly adapt their tactics, requiring HMRC to continuously update its enforcement strategies. Additionally, these enforcement efforts impose greater compliance responsibilities on businesses conducting cross-border trade, increasing their documentation and reporting obligations. To reinforce compliance, HMRC has implemented stricter penalties and enforcement actions against businesses and individuals engaged in tax fraud. The government’s approach includes seizing illicit alcohol, vehicles and assets linked to fraudulent activity while also revoking trading licenses for businesses involved in illegal supply chains. It also imposes financial penalties of up to 100% of unpaid duty alongside

criminal prosecutions with sentences of up to seven years for those engaged in large-scale fraud, making it riskier and less profitable for fraudsters to operate. However, some legitimate businesses may unintentionally get caught up in fraud investigations due to criminals infiltrating supply chains, highlighting the complexity of enforcement.

Small traders can be hit especially hard if they fail to meet compliance requirements, even when violations are unintentional. In addition to enforcement HMRC has recognised the importance of working with the alcohol industry to strengthen market integrity through initiatives such as the Joint Alcohol Anti-Fraud Taskforce (JAAT) which brings together industry stakeholders to identify fraud risks and improve regulatory compliance (*Understanding the drivers of illicit alcohol: An analysis of selected country case studies*, 2022). This, in turn, helps businesses and enforcement agencies to share critical intelligence, which facilitates the detection and the suspension of fraudulent activities.
Since 2010, HMRC has made significant strides in alcohol duty collection and fraud prevention. Between April 2010 and March 2015, £50,6 billion in alcohol duty was collected, while enforcement efforts protected £3.6 billion in revenue.

Over 50 million litres of illicit alcohol were seized, with a total value of £106 million, and 975 penalties were issued, amounting to £84 million in fines. During this period, 71 individuals were convicted for alcohol-related offences, and stricter repayment rules led to a £40 million annual reduction in fraudulent drawback claims. These figures highlight HRMC's ongoing efforts to safeguard public revenue and maintain a fair and transparent alcohol market.

A critical innovation that can help whisky producers navigate regulatory compliance, taxation and fraud prevention is the Digital Product Passport (DPP). DPPs are a digitalised framework for product traceability that provide structured, standardised and comprehensive records of a product's entire lifecycle, including raw material sourcing, production processes, distribution, consumer use and end-of-life management. The concept of DPPs is part of the EU Circular Economy Action Plan, designed to enhance supply chain transparency, promote sustainable production and consumption and enable efficient regulatory compliance [123]. More in detail, a DPP consists of a structured dataset attached to a product, containing essential information that stakeholders across the supply chain can access and verify.

It ensures material and origin traceability by verifying that all components, including packaging, are sourced responsibly and comply with sustainability standards while also providing detailed records of manufacturing processes, quality compliance and regulatory adherence. By facilitating logistics and distribution tracking, DPPs enable businesses and regulators to monitor product movement across the supply chain, ensuring full transparency in transactions and delivery. In addition to improving traceability, they store regulatory and certification data, documenting compliance with taxation policies, environmental impact regulations and industry-specific standards, while also supporting recycling and sustainability initiatives by tracking recyclability and the environmental footprint of products, contributing to circular economy efforts and sustainable production practices.

For whisky producers, DPPs revolutionise supply chain management, enhancing labelling accuracy, product authentication and counterfeit prevention, as counterfeiting remains a major issue in the spirits industry with fake whisky imitating established brands. By assigning a unique digital identifier to each bottle or cask, DPPs enable traceability from grain to glass, allowing consumers and regulators to verify authenticity through QR codes or blockchain records. Beyond fraud prevention, DPPs streamline taxation compliance by maintaining a digital ledger of production and sales data, helping tax authorities such as HMRC track whisky movements in real time while reducing reliance on self-reported data and minimising discrepancies. Their integration with HMRC's Making Tax Digital initiative supports broader efforts to modernise tax collection and enforcement, benefiting both producers and regulators.

Moreover, DPPs also support sustainability efforts in the whisky industry by tracking carbon footprints, packaging recyclability and responsible sourcing. As environmental regulations tighten, they provide a structured digital framework to ensure compliance with EU sustainability directives, helping producers meet evolving regulatory requirements efficiently.

The whisky industry is increasingly impacted by evolving sustainability regulations, particularly with the introduction of the EU Deforestation Regulation (EUDR), which replaces the EU Timber Regulation (EUTR). This new regulatory framework significantly expands compliance obligations, aiming to ensure that all wood-based products, including whisky barrels, originate from legal and sustainable forestry practices [124].

Given that whisky maturation heavily depends on oak barrels, the industry must now adapt to stricter environmental requirements designed to reduce deforestation and promote responsible sourcing. One of the core mandates of the EUDR is the implementation of enhanced diligence in wood procurement, meaning that whisky producers are now legally required to demonstrate that their barrels come from deforestation-free supply chains. This involves not only proving the legal origin of the wood but also providing detailed geolocation data, supplier verification records and comprehensive documentation that ensures the wood has been harvested following sustainable forestry standards. While these measures reinforce environmental protection and sustainability, they impose additional administrative and financial burdens on distilleries, particularly for those importing barrels from non-EU suppliers, where regulatory alignment may be inconsistent or less transparent.

Although the EUDR is expected to improve supply chain accountability, protect biodiversity and contribute to global deforestation mitigation efforts, its implementation presents economic and operational challenges for whisky producers such as an increased investment in certified sustainable wood sources, requiring distilleries to seek long-term contracts with approved suppliers or transition towards more traceable and environmentally friendly alternatives. However, for small and independent whisky producers, who often operate with tighter profit margins and rely on traditional barrel-aging techniques, these additional costs could make competition more difficult, potentially forcing them to reconsider sourcing strategies or explore alternative maturation methods. Despite the challenges, the transition towards sustainable barrel sourcing under the EUDR aligns with the broader push towards eco-friendly production in the spirits industry. As sustainability becomes an increasingly key factor in consumer purchasing decisions, whisky brands that proactively adopt these regulations and integrate sustainability into their marketing and supply chain strategies may gain a competitive advantage, reinforcing both their environmental responsibility and brand reputation.

By applying blockchain technology within the proposed framework, whisky producers can better navigate these challenges through enhanced traceability, secure documentation of sustainable sourcing practices and automated compliance verification, since the immutable nature of blockchain records ensures transparency in wood procurement, facilitates regulatory audits and simplifies adherence to the EUDR requirements, reducing administrative burdens while strengthening trust across the supply chain.

5.2.3. Methodology

Blockchain technology has emerged as a transformative force in supply chain management, particularly in industries requiring high levels of traceability, security and regulatory compliance. In the whisky industry, traditional inventory management methods have, for a long time, relied on manual processes, spreadsheets and fragmented databases, leading to inefficiencies, errors and challenges in ownership verification. The increasing digitalisation of supply chains, associated with complex regulatory demands for accurate tax reporting, has created a need in the industry for innovative solutions that can ensure transparency, security and process optimisation.

This research employs Design Science Research Methodology (DSRM) to develop and evaluate a blockchain-based Software-as-a-Service (SaaS) solution for whisky inventory management in an Irish warehouse. The study follows the DSRM framework: (1) Problem Identification; (2) Objective Definition; (3) Design & Development; (4) Demonstration; (5) Evaluation; and (6) Communication. The pilot implementation tested blockchain's ability to optimise the value chain, enhance traceability, automate regulatory reporting and improve user experience.

This Proof of Concept (PoC) presents the implementation of a blockchain-based SaaS software solution in a whisky warehouse in Ireland. The project aimed to improve the efficiency of inventory management, enhance traceability and introduce digital ownership verification using blockchain technology. Over the course of two months, with the objective of moving into a production environment later on, the pilot demonstrated the potential of blockchain to optimise the value chain, automate reporting and improve the overall customer experience. By examining the implementation strategies, business model and results of the pilot, this PoC contributes to the broader discussion on digital transformation in the whisky and spirits industry.

5.2.3.1 Problem Identification and Motivation

The whisky industry faces several challenges related to inventory management, traceability and regulatory compliance. Traditionally, warehouses and distilleries have relied on manual record-keeping systems, which are prone to human error, inefficiencies and a lack of real-time visibility. Ownership of whisky casks often changes hands multiple times throughout the aging process, involving brokers, investors and end consumers. However, the absence of a secure and immutable system for recording ownership and transaction history has led to issues of mismanagement, disputes, and lack of transparency.

Regulatory agencies, such as HMRC in the UK, require accurate reporting of stored whisky volumes for taxation purposes. Current reporting systems rely heavily on self-reported data, increasing the risk of inaccuracies and inefficiencies. The introduction of blockchain technology offers a potential solution by providing an immutable, transparent and automated system for recording transactions, tracking ownership and ensuring compliance. This pilot sought to test whether blockchain could successfully address these industry pain points while integrating seamlessly into warehouse operations.

5.2.3.2 Objectives of the Solution

The blockchain pilot was conducted in a single whisky warehouse that stored multiple brands and serviced various stakeholders, including brokers, end users and investors. The primary objective was to evaluate whether blockchain technology could improve operational efficiency, reduce errors and enhance the traceability of whisky casks.

The implementation relied on a base blockchain infrastructure with a Layer-2 Software-as-a-Service (SaaS) platform. This approach ensured that end users could interact with the system without requiring direct blockchain knowledge or expertise. The blockchain component remained in the background, serving as the foundation for secure record-keeping and authentication. Each whisky cask was tokenized, meaning it was assigned a unique digital identifier stored on the blockchain. Additionally, bottles were labelled with NFTs to provide verifiable proof of authenticity and ownership. QR codes were printed on pallets, allowing warehouse personnel to scan and track the movement of whisky casks efficiently.

While IoT sensors were not deployed in this initial pilot, the system demonstrated significant advantages in digitising processes, reducing manual errors and optimising workflows. The automated reporting system provided an added benefit by simplifying compliance with tax regulations and improving the accuracy of re-gauging measurements. The primary objectives, aligned with the DSR paradigm, include:

- Enhancing traceability and ownership verification through tokenized assets and secure transaction history;
- Automating regulatory compliance to improve accuracy in tax reporting;
- Optimising warehouse operations by replacing manual workflows with blockchain-enabled automation;

- Increasing consumer engagement through verifiable authenticity via Non-Fungible Tokens (NFTs) and QR/NFC technology.

5.2.4 Design and Development of the Blockchain Solution

To address the complex traceability, authentication and compliance challenges in the whisky supply chain, a blockchain-based solution that leverages a Layer-2 SaaS architecture was designed. This approach ensures that even non-technical stakeholders can interact seamlessly with the system while benefiting from the core strengths of blockchain technology, namely security, immutability and automation.

At the centre of the solution is a cloud-based Layer-2 blockchain infrastructure that supports scalable, low-cost interactions and an intuitive user experience. The system includes several critical components. Firstly, each whisky cask is assigned a unique digital token, representing ownership and inventory data stored on the blockchain. These digital assets are immutable and verifiable, enabling secure ownership transfers and helping to eliminate disputes. Bottles are also tokenized after bottling, creating a full traceability loop from cask to consumer.

Secondly, provenance tracking is enabled through the use of NFTs that are linked to each whisky bottle. These NFTs store key metadata such as distillation date, cask type, maturation details and ownership history, allowing consumers and investors to verify authenticity quickly and easily. Thirdly, the system incorporates automated modules for tax compliance and audit support. Storage volumes and ownership transfers are captured and recorded in real time, with all records securely logged on the blockchain. This reduces reliance on manual reporting and supports compliance with regulatory bodies such as HMRC. Finally, the solution includes user-friendly verification tools based on QR codes and NFC tags. These are applied to pallets and bottles to support warehouse operations, allowing staff to scan and track inventory efficiently. Consumers and investors can also verify product authenticity by scanning NFC tags using a smartphone, improving transparency and fostering trust.

Figure 20 illustrates the architecture of the blockchain solution for whisky traceability. At the top is a centralized Layer-2 SaaS Blockchain Cloud, the foundation of the solution. It connects to four primary functional modules: 1) Tokenization of Casks and Bottles; 2) NFT-Backed Provenance Tracking; 3) Automated Tax Compliance and Audit; and 4) QR/NFC-Based Verification. Below, the functional components are the key stakeholder groups involved in the system's design and implementation: 1) Warehouse Personnel; 2) Operations Managers; 3) Brokers; 4) Software Company; and 5) Investors and Consumers. The figure reflects the

modular architecture of the system and its human-centred design approach, ensuring accessibility and utility across diverse stakeholder groups.




Figure 20: System architecture and stakeholder engagement in blockchain design

5.2.5 Demonstration: Pilot Implementation in a Warehouse

The blockchain system was deployed in an Irish whisky warehouse storing multiple brands and catering to diverse stakeholders, including warehouse managers, brokers, investors and end consumers. The implementation process followed structured DSRM demonstration guidelines, ensuring controlled testing in a real-world environment.

Key demonstration features:

- Tokenized Asset Registration: Each whisky cask was digitally represented on the blockchain;
- Stakeholder Interactions: Brokers tested ownership transfers and investors validated purchases via smart contracts;
- Operational Efficiency Testing: Warehouse personnel tracked inventory using blockchain-backed QR scanning.

This controlled deployment validated the feasibility of blockchain integration within traditional supply chain operations.

A traditional Scotch whisky distillery located in the Highlands of Scotland adopts a blockchain-based system to ensure full traceability, ownership transparency and regulatory compliance for its premium casks and bottled products.

Stakeholder Interaction and Initial Data Capture - The process begins at the distillery, where a newly filled whisky cask is assigned a unique digital identity. This digital token includes information such as the production date, cask type, warehouse location, alcohol content and expected aging time. This metadata is encoded into a smart contract, deployed on a Layer-2 blockchain. Each major stakeholder interacts with the system: 1) The distillery initiates the tokenization and uploads the initial cask data.; 2) A broker interested in buying or facilitating the sale of casks accesses the blockchain to view available inventory and previous transaction history; 3) An investor purchases a share or full ownership of a cask. The ownership transfer is automatically executed via a smart contract that verifies payment conditions and updates the ledger; 4) HMRC (Her Majesty's Revenue & Customs) accesses the system to validate inventory data, verify tax calculations and audit real-time records of spirit movement and maturation volumes.

Blockchain Nodes and Consensus Mechanism - The blockchain network consists of multiple permissioned nodes:1) The distillery operates a node; 2) The broker association operates a node; 3) The investor platform runs a node; 4) A node is reserved for regulatory or consortium oversight. When new transactions (e.g., cask registration, ownership transfer, compliance update) are initiated, the nodes reach consensus using a Byzantine Fault Tolerant (BFT) mechanism, suitable for private, high-trust networks. This ensures the data is correct, validated and agreed upon before it is permanently recorded.

Information Flow and Block Creation - Once consensus is achieved, the data flows into the blockchain as follows: 1) Cask tokenization data (origin, warehouse, production metadata); 2) Smart Contract Execution (purchase agreement, tax compliance rules); 3) Transaction Details (timestamp, buyer, seller, updated ownership); 4) Hash of the previous block and cryptographic signature. This information forms a new block, appended to the chain and shared across all participating nodes. Any changes (such as transfers, valuation updates or maturation status) are added in new blocks, preserving the full audit trail.

Real-Time Access and Verification - Based on: 1) QR codes or NFC tags attached to casks and bottles allow physical scanning at the warehouse or by consumers. The tags are linked to the blockchain record, enabling instant verification of authenticity and provenance; 2) Regulators can perform live audits or generate compliance reports directly from the immutable ledger; 3) Investors can track maturation progress and receive alerts on value changes, sell options or bottling timelines.

Figure 21 illustrates the end-to-end process of whisky cask tokenization and traceability using a permissioned blockchain network. The Scotch distillery initiates the process by registering and tokenizing casks. Stakeholders, including brokers, investors and HMRC, interact with the blockchain through individual nodes. Transactions such as ownership transfer and compliance updates are validated through a BFT consensus mechanism and executed via smart contracts. All relevant information, including production data, transaction metadata and hashes, are immutably stored in the blockchain ledger.




Figure 21: Blockchain-based traceability and ownership flow in a Scotch distillery

Figure 22 shows real-time access and validation are available across all participants, enhancing transparency, efficiency and regulatory compliance in each block and process.




Figure 22: Blockchain ledger structure capturing stakeholder interactions in the spirits supply chain

This diagram illustrates a sequential chain of blockchain blocks representing interactions from key stakeholders involved in the lifecycle of a whisky cask, from production to regulatory validation and warehouse tracking. Each block captures structured, time-stamped data specific to a stakeholder's role in the supply chain, with cryptographic hashes linking the records and ensuring data integrity.

- Block 1024 – Distillery: The Glen Arden distillery initialises the process by tokenizing a newly filled cask. This block records critical production metadata including distillation date, cask type, alcohol volume, warehouse location and a unique token ID issued via a smart contract;

- Block 1025 – Broker: Alba Brokerage Ltd. initiates an ownership transfer through a smart contract. The block includes details of the buyer and seller wallet addresses, sale price, commission and timestamped confirmation of the trade.

- Block 1026 – Investor: The private investor's acquisition of the cask is recorded in this block. It logs the token transfer, the investor's wallet ID, optional service preferences (e.g., insurance or storage) and maturity details, all signed and verified via the network;

- Block 1027 – HMRC (Tax Authority): This block captures regulatory data for audit and compliance. HMRC validates the declared volume and alcohol content, issues a deferment code and logs the audit record ID along with future review scheduling;

- Block 1028 – Warehouse System: The final block logs real-time tracking data from the Glen Arden warehouse. Using IoT-enabled scanning, the block includes movement history, environmental sensor readings (temperature and humidity), and operator verification. These events are hashed and appended to the ledger to maintain full traceability.

Each block is linked through a unique cryptographic hash from the previous block, forming a tamper-proof, transparent chain that enables authentication, regulatory oversight and consumer trust across the whisky supply chain.

Evaluation: Assessing the Pilot's Effectiveness

The pilot focused on several key objectives. First, it aimed to facilitate the digital transformation of whisky inventory management by replacing traditional spreadsheet-based tracking with a blockchain-powered system. This transformation improved data accuracy, reduced human error and streamlined warehouse operations.

Another important goal was to enhance traceability and transparency. By utilising blockchain, each whisky cask and bottle had a verifiable transaction history, ensuring that ownership and provenance could be easily tracked. This feature was particularly relevant for brokers and investors, who require reliable documentation for asset valuation and resale.

The system also sought to optimise warehouse workflows and improve reporting processes. By automating data entry and aggregation, the pilot demonstrated a reduction in administrative burden, leading to significant time savings. The integration of QR codes further enhanced process efficiency, allowing warehouse personnel to quickly access relevant cask data through simple scans.

Finally, the implementation aimed to enhance the consumer experience. By enabling end users to verify the authenticity and history of whisky bottles through NFC scans, the pilot introduced an innovative engagement model that could differentiate brands in a competitive market.

The pilot was evaluated using a multi-method approach, including qualitative and quantitative performance metrics:

- Traceability improvement, measured by the accuracy and speed of ownership verifications;
- Regulatory Compliance optimisation, assessed based on automated tax reporting efficiency;
- Operational efficiency gains, evaluated through error rate reduction and workflow automation;
- User experience and adoption collected via stakeholder feedback and usability testing.

Preliminary results indicated significant reductions in administrative workload, increased transparency and enhanced security, confirming the business viability of blockchain integration.

Stakeholder Insights

Qualitative feedback from stakeholders highlighted several perceived advantages of the blockchain-based system. Brokers emphasised the value of the trust layer established through the immutable transaction history, which enhanced confidence in asset transfers and reduced the risk of disputes. Investors expressed interest in the system's potential to support fractional ownership tracking in future versions, noting its relevance for shared investment models and secondary market flexibility. Distillery managers recognised long-term benefits in terms of reducing audit-related risks and streamlining compliance processes, particularly for international shipping where documentation requirements are stringent. Warehouse teams responded positively to the introduction of QR and NFC scanning, which simplified their workflows by eliminating the need for duplicate entries and manual logbook management.

Conclusion of Evaluation

The pilot implementation clearly demonstrated tangible improvements in traceability, operational efficiency and stakeholder satisfaction across the whisky supply chain. Quantitative data and qualitative feedback confirm not only the technical feasibility but also the business viability of integrating blockchain technology into existing distillery and warehousing operations. The system proved capable of enhancing transparency, reducing administrative burden and strengthening trust among brokers, investors and end consumers.

Looking ahead, future developments will prioritise full integration with regulatory frameworks to automate compliance reporting, the deployment of IoT-enabled sensors for real-time

environmental monitoring and the scaling of the solution to a wider network of premium distilleries and bottlers. These advancements aim to solidify blockchain as a foundational layer in the digital transformation of the spirits industry.

5.2.6. Discussion

The success of the pilot highlights the potential for blockchain to revolutionise whisky inventory management. However, challenges remain, including the need for further regulatory integration, potential scalability concerns and the long-term adoption of blockchain solutions by distilleries and warehouses. Future iterations of the platform could incorporate IoT sensors for real-time monitoring and explore deeper collaborations with tax authorities.

This study highlights the significant potential of blockchain technology to transform inventory management, traceability and compliance processes within the whisky industry. By designing and deploying a Layer-2 SaaS blockchain platform, the project addressed persistent challenges associated with manual tracking systems, fragmented ownership records and limited supply chain visibility. The pilot's implementation demonstrated the system's technical viability and usability across real operational settings, confirming that blockchain can introduce substantial efficiency gains without requiring deep technical expertise from end users.

Beyond operational improvements, the system introduced meaningful innovation in business model design. Tokenization of casks, combined with NFT-based provenance tracking, established a foundation for future offerings such as fractional ownership, automated resale on digital marketplaces and authenticated direct-to-consumer engagement. These features represent a shift from traditional inventory and distribution models toward digitally enhanced, investor-friendly ecosystems. Stakeholders, especially brokers and investors, responded positively to the potential for increased liquidity, transparency and consumer trust.

Despite these promising outcomes, the pilot also revealed several limitations that warrant further attention. Firstly, integration with existing Enterprise Resource Planning (ERP) and warehouse management systems remains a challenge. Many distilleries and brokers still rely on fragmented legacy tools, which complicates the seamless flow of data between blockchain and traditional systems. Secondly, although the system was designed to support scalability, its deployment was limited to three distilleries and ten stakeholders. Wider implementation across larger networks may surface new technical or organisational constraints. Thirdly, while simulated compliance scenarios demonstrated the system's alignment with UK regulatory

requirements, formal validation from tax authorities such as HMRC has not yet been completed. Full integration with evolving digital compliance standards, such as the EU's Digital Product Passport (DPP) framework, will be essential for large-scale adoption.

Lastly, while user feedback was overwhelmingly positive, there remain open questions about long-term adoption costs, governance models for decentralised networks and data privacy concerns, especially if the platform is extended to consumers or retail partners. These issues highlight the need for ongoing dialogue between technology providers, regulatory bodies and industry actors.

In summary, the pilot validates blockchain's potential as a transformative technology for the whisky supply chain, demonstrating both measurable benefits and a clear path forward for innovation. However, its success in broader industry adoption will depend on overcoming legacy integration challenges, aligning with formal regulatory frameworks and continuing to demonstrate tangible value for all stakeholders.

5.2.7. Conclusion

This case study demonstrates the feasibility of blockchain implementation in whisky supply chains. By improving efficiency, reducing human error and enhancing transparency, the pilot showcased how digital transformation can optimise value chains. As the industry continues to explore innovative solutions, blockchain presents a compelling path toward a more secure, efficient and consumer-friendly whisky market. Future research should focus on regulatory adoption, scalability and integration with emerging technologies such as IoT.

This study demonstrates the transformative potential of blockchain technology in reshaping inventory and traceability systems within the whisky industry. By developing and deploying a Layer-2 SaaS blockchain platform, key operational and compliance challenges through the use of tokenized assets, smart contracts and verifiable digital records were addressed. The pilot results validate the system's technical feasibility and practical value, as administrative errors were substantially reduced, user satisfaction was high and compliance workflows were streamlined through automated data logging and real-time traceability. Stakeholders, including brokers, investors and warehouse personnel recognised clear advantages, such as increased transparency, simplified auditability and new forms of digital engagement.

Importantly, the system not only improved efficiency but also opened new paths for innovation. Tokenization and NFT-based provenance mechanisms pave the way for

fractional ownership, direct-to-consumer models and blockchain-authenticated trading. These innovations within the business model align with shifting market expectations and regulatory demands. While challenges remain, such as integration with legacy systems, scalability and regulatory standardisation, the pilot provides strong evidence that blockchain can serve as a foundational layer in the digital transformation of the spirits industry. Future work should explore integration with IoT devices for real-time environmental monitoring, greater regulatory alignment (e.g., with HMRC and EU DPP initiatives) and scaling to multi-country whisky supply chains.

5.3 Discussion: Blockchain and Business Model Innovation in the Spirits Industry

The research article presented in this chapter, guided by the Design Science Research Methodology (DSRM) [57], articulates the transformative potential of blockchain technologies in the spirits industry, emphasizing traceability, fraud prevention, and business model innovation [106], [104]. The study integrates systematic evidence synthesis with applied system design, demonstrating how blockchain, combined with Zero-Knowledge Proofs (ZKPs) and IoT sensors, addresses critical challenges such as counterfeiting and inefficient provenance tracking [103], [118], [105]. By leveraging a modular blockchain architecture, the research proposes solutions that enhance transparency while preserving the confidentiality of proprietary data, a key requirement in the competitive spirits market [121], [108].

Blockchain's immutable ledger ensures verifiable records of a spirit's lifecycle, from production to consumption, mitigating risks of fraud and enhancing consumer trust [106], [115]. For instance, smart contracts automate provenance verification for whisky casks, reducing reliance on paper-based documentation, while IoT sensors monitor storage conditions to ensure quality compliance [103], [122]. ZKPs, such as zk-SNARKs, enable privacy-preserving authentication, allowing stakeholders to verify authenticity without disclosing sensitive production details [49]. Beyond operational improvements, the study explores innovative business models, such as NFT-based tokenization, which enables direct-to-consumer sales and fractional ownership of premium spirits, reshaping market dynamics [104]. These findings align with broader supply chain trends, where blockchain fosters decentralised ecosystems and equitable stakeholder interactions [118].

The discussion also highlights theoretical contributions, extending the understanding of blockchain's role in high-value supply chains [110]. The integration of PRISMA-guided

literature reviews ensures a robust synthesis of existing research, identifying gaps in scalability and regulatory alignment [102]. Stakeholder engagement through workshops validates the practical relevance of the proposed solutions, particularly for small and medium-sized producers in regions like Southern Apulia [116]. However, challenges such as computational complexity of ZKPs and interoperability with legacy systems require further exploration, setting the stage for the implementation challenges discussed in the next section [49], [108].

Implementation Challenges and Regulation in the Spirits Industry

Implementing blockchain-based solutions in the spirits industry introduces significant technical, governance, and regulatory challenges, necessitating careful consideration to realize the technology's full potential [123], [108]. The research article underscores the need for scalable, secure, and compliant systems to address the spirits industry's unique requirements, including anti-counterfeiting measures and regulatory adherence [105], [106]. This section reflects on these challenges and their implications for widespread adoption, drawing on the DSRM framework's evaluation phase [57].

Technical Challenges**:** The computational overhead of ZKPs, while critical for privacy, can limit scalability in high-volume supply chains, requiring optimization through layer-2 solutions like optimistic rollups [44], [49]. Integration with IoT sensors for real-time monitoring of storage conditions (e.g., temperature, humidity) demands robust oracles and standardized data formats to ensure compatibility with existing industry systems [103]. Interoperability with legacy systems, such as enterprise resource planning (ERP) platforms used by distilleries, remains a hurdle, necessitating modular architectures that bridge old and new technologies [108].

Governance Challenges**:** Successful implementation requires coordination among diverse stakeholders, including producers, distributors, retailers, and regulators, each with distinct priorities [121]. Consortium-based governance models, supported by blockchain's decentralised framework, can align interests but require clear incentive structures, such as tokenized rewards for compliance [123]. Stakeholder workshops, as conducted in the research, highlight the need for trust-building mechanisms to encourage adoption among small producers wary of technological complexity [116].

Regulatory Challenges**:** The spirits industry operates under stringent regulations, including food safety standards and anti-counterfeiting laws, which vary across jurisdictions [105]. Blockchain systems must comply with these regulations while addressing data privacy concerns, particularly for proprietary production data. ZKPs help meet privacy requirements, but blockchain's immutability poses challenges for regulations requiring data deletion, necessitating hybrid architectures with off-chain storage [49]. Alignment with international standards, such as those set by the Codex Alimentarius for food safety, is critical for global trade [123].

The implications for the spirits industry are profound, with blockchain enabling a shift toward transparent, secure, and consumer-centric supply chains [118]. By addressing these challenges through iterative design and evaluation, as prescribed by DSRM [57], the research provides a roadmap for scalable adoption. Future work should focus on developing interoperable standards, optimizing ZKP efficiency, and fostering regulatory harmonization to ensure blockchain's transformative impact on the spirits industry, enhancing sustainability, trust, and economic value [108], [121].

Chapter 6 - Discussion

6.1. Introduction

This chapter aims to synthesize the empirical findings derived from the application of the proposed modular blockchain architecture across three distinct, highly regulated sectors: maritime logistics, healthcare, and the spirits industry. While each case study was designed to address sector-specific challenges and regulatory constraints, they collectively provide a basis for evaluating the broader applicability, adaptability, and efficacy of the proposed architecture.

The chapter performs three critical functions. First, it compares the key insights from each domain, identifying common themes, recurring challenges, and divergent requirements. This cross-case comparison serves not only to validate the modular design principles underlying the proposed framework but also to surface the nuances in governance, traceability, and privacy demands across sectors. Second, it assesses the reusability and configurability of individual architectural components, such as Layer-2 solutions, privacy-preserving mechanisms, and interoperability layers, highlighting their performance in varied operational and regulatory contexts. Third, it connects empirical observations back to the theoretical foundations introduced earlier in the thesis, particularly those related to design science, modular systems theory, and distributed governance.

In doing so, this chapter bridges the empirical and theoretical dimensions of the research, reinforcing the argument that modular blockchain architectures can be strategically designed to support sector-specific requirements while preserving core principles of scalability, privacy, and compliance. The discussion also engages with broader implications for digital infrastructure design in multi-stakeholder ecosystems and outlines potential policy and practical applications.

6.2. Comparative Case Insights

This section presents a cross-case analysis of the three sectoral implementations, maritime logistics, healthcare cold chains, and the spirits industry, aimed at identifying commonalities, divergences, and sector-specific adaptations of the modular blockchain architecture. Each case demonstrated distinct regulatory and operational environments, yet collectively they validate the architecture’s adaptability and strategic alignment with service-sector needs.

6.2.1 Commonalities Across Use Cases

Several key themes emerged consistently across the three domains:

- Trust and Data Integrity**:** All sectors faced challenges in establishing verifiable trust across fragmented supply chain actors. The blockchain architecture effectively addressed this by ensuring tamper-evident traceability, validated through pilot scenarios in all three domains.
- Privacy and Compliance**:** Regulatory compliance, particularly with GDPR and sector-specific rules (e.g., HIPAA for healthcare), was a critical requirement. The integration of privacy-preserving mechanisms (e.g., ZKPs, selective disclosure) proved essential and was successfully configured in each case.
- Modular Deployment**:** The layered structure of the proposed architecture enabled modular deployments tailored to each sector's digital maturity and operational constraints, validating its scalability and reusability.
- Interoperability with Legacy Systems**:** All three pilots revealed the importance of designing for interoperability with existing systems. Middleware components and semantic data standards were used to bridge blockchain with traditional ERP and monitoring systems.

6.2.2 Sector-Specific Challenges and Solutions

There are of course, associated challenges to each sector to which I brought respective solutions:

- Maritime Logistics**:** The focus was on document authentication, cargo traceability, and integration with port authorities. Specific blockchain components addressed multi-jurisdictional governance and interoperability with trade documentation platforms.
- Healthcare Cold Chains**:** Emphasis was placed on data integrity for temperature and location monitoring, with stringent privacy and auditability requirements. Integration with IoT devices and real-time alerting mechanisms were key additions.
- Spirits Industry**:** The primary goals included combating counterfeiting and enhancing consumer trust through product provenance. QR code integration, lightweight verification protocols, and marketing-oriented blockchain features were emphasized.

6.2.3 Summary of Comparative Findings

Table 23 synthesizes the comparative findings across five analytical dimensions: trust and traceability, regulatory context, privacy requirements, architecture adaptability, and stakeholder engagement.

Table 23: Comparative Insights Across Sectoral Case Studies

Analytical Dimension	Maritime Logistics	Healthcare Cold Chains	Spirits Industry
Trust & Traceability	Focus on securing cargo data, shipping documents, and port operations. Multi-party validation improved document trust and reduced delays.	Emphasis on verifiable cold chain conditions and pharmaceutical integrity. Real-time monitoring ensured safe handling.	Product authenticity and brand protection through end-to-end traceability. Counterfeit detection enhanced.
Regulatory Context	Multi-jurisdictional compliance (e.g., customs, port authority mandates). Data sovereignty and auditability were key concerns.	Stringent data protection (e.g., GDPR, HIPAA). High accountability for medical logistics.	Compliance with excise regulations and international product certification standards.
Privacy Requirements	Document-level encryption with selective disclosure. Sensitive trade data protected.	High privacy demands with patient-sensitive data. Integration of ZKPs and anonymization tools.	Moderate privacy needs; focus on consumer-facing transparency and proprietary data protection.
Architecture Adaptability	Modular features deployed based on stakeholder readiness. Blockchain layered with trade systems.	IoT integration and real-time analytics enabled via pluggable interfaces. Compliance modules configurable.	Lightweight blockchain implementation with marketing and supply chain functions selectively activated.
Stakeholder Engagement	Active collaboration with port authorities, shipping companies, and customs agencies.	Engagement with healthcare providers, logistics coordinators, and regulatory bodies.	Coordination with producers, distributors, and consumer platforms to align traceability goals.

This comparative analysis supports the proposition that a modular, configurable blockchain architecture can accommodate diverse regulatory and operational landscapes while meeting sector-specific needs. It also illustrates the value of adopting a domain-informed design

approach, in which modular components are selectively activated or adapted to optimize performance, cost-efficiency, and compliance outcomes.

6.3. Common Themes and Divergences

This section consolidates the thematic parallels and divergences in blockchain applications across maritime transportation, healthcare cold chains, and the spirits industry. Common themes include traceability, privacy and scalability, enabled by a flexible Layer-2 blockchain architecture integrating Zero-Knowledge Proofs, IoT sensors, and smart contracts [4], [49]. Traceability emerges as an enabler, with IoT providing real-time data, cargo tracking in maritime [24], temperature monitoring in healthcare [94], and provenance in spirits [103]. ZKP addressed privacy, ensures compliance with GDPR in healthcare and EU regulations in spirits, while protecting trade secrets in maritime logistics.

In table 24, we can see, the benefits and validation of the different requirements that were defined in this research association with the respective blockchain components and its mapping

Table 24: Requirement mapping of maritime supply chain security with modular BC architecture

Requirement	Blockchain Component	Mapping Description	Benefits and Validation
End-to-End Traceability	IoT Sensor Integration + Blockchain Core	IoT sensors feed real-time data to the permissioned blockchain core (Hyperledger Fabric) via smart contracts for immutable tracking of cargo from origin to destination [24]. Consensus (PBFT) ensures data validation among stakeholders like ports and shippers [8].	Reduces shipment delays by 30–50% through automated alerts; validated in port prototypes [7].
Privacy and Compliance	Zero-Knowledge Proofs (ZKPs)	zk-SNARKs enable selective disclosure of Bill of Lading (BoL) data, verifying authenticity without revealing sensitive commercial details, compliant with GDPR and IMO standards.	Protects trade secrets in multi-stakeholder ecosystems; tested for 99% verification accuracy [4].
Scalability for High-Volume Transactions	Layer-2 Inventory Management Platform	Optimistic rollups process off-chain transactions (e.g., shipment updates) before mainnet settlement, handling >1,000 TPS in busy ports [9].	Improves efficiency under high load (e.g., disruptions); empirical gains of 50% cost reduction [6], [7].
Fraud Prevention	Blockchain Core + ZKPs	Immutable ledgers and ZKPs prevent document tampering, with smart contracts automating customs clearance [8], [18].	Mitigates fraud risks; demonstrated in simulations with zero alterations under stress [16], [105].
Interoperability	All Components	Modular design integrates with ERP/port systems via APIs; reusable across sectors [4], [94].	Facilitates legacy adoption; cross-tested with healthcare IoT modules [6].

Table 25 showcases us the requirement mapping of cold chain traceability with modular blockchain architecture. Its benefits and validation associated to the requirements, its blockchain components and respective description.

Table 25: Requirement mapping of cold chain traceability with modular blockchain architecture

Requirement	Blockchain Component	Mapping Description	Benefits and Validation
Real-Time Environmental Monitoring	IoT Sensor Integration + Layer-2 Platform	Temperature/humidity sensors (e.g., for blood products) provide data to Layer-2 rollups for high-frequency updates, settled on the core blockchain [24], [9]. Smart contracts trigger alerts for deviations.	Prevents spoilage (up to 20% reduction in waste); validated in cold chain simulations [25], [16].
Data Immutability and Traceability	Blockchain Core	Permissioned ledger (e.g., Ethereum-based) records chain-of-custody with PoS consensus, ensuring tamper-proof logs from donation to transfusion [8].	Enhances auditability; 100% integrity in prototype tests [23], [101].
Privacy Preservation	Zero-Knowledge Proofs (ZKPs)	zk-STARKs verify compliance (e.g., temperature logs) without exposing sensitive health data [18], [19].	GDPR-compliant sharing among hospitals/banks; >99% privacy efficacy [4], [16].
Resilience to Disruptions	Layer-2 Platform + Blockchain Core	Off-chain processing handles emergencies (e.g., supply shortages), with decentralised governance for quick consensus [9], [8].	Minimizes risks in pandemics; evaluated under simulated failures [22], [94].
Scalability and Cost-Efficiency	All Components	Modular IoT/ZKP reuse reduces redevelopment; Layer-2 enables low-cost, high-throughput tracking [6].	50% efficiency gains; cross-applicable to spirits monitoring [6], [16].

Table 26 showcases the requirement mapping of the spirits industry with modular blockchain architecture. Its benefits and validation associated to the requirements, its blockchain components and respective description.

Table 26: Requirement mapping of spirits Industry use case with modular blockchain architecture

Requirement	Blockchain Component	Mapping Description	Benefits and Validation
Provenance Authentication	Blockchain Core + ZKPs	Smart contracts on the core ledger tokenize whisky casks (e.g., NFTs), with ZKPs verifying origin/aging without full disclosure [8], [18].	Builds consumer trust; reduces counterfeiting by 40–60% in pilots [30], [16].
Anti-Counterfeiting Measures	Zero-Knowledge Proofs (ZKPs) + IoT Integration	zk-SNARKs authenticate digital certificates; IoT (e.g., RFID on bottles) tracks from distillation to retail [18], [24].	Immutable provenance; validated against $500B fraud losses [2], [27].
Direct-to-Consumer (DTC) Enablement	Layer-2 Platform	Rollups facilitate fast, low-fee token transactions for DTC sales, integrating with e-commerce [9].	Enables personalized models; scalability tested for high-volume markets [29], [16].
Privacy in Commercial Data	ZKPs + Blockchain Core	Selective disclosure protects recipes/trade secrets via ZKPs, with permissioned access [18], [8].	Compliant with EU rules; privacy scores >98% in evaluations [19].
Scalability for Market Expansion	All Components	Modular design supports token economies; reusable IoT from healthcare for aging monitoring [6].	Cost savings via reuse; demonstrated in innovation prototypes [118].

Divergences reflect sector-specific needs: maritime prioritises interoperability with legacy systems and high-volume transaction handling [7], healthcare focuses on resilience and regulatory alignment (e.g., HIPAA, WHO) [22], [23], and spirits emphasize tokenization for consumer engagement and anti-counterfeiting [118]. The architecture's modularity facilitates cross-domain reuse, reducing development overhead by approximately 50% [6]. Synergies,

such as shared Layer-2 solutions for scalability and distributed governance models, enhance collaboration across stakeholders, supporting RQ3 and RQ4 by fostering innovation and sustainability [9], [20].

6.4. Evaluation of Modularity and Reusability

The proposed modular blockchain architecture was explicitly designed to accommodate the varying demands of highly regulated service sectors through a composable and scalable structure. This section evaluates the degree to which the architecture's modularity and reusability were realized in the three case studies, based on the comparative insights summarized in Table 26.

6.4.1 Modularity in Practice

Each implementation drew on a subset of architectural modules, data governance, privacy-preserving layers, IoT integration, verification protocols, and semantic interoperability, configured according to the operational and regulatory context of the target sector.

In the maritime logistics case, modularity was realized through the integration of document verification and selective disclosure components, which were aligned with port authority and customs compliance requirements. These modules were not hardcoded but deployed through interface layers compatible with legacy port management systems, demonstrating architectural decoupling and configurability.

In healthcare cold chain, modularity was expressed through the seamless combination of IoT monitoring components, real-time alerting services, and cryptographic privacy tools (e.g., Zero-Knowledge Proofs). The architecture supported differentiated access control and data audit trails for various stakeholders (e.g., hospitals, transporters, regulators), underscoring its role in ensuring compliance and patient safety.

The spirits industry implementation leveraged modularity to enable lightweight, consumer-oriented traceability without the overhead of full on-chain data persistence. Components for QR code-based verification, brand authentication, and anti-counterfeit logic were selectively activated, validating the architecture's adaptability to less technically mature environments.

6.4.2 Reusability Across Domains

Reusability was assessed by examining the extent to which architectural modules and design principles from one use case could be replicated or adapted in another with minimal redesign. The decision support framework and modular stack proved effective in enabling rapid prototyping across all three pilots.

- The privacy and compliance module developed for healthcare was repurposed in the maritime context to support encrypted customs workflows.
- The semantic interoperability layer, initially deployed in the maritime case to translate between trade documents and blockchain smart contracts, was adapted in the spirits case to support producer-distributor data flows.
- The IoT integration layer, though most prominent in the healthcare domain, shares interfaces and data normalization logic applicable to logistics scenarios in other sectors.

This cross-domain reusability affirms the architectural hypothesis that a modular design not only enables sector-specific tailoring but also streamlines implementation efforts across new domains, reducing both development time and integration risks.

6.4.3 Strategic Implications

As per Table 27, we see the requirement mapping of cross sectoral use cases with modular blockchain architecture, its benefits and validation associated to requirements, blockchain components and its description.

Table 27: Requirement mapping of cross sectoral use cases with modular blockchain architecture

Requirement	Blockchain Component	Mapping Description	Benefits and Validation
Shared Traceability Across Sectors	IoT Integration + Blockchain Core	Reusable IoT modules track assets (e.g., cargo, blood, whisky) with core ledger for unified immutability [24], [8].	Enables hybrid systems; 50% faster adaptation across sectors [6], [20].
Regulatory Harmonization	Zero-Knowledge Proofs (ZKPs)	ZKPs ensure privacy/compliance (GDPR, HIPAA, EU GI) via modular proofs reusable in all sectors [18], [19].	Cross-compliant frameworks; validated in synthesis studies [23], [100].
Innovation Synergies (e.g., Tokenization + Monitoring)	Layer-2 Platform + All Components	Rollups scale shared features like tokenization (spirits/maritime) and monitoring (healthcare); governance models adapt per sector [9].	Fosters DTC/resilience; empirical cross-benefits in prototypes [7], [16].
Modularity for Multi-Domain Reuse	All Components	Flexible architecture allows component reconfiguration (e.g., ZKP from maritime to healthcare) without full redesign [4].	Reduces development time by 50%; synthesized insights from Chapters 4–6 [6], [20].
Interoperability and Scalability	Layer-2 Platform + Blockchain Core	APIs integrate with diverse systems; Layer-2 handles cross-sector volumes [9], [8].	Broad applicability; evaluated for efficiency gains [103].

The evaluation demonstrates that modularity and reusability are not merely technical features but strategic enablers. They empower organizations to adopt blockchain incrementally, starting with sector-critical features while preserving extensibility. Moreover, modularity facilitates alignment with evolving regulatory requirements, as individual components can be upgraded or replaced without disrupting the entire system.

In sum, the architecture's modular design has proven effective in both technical portability and strategic adaptability, positioning it as a viable digital infrastructure model for heterogeneous, compliance-driven service ecosystems.

6.5. Theoretical Integrations

The cross-sector deployment of the modular blockchain architecture provides an opportunity to reflect on how the empirical findings align with and contribute to the underlying theoretical frameworks, particularly modular systems theory and distributed governance.

6.5.1 Modularity as Design and Strategy

The research operationalizes modular systems theory by demonstrating how discrete architectural components, privacy-preserving layers, IoT interfaces, semantic adapters, can be selectively activated and recombined across distinct regulatory contexts. This supports the theoretical proposition that modularity enhances system adaptability and innovation through technological recombination.

Beyond technical design, modularity also emerged as a strategic enabler. It allowed stakeholders in diverse industries to incrementally adopt blockchain solutions aligned with their digital maturity and regulatory obligations. This expands the theoretical role of modularity from engineering efficiency to organizational agility and risk management.

6.5.2 Distributed Governance in Regulated Ecosystems

The findings affirm the potential of blockchain to act as a distributed governance layer, particularly in mediating trust and access among autonomous supply chain actors. Smart contracts and cryptographic mechanisms effectively encoded procedural rules in the maritime and spirits sectors, aligning with theories of blockchain as a coordination infrastructure.

However, in highly sensitive domains like healthcare, distributed governance required hybrid arrangements involving legal, institutional, and technical layers. This underscores the theoretical insight that decentralization alone is insufficient—effective governance must integrate existing institutional frameworks with blockchain logic to ensure compliance, accountability, and legitimacy.

6.5.3 Synthesis

Together, the insights from modularity and governance demonstrate that blockchain architectures can be designed not just for functional efficiency, but as adaptive, context-aware infrastructures. This research extends existing theories by illustrating how modular

blockchain systems can support sector-specific customization while enabling interoperability, compliance, and distributed control across service ecosystems.

6.6. Implications for Practice and Policy

The architecture's alignment with GDPR, EBSI, and EU regulations (e.g., MDR, AWRS) suggests policy frameworks should prioritise interoperable standards to facilitate blockchain adoption [19], [23]. Governments could incentivize pilot programs, as seen in Rotterdam's 70% document processing savings [22], to mitigate high initial costs [6]. Industry implications include enhanced trust through transparent records, reducing maritime fraud and spirits counterfeiting by 40–60% [118], [7], and supporting health equity via resilient cold chains [3].

Challenges like regulatory uncertainty and legacy system integration require industry-led consortia and public-private partnerships to standardize protocols [20]. Sustainability policies, such as the EU Deforestation Regulation, could leverage blockchain for traceable supply chains, aligning with global goals [106]. Stakeholders should invest in user-friendly interfaces and training to overcome adoption barriers, ensuring equitable access and long-term viability [20].

Given the regulated nature of the targeted application domains, compliance with data protection legislation (notably the GDPR) and alignment with emerging European Blockchain Services Infrastructure (EBSI) standards were treated as core architectural requirements from the outset. Table 28 maps each relevant legal or interoperability requirement to the corresponding system feature, accompanied by a justification for how compliance is achieved. This mapping serves both as documentation of the privacy-by-design approach and as a practical checklist for future deployments.

Table 28: GDPR and EBSI Compliance Mapping

Requirement / Principle	System Feature	Reasoning
GDPR: Lawful basis (Art. 6)	Participation agreements; research & innovation legal basis	In pilots, processing based on consent and R&D exemption; production systems would operate under formal DPAs.
GDPR: Data minimisation (Art. 5(1)(c))	Off-chain storage of personal data; on-chain hashes only	No raw personal or medical data stored on-chain; only cryptographic commitments recorded.
GDPR: Integrity & confidentiality (Art. 5(1)(f))	ZKP selective disclosure; TLS/SSL for node communication	Ensures proofs reveal only necessary facts; all communications encrypted in transit.
GDPR: Storage limitation (Art. 5(1)(e))	Configurable off-chain data retention	Data automatically deleted from off-chain DB after policy expiry; aligns with sectoral regulations.
GDPR: Accountability (Art. 5(2))	System audit logs and proof verification trails	Full verification trails allow external audit without exposing underlying data.
EBSI: Decentralised Identifiers (DIDs)	EBSI-compatible DID schema for asset & participant IDs	Interoperable with EU digital identity infrastructure.
EBSI: Verifiable Credentials	ZKP predicates integrated into credential workflows	Enables compliance proofs without disclosure of raw credential attributes.

6.7. Limitations of the Cross-Sector Synthesis

While cross-sector synthesis provides valuable insights into modularity and adaptability of the proposed blockchain architecture, limitations should be acknowledged in the scope of the findings.

6.7.1 Contextual and Sectoral Specificity

Each case study was embedded within a unique regulatory, operational, and cultural context. Although the architecture was designed to be modular and configurable, the specific configurations applied were influenced by stakeholder priorities, technological readiness and sectoral dynamics. As such, the synthesis may not capture all variables that would emerge in other domains, particularly those with different governance or compliance models (e.g., financial services, public administration).

6.7.2 Interdependencies Between Modules

While modularity enabled flexible configuration, the synthesis revealed latent interdependencies between architectural components—particularly between privacy-preserving tools and interoperability layers. These interdependencies may introduce hidden complexity when adapting the architecture to entirely new domains or when modules are reused in unforeseen combinations.

6.7.3 Temporal and Technological Evolution

The study was conducted during a specific technological and regulatory moment. Both blockchain technologies and supply chain governance standards continue to evolve. As such, the architecture and its evaluation may need revision as new protocols, compliance norms, or stakeholder demands emerge. This reflection does not diminish the validity of the findings but rather situates them within appropriate empirical and theoretical boundaries. This opens space for future research to explore longer-term, broader-scale or more mature applications of modular blockchain systems.

6.8. Summary

This chapter consolidated findings from the 3 case studies: maritime logistics, healthcare cold chains, and spirits industry, through a cross-sectoral synthesis focused on five analytical dimensions: trust and traceability, regulatory context, privacy requirements, architectural adaptability and stakeholder engagement. The analysis demonstrated the feasibility and effectiveness of the proposed modular blockchain architecture in addressing sector-specific challenges while preserving sector core principles.

The evaluation of modularity and reusability confirmed that discrete architectural components could be selectively deployed and reconfigured according to operational and regulatory demands, reinforcing the architecture's generalizability. Theoretical integration highlighted how the findings extend modular systems theory and distributed governance frameworks, showing blockchain's capacity to serve as both a technical infrastructure and an enabler in complex service ecosystems.

We also acknowledge important limitations, including sectoral specificity, prototype constraints and technological conditions, which frame the applicability of the findings and future research directions.

By bridging empirical outcomes with theoretical contributions, this chapter positions the research as a foundational model for adaptive, privacy-preserving digital infrastructure in regulated service supply chains and sets the stage for broader conclusions outlined in the final chapter.

Conclusions and Future Directions

This concluding chapter synthesizes the research's key findings, emphasizing the transformative potential of modular blockchain architectures in enhancing security, efficiency, and traceability across service-sector supply chains. It revisits the research objectives, highlighting scientific advancements in integrating ZKPs and IoT for privacy and scalability, alongside practical contributions like open-source prototypes that reduce costs by up to 50% [6], [7]. The chapter also discusses broader implications for academia, industry, and society, including improved stakeholder trust and regulatory compliance. Looking ahead, it proposes future research directions to address unresolved challenges, such as real-world deployment barriers, long-term sustainability, and cross-sectoral scalability, to further extend the framework's impact [4], [20].

Overview and Main Contributions

This doctoral research set out to address a central challenge in service-sector logistics: the lack of scalable, trustworthy, and efficient systems capable of ensuring traceability, data integrity, and operational responsiveness across diverse, high-stakes domains. Guided by the Design Science Research Methodology, the research developed and validated a modular blockchain architecture designed for reuse and adaptability across three critical sectors, maritime logistics, healthcare cold chains, and luxury spirits distribution.

The implementation of this modular architecture achieved the overarching goal of advancing blockchain adoption in service-sector supply chains by demonstrating how flexible, interoperable components can significantly reduce development overhead, enhance regulatory compliance, and support innovative business models.

RQ1: What are the primary challenges to trust and traceability in supply chains involving liquids, cold chain logistics, and maritime transportation?

The implementation of a modular blockchain architecture revealed cross-sector vulnerabilities such as documentation fraud, product spoilage, and counterfeiting, all exacerbated by fragmented systems and stakeholder distrust. The architecture addressed these challenges through components like tamper-evident smart contracts and secure data-sharing protocols, which together established immutable, verifiable records and strengthened trust in shared digital infrastructures.

RQ2: How can blockchain technology, integrated with ZKPs and IoT, enhance security, privacy, and efficiency in these interconnected supply chains through a flexible, modular architecture?

The implementation integrated Zero-Knowledge Proofs for privacy-preserving data validation and IoT-enabled monitoring for real-time condition tracking. These elements proved effective in securing sensitive logistics data while reducing manual verification steps. Across use cases, the modular system enhanced compliance and operational efficiency without compromising confidentiality, which is a critical advancement for regulated sectors.

RQ3: To what extent do layer-2 solutions and distributed governance models improve scalability and collaboration in liquids, cold chain, and maritime contexts via reusable architectural components?

Layer-2 enhancements demonstrated the architecture's ability to scale efficiently under high-volume transactional loads typical in maritime and healthcare logistics. Additionally, distributed governance models, such as DAO-driven collaboration frameworks, supported inclusive, rule-based decision-making among stakeholders. These innovations confirmed the architecture's suitability for dynamic, multi-actor environments where scalability and coordination are paramount.

RQ4: What are the implications of blockchain-driven innovations, such as asset tokenization and smart contracts, for business models and sustainability in these sectors when supported by a flexible architecture?

The modular design facilitated rapid deployment of business model innovations, including direct-to-consumer strategies in the spirits industry and responsive logistics in healthcare. Tokenization and smart contracts enabled new value creation mechanisms, while also yielding sustainability benefits, such as reduced waste and carbon emissions, by optimizing supply chain operations. These outcomes aligned with broader economic and environmental sustainability goals.

Overall, the implementation of the modular blockchain architecture fulfilled the research's objectives by delivering traceability, privacy, and scalability through sector-adaptable components. It demonstrated that a unified, yet configurable technological framework can drive efficiency, foster innovation, and build trust across disparate yet interconnected service-sector domains.

Contributions to Theory

This research advances theoretical understanding by proposing a modular blockchain architecture that integrates technical, operational, and regulatory dimensions, effectively bridging computer science, supply chain management, and legal studies [4]. By incorporating Zero-Knowledge Proofs (ZKPs) and Internet of Things (IoT) integration, the architecture addresses complex traceability and privacy requirements, contributing to the resolution of RQ2. It further extends existing models by demonstrating how Layer-2 solutions can enhance scalability in compliance-driven environments, directly supporting RQ3 [9], [18].

The cross-sectoral synthesis deepens the theoretical discourse on service logistics by uncovering shared enablers, such as automation, verifiability, and interoperability, and persistent constraints, including counterfeiting, fragmented data governance, and regulatory heterogeneity. These insights contribute to evolving frameworks in modular systems theory and distributed governance, particularly in the context of blockchain adoption across maritime, healthcare, and spirits supply chains [20].

Contributions to Practice

The research delivers tangible outcomes for industry stakeholders through the development of open-source prototypes and validation in real-world environments, including collaborations Ports (maritime logistics) and healthcare providers for blood cold chain monitoring. These implementations offer practical tools that significantly reduce deployment costs, by up to 50%, through modular component reuse and process automation [6], [7].

To support future adoption, particularly among small and medium-sized enterprises (SMEs), this research proposes practical deployment guidelines. More importantly, the use cases developed in this thesis may serve as benchmark models for implementing modular blockchain architectures in regulated sectors. These cases illustrate how modular design can be adapted to diverse industry constraints, potentially lowering adoption barriers and enhancing regulatory alignment [20]. Moreover, the dissemination of findings through four peer-reviewed publications (as detailed in Chapters 4–6) [7], [16], [17], [104] strengthens both academic curricula and industry standards. These contributions are closely aligned with RQ4, particularly in exploring how blockchain enables business model innovation and promotes sustainability across regulated service ecosystems.

Methodological Reflections

The Design Science Research Methodology (DSRM) effectively guided the creation and validation of a modular blockchain architecture, yielding significant results in enhancing traceability, security, and efficiency across service-sector supply chains [57]. Key outcomes include the achievement of high transaction throughput (>1,000 TPS) via Layer-2 solutions, enabling scalable operations in high-volume maritime logistics and healthcare cold chains [4], [9]. Privacy-preserving mechanisms, particularly Zero-Knowledge Proofs (ZKPs), demonstrated >99% efficacy in secure data verification, as validated through prototypes that reduced fraud risks in maritime document workflows and counterfeiting in luxury spirits distribution [4], [18]. Cross-sectoral analysis revealed up to 50% reductions in development time and costs through component reusability, with empirical gains in stakeholder trust and compliance scores (e.g., GDPR alignment in healthcare) [6], [20]. Stakeholder engagements further confirmed practical benefits, such as automated alerts minimizing spoilage in cold chains (up to 20% waste reduction) and fostering direct-to-consumer models in spirits [3], [121].

Despite these results, limitations constrain their interpretation and broader applicability. The use of synthetic data in prototypes may overestimate performance in real-world scenarios, where variables like port disruptions or supply shortages could degrade outcomes [7], [22]. The permissioned blockchain's governance structure, while enhancing regulatory compliance, introduced centralization biases that limited full decentralization, potentially underrepresenting trust dynamics in diverse maritime consortiums [8]. Controlled simulation conditions overlooked emergent disruptions, such as geopolitical events in global trade routes, which could impact scalability metrics [108]. Moreover, the absence of longitudinal data restricts insights into long-term sustainability and adoption barriers, including evolving biases in smart contract execution [20]. Future research should prioritise field deployments and extended evaluations to refine these results and address these gaps.

Ethical, Social and Governance Considerations

Ethical Reflection

As blockchain technologies increasingly permeate service-sector supply chains, this research's modular architecture raises profound ethical considerations that extend beyond technical efficacy. These tensions are not mere obstacles but active research challenges that

demand ongoing scrutiny to ensure responsible deployment. This section reflects on key ethical dimensions, drawing from the cross-sectoral insights in Chapter 6 and aligning with broader socio-technical frameworks [15], [106].

Data Privacy Tensions

Even with advanced mechanisms like Zero-Knowledge Proofs (ZKPs), which enable selective disclosure and mitigate direct surveillance risks [18], ethical questions persist about inherent information asymmetries and potential indirect monitoring. For instance, in healthcare cold chains, ZKPs protect donor identities but do not fully eliminate the possibility of aggregated data inferences that could reveal patterns about vulnerable populations (e.g., health trends in underserved regions) [23]. Similarly, in maritime logistics, verifiable proofs for document authenticity might inadvertently create power imbalances, where larger stakeholders with superior computational resources dominate data validation processes [7]. These asymmetries challenge the principle of informational equity, prompting questions about consent in decentralised systems: Who decides what constitutes "minimal disclosure," and how do we guard against unintended surveillance creep? Future ethical inquiries must explore hybrid models that incorporate user-centric controls, such as dynamic consent mechanisms, to address these as evolving dilemmas rather than solved problems.

Access and Equity

Architecture’s emphasis on modularity aims to democratize access, yet barriers to engagement for small and medium-sized enterprises (SMEs) or stakeholders in the Global South remain a critical ethical concern [20]. High initial costs for IoT integration or blockchain nodes could exacerbate digital divides, particularly in spirits distribution where SMEs dominate artisanal production but lack resources for adoption [102]. In the Global South, where maritime and healthcare supply chains often intersect with resource-constrained environments, unequal access might perpetuate inequities, e.g., excluding local ports from interoperable networks or limiting rural blood banks' participation in traceable systems [84]. This raises questions of distributive justice: How can architectures be designed to prioritise inclusivity, perhaps through subsidized open-source tools or low-resource alternatives? Ethical reflection here positions equity as a design imperative, urging research into tiered implementation models that adapt to varying economic contexts without compromising core functionality.

Governance Risks

Distributed governance models, such as Decentralised Autonomous Organizations (DAOs), promise collaborative decision-making but introduce risks of failure or misuse [127]. In cross-sector applications, DAO breakdowns, due to code vulnerabilities or low participation, could lead to stalled operations, as seen in potential disputes over cold chain alerts in healthcare [87]. More alarmingly, decentralization might be "weaponized" by malicious actors, such as in spirits counterfeiting were anonymous nodes exploit governance gaps to inject fraudulent tokens [118]. These risks highlight ethical dilemmas around accountability in leaderless systems: How do we prevent capture by dominant players while maintaining openness? Viewing these as research challenges invites explorations of hybrid governance, blending DAOs with human oversight, to foster resilience and prevent harm.

Responsibility

Automation via smart contracts streamlines processes but shifts responsibility for outcomes, raising questions about liability in misaligned executions [8]. For example, if a contract erroneously flags a viable blood unit as spoiled due to a sensor glitch, who bears the consequences: developers, operators, or end-users [22] In maritime contexts, automated customs approvals might overlook ethical nuances like labour rights in supply chains [105]. This underscores the need for "ethical by design" principles, where responsibility is distributed transparently through auditable logs and fallback mechanisms. As an active challenge, this calls for interdisciplinary research into liability frameworks that align technological autonomy with human accountability. These ethical tensions affirm that blockchain's promise in service logistics must be tempered with vigilant reflection. Rather than viewing them as barriers, this research frames them as catalysts for ethical innovation, encouraging future work to embed values like fairness and transparency from inception [15].

Research Limitations

While this research provides robust insights into modular blockchain architectures across maritime logistics, healthcare cold chains, and luxury spirits distribution, several limitations must be acknowledged. These constraints highlight areas for refinement and underscore the boundaries of the current study, informing future research directions. The limitations are categorized into technical, methodological, data/validation, and implementation aspects.

Technical Limitations

The proposed architecture relies primarily on permissioned blockchains (e.g., Hyperledger Fabric), which prioritise controlled access and efficiency but may limit full decentralization compared to permissionless alternatives like Ethereum [8]. This choice enhances regulatory compliance but could restrict broader peer-to-peer interactions in less regulated scenarios. Partial deployment in pilots means real-world variables like network congestion or hardware failures were not exhaustively addressed, potentially underestimating operational challenges [7], [16].

Methodological Limitations

While the Design Science Research Methodology (DSRM) offered a structured approach to developing and evaluating the modular blockchain architecture [57], its application within proof-of-concept prototypes introduced inherent constraints, particularly in simulating disruptive effects. Simulations effectively modelled scenarios such as temperature breaches in healthcare cold chains or document fraud in maritime logistics, achieving realistic approximations of disruptions like supply shortages or port delays [25]. However, these controlled environments could not fully capture unpredictable real-world variables, including human error, cyber threats, or geopolitical instabilities, which may amplify risks in live deployments [7]. Consequently, the generalizability of findings remains limited, as the prototypes were tested in specific, Western-centric contexts that may not translate to diverse global supply chains with varying regulatory landscapes [20].

Data/Validation Gaps

Data collection for the prototypes relied on modest sample sizes, such as 20 stakeholders in healthcare surveys, providing valuable initial insights but potentially overlooking broader user variability and adoption nuances [16]. Validation emphasized quantitative metrics, such as transaction latency (<50 ms) and privacy efficacy (>99%), derived from simulated disruptions, yet lacked long-term empirical data beyond 6–12 month pilots to evaluate ongoing aspects like system maintenance costs or adaptive security against emerging threats [6]. Moreover, the emphasis on measurable outcomes underrepresented qualitative dimensions, such as socio-technical barriers to user adoption or cultural influences on governance models, which could refine the architecture's practical viability in dynamic, proof-of-concept settings [15].

Implementation Risks

Real-world deployment of the modular blockchain architecture revealed significant challenges that could impede its adoption across service-sector supply chains. High initial costs for integrating IoT devices and establishing blockchain infrastructure pose a substantial barrier, particularly for small and medium-sized enterprises (SMEs) in resource-constrained sectors like spirits distribution, where capital investments may strain operational budgets [20]. A notable skills gap further complicates implementation, as industry practitioners often lack expertise in configuring advanced features like Zero-Knowledge Proofs (ZKPs), necessitating comprehensive training programs that could delay rollouts [29]. Regulatory volatility adds another layer of complexity, with evolving frameworks such as GDPR in healthcare or the EU Deforestation Regulation (EUDR) in maritime and spirits supply chains requiring frequent updates to compliance mechanisms, potentially disrupting system stability [19], [27]. Real-world scenarios also exposed vulnerabilities to operational disruptions, such as port congestion in maritime logistics or temperature excursions in healthcare cold chains, which simulations could only partially replicate, underscoring the need for robust contingency protocols [7], [25]. These challenges highlight the importance of phased, iterative deployments coupled with continuous monitoring to address unforeseen failures and ensure resilience in live environments.

These implementation risks do not diminish the research's contributions but rather frame it as an exploratory, prototype-driven study that lays the groundwork for scalable blockchain solutions. They focus on the need for more field studies to validate the architecture's performance in diverse, real-world contexts and to refine its adaptability to dynamic operational and regulatory demands [4], [6].

Case study research introduces limitations, as highlighted by Yin (2018). The primary constraint is generalizability, as case studies focus on context-specific phenomena and often involve limited sample sizes, which may not represent broader populations [32]. In this research, each design cycle is embedded within a real-world supply chain context, enabling deep insights into sector-specific dynamics, such as maritime document workflows or healthcare traceability, but reflecting the particularities of each sector [7], [23], [30]. Consequently, findings offer analytically generalizable insights, applicable to theoretical propositions, rather than statistically generalizable results applicable to larger populations [32]. Other limitations include potential researcher bias in data interpretation and challenges

in replicating findings across different contexts [32]. To mitigate these, the research employs triangulation through multiple data sources (e.g., stakeholder feedback, technical metrics) and transparent documentation of the DSRM process [57], [32]. Future research should consider complementary methods, such as large-scale quantitative studies or cross-case validation, to enhance external validity and broaden the applicability of findings [32].

Broader Impact and dissemination

Beyond the specific contributions to modular blockchain architecture and sectoral implementations, this research holds broader implications for academic, regulatory, and policy-oriented communities engaged in digital infrastructure transformation**.** By developing a modular blockchain architecture for service-sector supply chains, the research addresses critical gaps in trust, traceability, and efficiency, delivering reusable solutions for maritime logistics, luxury spirits distribution, and healthcare cold chains. The following contributions extend its influence to interdisciplinary fields, industry practices, and societal outcomes, fostering innovation and sustainable progress [4], [6], [20].

1. Open-Source Evaluation Tools and Datasets

- Scientific Contribution**:** The research develops an open-source decision support tool incorporating the multidimensional evaluation framework from Section 1.4, designed to assess blockchain adoption across diverse sectors. Anonymized datasets from prototype simulations (e.g., maritime document workflows, healthcare cold chain monitoring) are released to the academic community, enabling reproducibility and advancing research on modular blockchain systems [6], [20]. These resources facilitate rigorous testing and validation of blockchain architectures, contributing to the theoretical understanding of scalability and interoperability.
- Industry Practice Contribution**:** The open-source tool provides practitioners with a practical framework to evaluate blockchain feasibility in their operations, reducing adoption barriers for organizations in maritime, spirits, and healthcare sectors. By offering anonymized datasets, the tool supports benchmarking and performance analysis, enabling companies to adapt the modular architecture with minimal redevelopment [6].
- Societal Contribution**:** Tool Public availability and datasets democratize access to advanced blockchain evaluation methods, empowering smaller organizations and developing regions to implement cost-effective, privacy-preserving supply chain

solutions, fostering equitable access to technology, supports trade resilience and less economic disparities [20].

2. Interdisciplinary Methodological Framework
   - Scientific Contribution: By integrating computer science (blockchain and IoT), supply chain management (logistics optimization), and legal studies (regulatory compliance), the research establishes a reusable methodological blueprint for studying emerging technologies in supply chain contexts. This framework, grounded in Design Science Research Methodology (DSRM) [57], is adaptable to other technologies like AI and edge computing, advancing interdisciplinary research methodologies [4].
   - Industry Practice Contribution**:** The framework offers industry stakeholders a structured approach to design and evaluate modular blockchain solutions, ensuring alignment with regulatory requirements (e.g., GDPR, HIPAA) and operational needs. This enables faster adoption of innovative technologies in logistics, reducing implementation costs and risks [6].
   - Societal Contribution**:** The interdisciplinary approach promotes ethical technology adoption, ensuring that blockchain implementations prioritise privacy and compliance, thus protecting consumer rights and enhancing trust in supply chains. This contributes to safer, more transparent systems for critical sectors like healthcare, benefiting public health and welfare [3].
3. Peer-Reviewed Publications
   - Scientific Contribution**:** The research contributes four peer-reviewed papers, detailed in Chapters 4, 5, and 6, published in high-impact journals and conferences (*Maritime Policy & Management with* doi.org/10.1080/03088839.2025.2580502, *IEEE Access*, with DOI 10.1109/ACCESS.2025.3636470 and 1 conference paper in *IEEE Blockchain Conference*, to appear in IEEE Explore), in which 2 other papers are in process for publishing. These publications disseminate novel findings on modular blockchain applications, advancing academic discourse in blockchain, supply chain management, and sector-specific domains [7], [16], [81], [118], [125].
   - Industry Practice Contribution**:** The publications provide evidence-based insights for practitioners, offering actionable strategies for implementing modular blockchain architectures in maritime logistics, spirits distribution, and healthcare cold chains. They highlight practical benefits, such as reduced fraud and improved efficiency, encouraging industry adoption [7], [16].

- Societal Contribution**:** By sharing findings with broad audiences, the publications raise awareness of blockchain's potential to address societal challenges like counterfeiting and supply chain inefficiencies. This fosters public trust in technology-driven solutions, supporting sustainable trade and consumer protection [20].

4. Educational Resources for Blockchain in Supply Chains
   - Scientific Contribution**:** The research produces educational materials, including tutorials and case studies derived from prototypes, to support teaching in blockchain and supply chain management. These resources, targeting graduate programs in computer science, logistics, and business innovation, enrich pedagogical tools and advance academic curricula [26].
   - Industry Practice Contribution: The case studies and tutorials equip professionals with practical knowledge to implement modular blockchain solutions, reducing the learning curve for organizations adopting these technologies. This facilitates workforce upskilling, critical for integrating advanced systems in legacy sectors [6].
   - Societal Contribution**:** By making educational resources accessible, the research promotes understanding of blockchain applications, empowering future professionals and policymakers to drive ethical and efficient supply chain innovations, benefiting global communities [26].
5. Engagement with Industry and Policy Stakeholders
   - Scientific Contribution**:** Through workshops, presentations, and collaborations with industry partners (e.g., port authorities, spirits producers, healthcare providers), the research validates the modular architecture's applicability, contributing empirical data to academic research on stakeholder-driven technology adoption [26].
   - Industry Practice Contribution**:** These engagements inform practical adoption strategies, providing stakeholders with recommendations for integrating modular blockchain solutions into existing workflows. For example, port authorities' collaboration streamlines maritime processes, while partnerships with healthcare providers enhance cold chain compliance [7], [16], [17].
   - Societal Contribution: By bridging academia and industry, the research influences policy and regulatory frameworks, supporting blockchain adoption, while prioritizing privacy and sustainability, contributing to resilient supply chains, enhancing global access to goods and services [20], [26].

These contributions collectively amplify the research's impact by advancing scientific knowledge, guiding industry practices, and promoting societal benefits through a modular blockchain architecture. By addressing interdisciplinary challenges and fostering collaboration, the research paves the way for sustainable, efficient, and equitable supply chain systems [4], [8].

Future Research Directions

This foundation lays a path forward for future research, extending the framework for coming challenges

1. Scalability Enhancements in Dynamic Environments: Investigate advanced Layer-2 solutions (e.g., zk-rollups) for ultra-high-volume scenarios, such as real-time global maritime networks under climate disruptions. Hybrid models with AI for predictive analytics to optimize performance [4], [9].
2. Interoperability with Emerging Technologies: Explore integrations with edge computing or AI-driven oracles to enhance IoT-blockchain synergies, particularly for predictive maintenance in cold chains or adaptive governance in spirits DTC models [102], [122].
3. Regulatory Evolution and Global Standards: Examine the architecture's alignment with evolving frameworks like EUDI and post-GDPR updates, through comparative studies across regions [33], [80]. Longitudinal research on adoption barriers in SMEs could inform policy recommendations.
4. Sustainability Metrics and Impact Assessment: Develop KPIs for environmental benefits (e.g., reduced emissions in maritime logistics) and conduct life-cycle analyses of blockchain implementations. Token economies could be extended to circular models, like recycling in spirits packaging [121], [123].
5. Ethical and Socio-Technical Dimensions: Investigate biases in decentralised governance (e.g., DAO inclusivity) and human-centered design for user adoption, using mixed-methods studies to evaluate long-term societal impacts [127], [128], [129].
6. Expansion to New Sectors: Apply the modular architecture to adjacent domains, such as pharma distribution or perishable goods, testing reusability in hybrid liquids-cold chain-maritime contexts.

These directions position the research as a catalyst for ongoing innovation, with potential collaborations across academia and industry to pilot full-scale deployments. In summary, this

research not only demonstrates blockchain's transformative role in service logistics but also paves the way for resilient, privacy-conscious ecosystems in an increasingly digital world.

Final Remarks

The research's contributions extend beyond immediate findings, offering insights into how innovation unfolds in logistics and regulation-heavy sectors. By emphasizing modularity, the work illustrates that technological advancement in conservative industries requires not just technical ingenuity but also adaptive governance and stakeholder alignment, bridging silos between computer science, supply chain management, legal studies [2], [6]. This means that in complex domains like maritime and healthcare, where regulatory scrutiny is paramount, innovation succeeds through hybrid models that balance decentralization with compliance, fostering trust amid complexity [33], [80].

Looking ahead, this architecture could inform real-world standards, such as the European Blockchain Services Infrastructure, which is concluding its handover process and expanding through Early Adopters programs to support pilots in traceability and identity management. Similarly, it aligns with WTO discussions on traceability in trade, where blockchain is increasingly recognized for enhancing transparency in supply chains, as evidenced by ongoing decarbonization and packaging initiatives. By providing a blueprint for interoperable, privacy-focused systems, the research positions modular architectures as foundational to future frameworks like WTO's traceability standards, potentially reducing global fraud and wastage while supporting equitable trade [9], [10].

In a 5–10-year horizon, modular blockchain systems will evolve from niche implementations to core infrastructure in service logistics, driven by advancements in Layer-2 scaling and AI integrations. Research-wise, this brings interdisciplinary studies on adaptive governance, where DAOs incorporate real-time regulatory updates to navigate evolving policies like post-GDPR frameworks [33]. Societally, widespread adoption might democratize access to secure supply chains, empowering SMEs in the Global South through low-cost, reusable modules and reducing inequalities in healthcare and trade [90], [93]. However, this vision demands ethical vigilance to prevent digital divides, ensuring that benefits like reduced spoilage in cold chains or fraud in maritime extend to underserved regions, ultimately contributing to sustainable global development.

These advancements align with the research's goal of modernizing logistics systems through blockchain, offering a robust, adaptable evaluation framework that supports scalable, privacy-conscious, and efficient implementations in the services industries. To inspire continued inquiry, this research closes with high-level questions: How might modular blockchains self-adapt to evolving regulations, such as dynamic EBSI integrations? What role could they play in reducing global inequities by broadening access to traceability standards like those of the WTO? And how might they redefine innovation in regulated sectors, balancing disruption with ethical governance? These questions position the work as a catalyst for thought leadership in blockchain-enabled logistics.

References

[1] A. Abid, S. Cheikhrouhou, S. Kallel, and M. Jmaiel, “A privacy-preserving traceability system for self-sovereign identity based inter-organizational business processes,” Comput. Stand. Interfaces, vol. 92, Art. no. 103930, 2024, doi: 10.1016/j.csi.2024.103930.

[2] P. M. A. R. Santhi and P. Muthuswamy, “Influence of blockchain technology in manufacturing supply chain and logistics,” Logistics, vol. 6, no. 1, Art. no. 15, 2022, doi: 10.3390/logistics6010015.

[3] X. Bai, H. Jia, and M. Xu, “Identifying port congestion and evaluating its impact on maritime logistics,” Maritime Policy Manage., vol. 51, no. 3, pp. 345–362, 2024, doi: 10.1080/03088839.2022.2135036.

[4] G. Balci and E. Surucu Balci, “Blockchain adoption in the maritime supply chain: Examining barriers and salient stakeholders in containerized international trade,” Transp. Res. E: Logistics Transp. Rev., vol. 156, Art. no. 102539, 2021, doi: 10.1016/j.tre.2021.102539.

[5] M. Ben Farah, Y. Ahmed, H. Mahmoud, S. Shah, M. Al Kadri, S. Taramonli, X. Bellekens, R. Abozariba, M. Idrissi, and A. Aneiba, “A survey on blockchain technology in the maritime industry: Challenges and future perspectives,” Future Gener. Comput. Syst., vol. 157, pp. 618–637, 2024, doi: 10.1016/j.future.2024.03.046.

[6] Y. Chang, E. Iakovou, and W. Shi, “Blockchain in global supply chains and cross-border trade: A critical synthesis of the state of the art, challenges and opportunities,” Int. J. Prod. Res., 2019, doi: 10.1080/00207543.2019.1651946.

[7] S. Chen, S. Brahma, J. Mackay, C. Cao, and B. Aliakbarian, “The role of smart packaging system in food supply chain,” J. Food Sci., vol. 85, no. 3, pp. 517–525, 2020, doi: 10.1111/1750-3841.15046.

[8] R. Shashidhara, R. C. Nair, and P. K. Panakalapati, “Promise of zero-knowledge proofs (ZKPs) for blockchain privacy and security: Opportunities, challenges, and future directions,” Secur. Privacy, vol. 8, no. 1, e461, 2025, doi: 10.1002/spy2.461.

[9] C. Durán, A. K. Yazdi, I. Derpich, and Y. Tan, “Leveraging blockchain for maritime port supply chain management through multicriteria decision making,” Mathematics, vol. 12, no. 10, Art. no. 1511, 2024, doi: 10.3390/math12101511.

[10] T. Feng, P. Yang, C. Liu, J. Fang, and R. Ma, “Blockchain data privacy protection and sharing scheme based on zero-knowledge proof,” Wireless Commun. Mobile Comput., 2022, Art. no. 1040662, doi: 10.1155/2022/1040662.

[11] J. Fu, B. Cao, X. Wang, P. Zeng, W. Liang, and Y. Liu, “BFS: A blockchain-based financing scheme for logistics company in supply chain finance,” Connection Sci., vol. 34, no. 1, pp. 1929–1955, 2022, doi: 10.1080/09540091.2022.2088698.

[12] K. Gai, H. Tang, G. Li, T. Xie, S. Wang, L. Zhu, and K.-K. R. Choo, “Blockchain-based privacy-preserving positioning data sharing for IoT-enabled maritime transportation systems,” IEEE Trans. Intell. Transp. Syst., vol. 24, no. 2, pp. 2344–2358, 2023, doi: 10.1109/TITS.2022.3190487.

[13] M. Haouari, M. Mhiri, M. El Masri, and K. Al Yafi, “A novel proof of useful work for a blockchain storing transportation transactions,” Inf. Process. Manag., vol. 59, no. 1, Art. no. 102749, 2022, doi: 10.1016/j.ipm.2021.102749.

[14] Q. Hu, B. Yan, Y. Han, and J. Yu, “An improved delegated proof of stake consensus algorithm,” Procedia Comput. Sci., vol. 187, pp. 341–346, 2021, doi: 10.1016/j.procs.2021.04.109.

[15] E. Irannezhad and H. Faroqi, “Addressing some of bill of lading issues using the Internet of Things and blockchain technologies: A digitalized conceptual framework,” Maritime Policy Manage., vol. 50, no. 4, pp. 428–446, 2023, doi: 10.1080/03088839.2021.1930223.

[16] M. Jović, E. Tijan, D. Žgaljić, and S. Aksentijević, “Improving maritime transport sustainability using blockchain-based information exchange,” Sustainability, vol. 12, no. 21, Art. no. 8866, 2020, doi: 10.3390/su12218866.

[17] D. Khan, L. T. Jung, and M. A. Hashmani, “Systematic literature review of challenges in blockchain scalability,” Appl. Sci., vol. 11, no. 20, Art. no. 9372, 2021, doi: 10.3390/app11209372.

[18] O. Kuznetsov, E. Frontoni, K. Kuznetsova, R. Shevchuk, and M. Karpinski, “NFT technology for enhanced global digital registers: A novel approach to tokenization,” Future Internet, vol. 16, no. 7, Art. no. 252, 2024, doi: 10.3390/fi16070252.

[19] H. Li and S. B. Ariffin, “Blockchain-enabled supply chain finance: A bibliometric review and literature review,” Appl. Math. Inf. Sci., vol. 19, no. 5, pp. 1129–1140, 2025, doi: 10.18576/amis/190513.

[20] J. Li, D. Han, T. Weng, H. Wu, K. Li, and A. Castiglione, “A secure data storage and sharing scheme for port supply chain based on blockchain and dynamic searchable encryption,” Comput. Stand. Interfaces, vol. 91, Art. no. 103887, 2024, doi: 10.1016/j.csi.2024.103887.

[21] L. Li and J. Zhou, “Blockchain effects and investment strategies in the maritime supply chain under perishable goods loss,” *Systems*, vol. 13, no. 3, Art. no. 196, 2025, doi: 10.3390/systems13030196.

[22] H. Lin, “Blockchain adoption in the maritime industry: Empirical evidence from the technological organizational environmental framework,” *Maritime Policy Manage.*, vol. 51, no. 7, pp. 1474–1496, 2024, doi: 10.1080/03088839.2023.2175063.

[23] H.-F. Lin, “Examining the determinants of blockchain technology–enabled maritime supply chain system adoption intention: Does market turbulence play a moderating role?” *Marine Policy*, vol. 174, Art. no. 106616, 2025, doi: 10.1016/j.marpol.2025.106616.

[24] J. Liu, H. Zhang, and L. Zhen, “Blockchain technology in maritime supply chains: Applications, architecture and challenges,” *Int. J. Prod. Res.*, vol. 61, no. 11, pp. 3547–3563, 2023, doi: 10.1080/00207543.2021.1930239.

[25] B. Lu, H. Lu, and H. Wang, “Design and value analysis of the blockchain-based port logistics financial platform,” *Maritime Policy Manage.*, vol. 51, no. 6, pp. 1037–1061, 2024, doi: 10.1080/03088839.2023.2205870.

[26] W. Major, W. J. Buchanan, and J. Ahmad, “An authentication protocol based on chaos and zero knowledge proof,” *Nonlinear Dyn.*, vol. 99, no. 4, pp. 3065–3087, 2020, doi: 10.1007/s11071-020-05463-3.

[27] J. Curado, M. Bhandari, J. C. Ferreira and A. L. Martins, "Blockchain for Maritime Supply Chain: Efficiency and Security Advancements," in IEEE Access, vol. 13, pp. 201527-201544, 2025, doi: 10.1109/ACCESS.2025.3636470.

[28] E. Morais, T. Koens, C. van Wijk, and A. Koren, “A survey on zero knowledge range proofs and applications,” *SN Appl. Sci.*, vol. 1, no. 8, Art. no. 946, 2019, doi: 10.1007/s42452-019-0989-z.

[29] U. U. Mumtaz, P. Bergey, and N. Letch, “Assessing the role of blockchain technology for marine bunkering operations: A case study of task technology fit,” *Marine Policy*, vol. 159, Art. no. 105909, 2024, doi: 10.1016/j.marpol.2023.105909.

[30] H. Kim, Z. Xiao, X. Zhang, X. Fu, and Z. Qin, “Rethinking Blockchain Technologies for the Maritime Industry: An Overview of the Current Landscape,” *Future Internet*, vol. 16, no. 12, p. 454, 2024. doi: 10.3390/fi16120454.

[31] S. Nguyen, P. Chen, and Y. Du, “Blockchain adoption in container shipping: An empirical study on barriers, approaches, and recommendations,” *Marine Policy*, vol. 155, Art. no. 105724, 2023, doi: 10.1016/j.marpol.2023.105724.

[32] M. J. Page *et al.*, “The PRISMA 2020 statement: An updated guideline for reporting systematic reviews,” *BMJ*, vol. 372, p. n71, 2021.

[33] S. Pu and J. S. L. Lam, “Blockchain adoptions in the maritime industry: A conceptual framework,” *Maritime Policy Manage.*, vol. 48, no. 6, pp. 777–794, 2021, doi: 10.1080/03088839.2020.1825855.

[34] R. Z. Rasi, U. S. B. Rakiman, R. Z. R. M. Radzi, N. R. Masrom, and V. P. K. Sundram, “A literature review on blockchain technology: Risk in supply chain management,” *IEEE Eng. Manag. Rev.*, vol. 50, no. 1, pp. 186–200, 2022, doi: 10.1109/EMR.2021.3133447.

[35] S. Saberi, M. Kouhizadeh, J. Sarkis, and L. Shen, “Blockchain technology and its relationships to sustainable supply chain management,” *Int. J. Prod. Res.*, vol. 57, no. 7, pp. 2117–2135, 2019, doi: 10.1080/00207543.2018.1533261.

[36] F. Salzano, L. Marchesi, R. Pareschi, and R. Tonelli, “Integrating blockchain technology within an information ecosystem,” *Blockchain: Res. Appl.*, vol. 5, no. 4, Art. no. 100225, 2024, doi: 10.1016/j.bcra.2024.100225.

[37] B. S. Samantray and K. H. K. Reddy, “A novel secure supply chain for smart healthcare systems: An approach to leverage blockchain, Keccak-256, and ZKP for drug safety assurance,” *Peer-to-Peer Netw. Appl.*, vol. 18, no. 1, Art. no. 16, 2024, doi: 10.1007/s12083-024-01832-6.

[38] A. I. Sanka and R. C. C. Cheung, “A systematic review of blockchain scalability: Issues, solutions, analysis and future research,” *J. Netw. Comput. Appl.*, vol. 195, Art. no. 103232, 2021, doi: 10.1016/j.jnca.2021.103232.

[39] A. Sarfaraz, R. K. Chakrabortty, and D. L. Essam, “The implications of blockchain-coordinated information sharing within a supply chain: A simulation study,” *Blockchain: Res. Appl.*, vol. 4, no. 1, Art. no. 100110, 2023, doi: 10.1016/j.bcra.2022.100110.

[40] J. Sedlmeir, J. Lautenschlager, G. Fridgen, and N. Urbach, “The transparency challenge of blockchain in organizations,” *Electron. Markets*, vol. 32, no. 3, pp. 1779–1794, 2022, doi: 10.1007/s12525-022-00536-0.

[41] B. B. Sezer, S. Topal, and U. Nuriyev, “TPPSUPPLY: A traceable and privacy-preserving blockchain system architecture for the supply chain,” *J. Inf. Secur. Appl.*, vol. 66, Art. no. 103116, 2022, doi: 10.1016/j.jisa.2022.103116.

[42] A. M. Shamsan Saleh, “Blockchain for secure and decentralized artificial intelligence in cybersecurity: A comprehensive review,” *Blockchain: Res. Appl.*, vol. 5, no. 3, Art. no. 100193, 2024, doi: 10.1016/j.bcra.2024.100193.

[43] S. Shin, Y. Wang, S. Pettit, and W. Abouarghoub, “Blockchain application in maritime supply chain: A systematic literature review and conceptual framework,” *Maritime Policy Manage.*, vol. 51, no. 6, pp. 1062–1095, 2024, doi: 10.1080/03088839.2023.2234896.

[44] X. Sun, F. R. Yu, P. Zhang, Z. Sun, W. Xie, and X. Peng, “A survey on zero knowledge proof in blockchain,” *IEEE Netw.*, vol. 35, no. 4, pp. 198–205, 2021, doi: 10.1109/MNET.011.2000473.

[45] M. Uddin, A. Khalique, A. K. Jumani, S. S. Ullah, and S. Hussain, “Next-generation blockchain-enabled virtualized cloud security solutions: Review and open challenges,” *Electronics*, vol. 10, no. 20, Art. no. 2493, 2021, doi: 10.3390/electronics10202493.

[46] S. Vujičić, N. Hasanspahić, M. Car, and L. Čampara, “Distributed ledger technology as a tool for environmental sustainability in the shipping industry,” *J. Mar. Sci. Eng.*, vol. 8, no. 5, Art. no. 366, 2020, doi: 10.3390/jmse8050366.

[47] Y. Wang, P. Chen, B. Wu, C. Wan, and Z. Yang, “A trustable architecture over blockchain to facilitate maritime administration for MASS systems,” *Rel. Eng. Syst. Saf.*, vol. 219, Art. no. 108246, 2022, doi: 10.1016/j.ress.2021.108246.

[48] H. Zhao, J. Liu, and G. Zhang, “Blockchain driven operation strategy of financial supply chain under uncertain environment,” *Int. J. Prod. Res.*, vol. 62, no. 8, pp. 2982–3002, 2024, doi: 10.1080/00207543.2023.2190816.

[49] L. Zhou, A. Diro, A. Saini, S. Kaisar, and P. C. Hiep, “Leveraging zero knowledge proofs for blockchain based identity sharing: A survey of advancements, challenges and opportunities,” *J. Inf. Secur. Appl.*, vol. 80, Art. no. 103678, 2024, doi: 10.1016/j.jisa.2023.103678.

[50] C.-S. Yang, “Maritime shipping digitalization: Blockchain-based technology applications, future improvements, and intention to use,” *Transp. Res. E: Logistics Transp. Rev.*, vol. 131, pp. 108–117, Nov. 2019, doi: 10.1016/j.tre.2019.09.020.

[51] M. Kugler, M. Brandenburg, and S. Limant, “Automizing the manual link in maritime supply chains? An analysis of twistlock handling automation in container terminals,” *Maritime Transp. Res.*, vol. 2, Art. no. 100017, Jan. 2021, doi: 10.1016/j.martra.2021.100017.

[52] J. Thomas and Y. Tan, “Key design properties for shipping information pipeline,” in *Open and Big Data Management and Innovation*, Lecture Notes in Computer Science. Cham, Switzerland: Springer, 2015, pp. 491–502, doi: 10.1007/978-3-319-25013-7_40.

[53] C. Wan, X. Yan, D. Zhang, Z. Qu, and Z. Yang, “An advanced fuzzy Bayesian-based FMEA approach for assessing maritime supply chain risks,” *Transp. Res. E: Logistics Transp. Rev.*, vol. 125, pp. 222–240, May 2019, doi: 10.1016/j.tre.2019.03.011.

[54] N. Newman, “Can blockchain transform transport?” *Eng. Technol.*, vol. 13, no. 6, pp. 58–61, Jul. 2018, doi: 10.1049/et.2018.0605.

[55] F. Dietrich, Y. Ge, A. Turgut, L. Louw, and D. Palm, “Review and analysis of blockchain projects in supply chain management,” *Procedia Comput. Sci.*, vol. 180, pp. 724–733, Jan. 2021.

[56] M. L. Rethlefsen *et al.*, “PRISMA-S: An extension to the PRISMA statement for reporting literature searches in systematic reviews,” *Syst. Rev.*, vol. 10, no. 1, p. 39, Jan. 2021, doi: 10.1186/s13643-020-01542-z.

[57] K. Peffers, T. Tuunanen, M. A. Rothenberger, and S. Chatterjee, “A design science research methodology for information systems research,” *J. Manag. Inf. Syst.*, vol. 24, no. 3, pp. 45–77, Dec. 2007, doi: 10.2753/MIS0742-1222240302.

[58] A. Padma and M. Ramaiah, “Lightweight privacy preservation blockchain framework for healthcare applications using GM-SSO,” *Results Eng.*, vol. 25, Art. no. 103882, Mar. 2025, doi: 10.1016/j.rineng.2024.103882.

[59] D. Čapko, S. Vukmirović, and N. Nedić, “State of the art of zero-knowledge proofs in blockchain,” in *Proc. 30th Telecommun. Forum (TELFOR)*, Nov. 2022, pp. 1–4, doi: 10.1109/TELFOR56187.2022.9983760.

[60] B. Oude Roelink, M. El-Hajj, and D. Sarmah, “Systematic review: Comparing zk-SNARK, zk-STARK, and bulletproof protocols for privacy-preserving authentication,” *Secur. Privacy*, vol. 7, no. 5, p. 401, Sep. 2024, doi: 10.1002/spy2.401.

[61] A. Padma and M. Ramaiah, “Blockchain based an efficient and secure privacy preserved framework for smart cities,” *IEEE Access*, vol. 12, pp. 21985–22002, 2024, doi: 10.1109/ACCESS.2024.3364078.

[62] E. Irannezhad, “The architectural design requirements of a blockchain-based port community system,” *Logistics*, vol. 4, no. 4, p. 30, Nov. 2020, doi: 10.3390/logistics4040030.

[63] A. Padma and M. Ramaiah, “Blockchain based solution for secure information sharing in pharma supply chain management,” *Heliyon*, vol. 10, no. 22, Art. no. e40273, Nov. 2024, doi: 10.1016/j.heliyon.2024.e40273.

[64] S. Tsiulin, K. H. Reinau, and O.-P. Hilmola, “The key challenges of blockchain implementation in maritime sector: Summary from literature and previous research findings,” *Procedia Comput. Sci.*, vol. 217, pp. 348–357, Jan. 2023, doi: 10.1016/j.procs.2022.12.230.

[65] Z. H. Munim, O. Duru, and E. Hirata, “Rise, fall, and recovery of blockchains in the maritime technology space,” *J. Mar. Sci. Eng.*, vol. 9, no. 3, p. 266, Mar. 2021, doi: 10.3390/jmse9030266.

[66] T. K. Dasaklis, E. Kopanaki, P. T. Chountalas, N. P. Rachaniotis, T. G. Voutsinas, K. Giannakis, and G. Chondrokoukis, “Exploring the implementation challenges of the Electronic Freight Transport Information (eFTI) regulation: An empirical perspective from Greece,” *Logistics*, vol. 8, no. 1, p. 30, 2024, doi: 10.3390/logistics8010030.

[67] A. R. Block, A. Garreta, P. R. Tiwari, and M. Zając, “On soundness notions for interactive oracle proofs,” *J. Cryptol.*, vol. 38, no. 1, p. 4, Nov. 2024, doi: 10.1007/s00145-024-09520-7.

[68] A.-E. Panait and R. F. Olimid, “On using zk-SNARKs and zk-STARKs in blockchain-based identity management,” in *Innovative Security Solutions for Information Technology and Communications*. Cham, Switzerland: Springer, 2021, pp. 130–145, doi: 10.1007/978-3-030-69255-1_9.

[69] R. W. Ahmad, H. Hasan, R. Jayaraman, K. Salah, and M. Omar, “Blockchain applications and architectures for port operations and logistics management,” *Res. Transp. Bus. Manage.*, vol. 41, Art. no. 100620, Dec. 2021, doi: 10.1016/j.rtbm.2021.100620.

[70] H. Guo and X. Yu, “A survey on blockchain technology and its security,” *Blockchain: Res. Appl.*, vol. 3, no. 2, Art. no. 100067, Jun. 2022, doi: 10.1016/j.bcra.2022.100067.

[71] V. Astarita, V. P. Giofrè, G. Mirabelli, and V. Solina, “A review of blockchain-based systems in transportation,” *Information*, vol. 11, no. 1, p. 21, Dec. 2019, doi: 10.3390/info11010021.

[72] S. M. M. Hamidi, S. F. Hoseini, H. Gholami, and M. Kananizadeh-Bahmani, “A three-stage digital maturity model to assess readiness for blockchain implementation in the maritime logistics industry,” *J. Ind. Inf. Integr.*, vol. 41, Art. no. 100643, Sep. 2024, doi: 10.1016/j.jii.2024.100643.

[73] T. Lavaur, J. Lacan, and C. P. C. Chanel, “Enabling blockchain services for IoE with zk-rollups,” *Sensors*, vol. 22, no. 17, p. 6493, Aug. 2022, doi: 10.3390/s22176493.

[74] L. Wei, L. Peili, and L. Fei, “Zk-STARKs based scheme for sealed auctions in chains,” *IET Blockchain*, vol. 4, no. 4, pp. 344–354, Dec. 2024, doi: 10.1049/blc2.12090.

[75] G. A. F. Rebello, G. F. Camilo, L. A. C. de Souza, M. Potop-Butucaru, M. D. de Amorim, M. E. M. Campista, and L. H. M. K. Costa, “A survey on blockchain scalability: From hardware to layer-two protocols,” *IEEE Commun. Surveys Tuts.*, vol. 26, no. 4, pp. 2411–2458, 2024, doi: 10.1109/COMST.2024.3376252.

[76] J. W. Heo, G. Ramachandran, and R. Jurdak, “NPPoS: Non-interactive practical proof-of-storage for blockchain,” *Blockchain: Res. Appl.*, vol. 5, no. 4, Art. no. 100221, Dec. 2024, doi: 10.1016/j.bcra.2024.100221.

[77] A. M. Pinto, “An introduction to the use of zk-SNARKs in blockchains,” in *Mathematical Research for Blockchain Economy*. Cham, Switzerland: Springer, 2020, pp. 233–249, doi: 10.1007/978-3-030-37110-4_16.

[78] E. Ben-Sasson, I. Bentov, Y. Horesh, and M. Riabzev, “Scalable zero knowledge with no trusted setup,” in *Proc. Annu. Int. Cryptol. Conf.*, 2019, pp. 701–732, doi: 10.1007/978-3-030-26954-8_23.

[79] M. A. Aleisa, “Blockchain-enabled zero trust architecture for privacy-preserving cybersecurity in IoT environments,” *IEEE Access*, vol. 13, pp. 18660–18676, 2025, doi: 10.1109/ACCESS.2025.3529309.

[80] A. Pirabán, W. J. Guerrero, and N. Labadie, “Survey on blood supply chain management: Models and methods,” *Comput. Oper. Res.*, vol. 112, Art. no. 104756, 2019, doi: 10.1016/j.cor.2019.07.014.

[81] S. Lakshminarayanan, P. N. Kumar, and N. M. Dhanya, “Implementation of blockchain-based blood donation framework,” in *Computational Intelligence in Data Science*, A. Chandrabose, U. Furbach, A. Ghosh, and A. Kumar M., Eds. Cham, Switzerland: Springer, 2020, pp. 276–290, doi: 10.1007/978-3-030-63467-4_22.

[82] S.-M. Hosseini-Motlagh, M. R. G. Samani, and S. Homaei, “Blood supply chain management: Robust optimization, disruption risk, and blood group compatibility (a real-life case),” *J. Ambient Intell. Humaniz. Comput.*, vol. 11, no. 3, pp. 1085–1104, 2020, doi: 10.1007/s12652-019-01315-0.

[83] G. Enes, “The common European data space(s): A governance model ‘the European way’,” in *A Digital Europe for Citizens*, G. Enes, I. Neves, and T. Morais Rocha, Eds. Cham, Switzerland: Springer, 2025, pp. 35–71, doi: 10.1007/978-3-032-02500-5_4.

[84] S. Y. Alghamdi, “A review of blood delivery for sustainable supply chain management (BSCM),” *Sustainability*, vol. 15, no. 3, Art. no. 2757, 2023, doi: 10.3390/su15032757.

[85] F. Behroozi, M. A. S. Monfared, and S. M. H. Hosseini, “Investigating the conflicts between different stakeholders’ preferences in a blood supply chain at emergencies: A

trade-off between six objectives," *Soft Comput.*, vol. 25, no. 21, pp. 13389–13410, 2021, doi: 10.1007/s00500-021-06157-7.

[86] H. T. Le, T. T. L. Nguyen, T. A. Nguyen, X. S. Ha, and N. Duong-Trung, "BloodChain: A blood donation network managed by blockchain technologies," *Network*, vol. 2, no. 1, Art. no. 2, 2022, doi: 10.3390/network2010002.

[87] J.-H. Chien, C.-Y. Yao, H. Chen, and T.-F. Ho, "Trends in blood transfusion and causes of blood wastage: A retrospective analysis in a teaching hospital," *BMC Health Serv. Res.*, vol. 25, no. 1, p. 67, 2025, doi: 10.1186/s12913-024-12170-x.

[88] G. Imamoglu, Y. I. Topcu, and N. Aydin, "A systematic literature review of the blood supply chain through bibliometric analysis and taxonomy," *Systems*, vol. 11, no. 3, Art. no. 124, 2023, doi: 10.3390/systems11030124.

[89] J. Curado Silveirinha, M. Bhandari, J. C. Ferreira, and A. L. Martins, "Enhancing maritime supply chain security and efficiency: A review of Zero-Knowledge Proofs in blockchain applications," *Marit. Policy Manag.*, pp. 1–23, 2025, doi: 10.1080/03088839.2025.2580502.

[90] S.-M. Hosseini-Motlagh, N. G. Larimi, and M. O. Nejad, "A qualitative, patient-centered perspective toward plasma products supply chain network design with risk controlling," *Oper. Res.*, vol. 22, no. 1, pp. 779–824, 2020, doi: 10.1007/s12351-020-00568-4.

[91] T. Yoshida, M. Prudent, and A. D'Alessandro, "Red blood cell storage lesion: Causes and potential clinical consequences," *Blood Transfus.*, vol. 17, no. 1, pp. 27–52, 2019, doi: 10.2450/2019.0217-18.

[92] A. Torrado and A. Barbosa-Póvoa, "Towards an optimized and sustainable blood supply chain network under uncertainty: A literature review," *Cleaner Logistics Supply Chain*, vol. 3, Art. no. 100028, 2022, doi: 10.1016/j.clscn.2022.100028.

[93] V. Ramasamy, R. Amirtharajan, and P. Pravinkumar, "Sustaining immutability in pharmaceutical cold supply chain integrating quantum blockchain," *Peer-to-Peer Netw. Appl.*, vol. 18, no. 3, p. 109, 2025, doi: 10.1007/s12083-025-01930-z.

[94] S. M. H. Bamakan, S. G. Moghaddam, S. D. Manshadi, and J. J. Klemeš, "Blockchain-enabled pharmaceutical cold chain: Applications, key challenges, and future trends," *J. Cleaner Prod.*, vol. 302, Art. no. 127021, 2021, doi: 10.1016/j.jclepro.2021.127021.

[95] T. Z. Mehrizi, "Assessment of the effect of polymeric nanoparticles on storage and stability of blood products (red blood cells, plasma, and platelet)," *Polymer Bull.*, vol. 80, no. 3, pp. 2263–2298, 2023, doi: 10.1007/s00289-022-04147-9.

[96] J. Sunny, N. Undralla, and V. M. Pillai, "Supply chain transparency through blockchain-based traceability: An overview with demonstration," *Comput. Ind. Eng.*, vol. 150, Art. no. 106895, 2020, doi: 10.1016/j.cie.2020.106895.

[97] M. Bal and K. Pawlicka, “Cold supply chain finance: Diagnosis, challenges, solutions,” *LogForum*, vol. 20, no. 4, pp. 545–556, 2024, doi: 10.17270/J.LOG.001110.

[98] A. Mubarakali and A. A. Basha, “Blockchain technology for secure electronic healthcare record in cloud based cryptographic hash generator,” *Peer-to-Peer Netw. Appl.*, vol. 17, no. 6, pp. 4286–4302, 2024, doi: 10.1007/s12083-024-01789-6.

[99] S. Kim, J. Kim, and D. Kim, “Implementation of a blood cold chain system using blockchain technology,” *Appl. Sci.*, vol. 10, no. 9, Art. no. 3330, 2020, doi: 10.3390/app10093330.

[100] M. Fiore, A. Capodici, F. Sanmarchi, M. P. Fantini, and D. Gori, “Blockchain for the healthcare supply chain: A systematic literature review,” *Appl. Sci.*, vol. 13, no. 2, Art. no. 686, 2023, doi: 10.3390/app13020686.

[101] G. Pranitha and P. V. Lakshmi, “A novel approach for ensuring drug safety in the pharmaceutical supply chain by using IoT devices and blockchain technology,” *Peer-to-Peer Netw. Appl.*, vol. 18, no. 4, p. 202, 2025, doi: 10.1007/s12083-025-02024-6.

[102] V. L. Espitia-López, F. P. Malpica-Sánchez, H. B. Escalona-Buendía, and J. R. Verde-Calvo, “Innovation and development in whisky production around the world,” *Beverages*, vol. 10, no. 4, p. 124, Dec. 2024, doi: 10.3390/beverages10040124.

[103] V. Vitaskos, K. Demestichas, S. Karetsos, and C. Costopoulou, “Blockchain and Internet of Things technologies for food traceability in olive oil supply chains,” *Sensors*, vol. 24, no. 24, p. 8189, Jan. 2024, doi: 10.3390/s24248189.

[104] T. Yu, M. P. Kowalski, L. T. Shackelford, D. C. Brooks, and J. M. Ennis, “Using Web3 technologies to represent personalized consumer taste preferences in whiskies,” *Food Qual. Prefer.*, vol. 118, p. 105201, Sept. 2024, doi: 10.1016/j.foodqual.2024.105201.

[105] D. Dabija, C.-E. Nastase, A. Chetrariu, and A. Dabija, “Multi-criteria analysis in circular economy principles: Using AHP model for risk assessment in sustainable whisky production,” *Computation*, vol. 12, no. 10, p. 206, Oct. 2024, doi: 10.3390/computation12100206.

[106] W. A. H. Ahmed and B. L. MacCarthy, “Blockchain in the supply chain: A comprehensive framework for theory-driven research,” *Digit. Bus.*, vol. 2, no. 2, p. 100043, Jan. 2022, doi: 10.1016/j.digbus.2022.100043.

[107] B. Lashkari and P. Musilek, “A comprehensive review of blockchain consensus mechanisms,” *IEEE Access*, vol. 9, pp. 43620–43652, 2021, doi: 10.1109/ACCESS.2021.3065880.

[108] K. Demestichas, N. Peppes, T. Alexakis, and E. Adamopoulou, “Blockchain in agriculture traceability systems: A review,” *Appl. Sci.*, vol. 10, no. 12, p. 4113, Jan. 2020, doi: 10.3390/app10124113.

[109] C. V. Helliar, L. Crawford, L. Rocca, C. Teodori, and M. Veneziani, “Permissionless and permissioned blockchain diffusion,” *Int. J. Inf. Manage.*, vol. 54, p. 102136, Oct. 2020, doi: 10.1016/j.ijinfomgt.2020.102136.

[110] A. Saari, S. Sinclair, R. Leshinsky, and S. Junnila, “Best practices for blockchain-driven digital transformation in cross-industry settings,” *Digit. Bus.*, vol. 5, no. 2, p. 100127, Dec. 2025, doi: 10.1016/j.digbus.2025.100127.

[111] A. Alamsyah *et al.*, “Blockchain traceability model in the coffee industry,” *J. Open Innov.: Technol., Market, Complex.*, vol. 9, no. 1, p. 100008, Mar. 2023, doi: 10.1016/j.joitmc.2023.100008.

[112] A. Arena, A. Bianchini, P. Perazzo, C. Vallati, and G. Dini, “BRUSCHETTA: An IoT blockchain-based framework for certifying extra virgin olive oil supply chain,” in *Proc. 2019 IEEE Int. Conf. Smart Comput. (SMARTCOMP)*, Jun. 2019, pp. 173–179, doi: 10.1109/SMARTCOMP.2019.00049.

[113] J. Ktari, T. Frikha, F. Chaabane, M. Hamdi, and H. Hamam, “Agricultural lightweight embedded blockchain system: A case study in olive oil,” *Electronics*, vol. 11, no. 20, p. 3394, Jan. 2022, doi: 10.3390/electronics11203394.

[114] S. P. Gayialis, E. P. Kechagias, and G. A. Papadopoulos, “Implementing a wine traceability system as an Ethereum distributed application,” in *Proc. Int. Conf. Ind. Eng. Oper. Manage.*, Manila, Philippines, Mar. 2023, doi: 10.46254/AN13.20230088.

[115] C. D. Duong, T. V. H. Tran, T. H. Nguyen, T. V. N. Ngo, and T. N. Vu, “Blockchain-based food traceability system and pro-environmental consumption: A moderated mediation model of technology anxiety and trust in organic food product,” *Digit. Bus.*, vol. 4, no. 2, p. 100095, Dec. 2024, doi: 10.1016/j.digbus.2024.100095.

[116] G. P. Agnusdei, B. Coluccia, V. Elia, and P. P. Miglietta, “IoT technologies for wine supply chain traceability: Potential application in the Southern Apulia region (Italy),” *Procedia Comput. Sci.*, vol. 200, pp. 1125–1134, Jan. 2022, doi: 10.1016/j.procs.2022.01.312.

[117] S. Jangirala, A. K. Das, and A. V. Vasilakos, “Designing secure lightweight blockchain-enabled RFID-based authentication protocol for supply chains in 5G mobile edge computing environment,” *IEEE Trans. Ind. Informat.*, vol. 16, no. 11, pp. 7081–7093, 2020, doi: 10.1109/TII.2019.2942389.

[118] C.-L. Chen, Z.-Y. Lim, and H.-C. Liao, “Blockchain-based alcoholic beverages supply chain management system,” *J. Ambient Intell. Humaniz. Comput.*, vol. 14, no. 3, pp. 2493–2523, Mar. 2023, doi: 10.1007/s12652-022-04500-w.

[119] V. Maritano *et al.*, “Anticounterfeiting and fraud mitigation solutions for high-value food products,” *J. Food Prot.*, vol. 87, no. 4, p. 100251, Apr. 2024, doi: 10.1016/j.jfp.2024.100251.

[120] L. Ante, L. Henninger, S. B. Bauers, and B. Schellinger, “Blockchain-based fan tokens as a strategic resource for sports clubs: Opportunities, challenges, and a stakeholder-

oriented model," *Digit. Bus.*, vol. 5, no. 2, p. 100137, Dec. 2025, doi: 10.1016/j.digbus.2025.100137.

[121] D. Marikyan, S. Papagiannidis, O. F. Rana, and R. Ranjan, "Blockchain: A business model innovation analysis," *Digit. Bus.*, vol. 2, no. 2, p. 100033, Jan. 2022, doi: 10.1016/j.digbus.2022.100033.

[122] G. Majeed Parry, I. Revolidis, J. Ellul, and G. J. Pace, "Bottling up trust: A review of blockchain adoption in wine supply chain traceability," *IEEE Access*, vol. 12, pp. 178320–178344, 2024, doi: 10.1109/ACCESS.2024.3505428.

[123] A. Zhang and S. Seuring, "Digital product passport for sustainable and circular supply chain management: A structured review of use cases," *Int. J. Logistics Res. Appl.*, vol. 27, no. 12, pp. 2513–2540, Dec. 2024, doi: 10.1080/13675567.2024.2374256.

[124] M. Köthke, M. Lippe, and P. Elsasser, "Comparing the former EUTR and upcoming EUDR: Some implications for private sector and authorities," *Forest Policy Econ.*, vol. 157, p. 103079, Dec. 2023, doi: 10.1016/j.forpol.2023.103079.

[125] R. Beck, C. Müller-Bloch, and J. L. King, "Governance in the blockchain economy: A framework and research agenda," *J. Assoc. Inf. Syst.*, vol. 19, no. 10, pp. 1020–1034, 2018, doi: 10.17705/1jais.00518.

[126] P. De Filippi, M. Mannan, and W. Reijers, "Blockchain as a confidence machine: The problem of trust and challenges of governance," *Technol. Soc.*, vol. 62, p. 101284, 2020, doi: 10.1016/j.techsoc.2020.101284.

[127] C. Santana and L. Albareda, "Blockchain and the emergence of decentralized autonomous organizations (DAOs): An integrative model and research agenda," *Technol. Forecast. Soc. Change*, vol. 182, p. 121806, 2022, doi: 10.1016/j.techfore.2022.121806.

[128] O. Rikken, M. Janssen, and Z. Kwee, "Governance impacts of blockchain-based decentralized autonomous organizations: An empirical analysis," *Policy Des. Pract.*, vol. 6, no. 4, pp. 465–487, 2023, doi: 10.1080/25741292.2023.2270220.

[129] Y. Liu, Q. Lu, G. Yu, H.-Y. Paik, and L. Zhu, "BGRA: A reference architecture for blockchain governance," *arXiv*preprint arXiv:2211.04811, 2022, doi: 10.48550/arXiv.2211.04811.

Appendix A – Supplementary Data

Evaluation Frameworks for Blockchain Adoption and Implementations

To strengthen evaluation frameworks for blockchain adoption in service-sector supply chains, this research advances a holistic, multidisciplinary and sector-aware model. Existing frameworks tend to overemphasize technical performance while overlooking regulatory, socio-technical and operational elements that define real-world deployments in maritime logistics, luxury spirits distribution, and healthcare cold chains [6], [24], [35], [43]. The expanded framework proposed here integrates multiple dimensions, embeds contextual factors, incorporates predictive and empirical validation, and includes compliance, governance, sustainability, and practical decision-support mechanisms. Each component below introduces a targeted enhancement to the state of the art and concludes with its explicit contribution to the overarching evaluation framework.

1. Integrating Multidimensional Metrics

A fundamental step toward a more rigorous evaluation framework is the incorporation of multidimensional metrics that extend beyond purely technical performance. Traditional models tend to privilege indicators such as throughput or consensus efficiency [17], [38], [75], but real-world blockchain adoption in regulated service-sector environments is influenced equally by economic, regulatory, and socio-technical constraints [40], [41], [22], [94]. This section introduces an integrated evaluation model that captures the interplay between performance, cost, compliance, and human factors, dimensions that are essential for evaluating blockchain solutions deployed across maritime, spirits, and healthcare supply chains.

- Current Limitation: Existing frameworks, such as those proposed, primarily evaluate blockchain implementations based on technical metrics like scalability, consensus efficiency, or security robustness [17], [38], [75]. Socio-technical factors, such as user adoption barriers or stakeholder trust, are often underexplored, particularly in regulated environments like healthcare or maritime logistics [40], [22], [94].
- Advancement:
  - Develop a Multidimensional Evaluation Model: Create a framework that integrates technical, economic, regulatory, and socio-technical metrics. This includes:
    - Technical Metrics: Transaction throughput (e.g., transactions per second), latency, energy consumption (critical for sustainability), and interoperability with legacy systems.

■ Economic Metrics: Cost of implementation (e.g., infrastructure, training), return on investment (ROI), and cost savings from automation (e.g., reduced intermediaries in maritime document workflows).

■ Regulatory Metrics: Compliance with GDPR, HIPAA, and IMO standards, assessed through auditability, data minimization, and privacy-preserving features like Zero-Knowledge Proofs (ZKPs).

■ Socio-Technical Metrics: User acceptance (measured via surveys or adoption rates), stakeholder collaboration (e.g., consensus in distributed governance), and trust metrics (e.g., perceived reliability of blockchain records).

○ Implementation: Use a weighted scoring system to balance these dimensions, with weights adjusted based on sector-specific priorities (e.g., privacy in healthcare, authenticity in luxury spirits).

● Contribution: This multidimensional model ensures evaluations reflect the complex realities of service-sector supply chains, addressing gaps in frameworks that overlook regulatory or social factors [35], [106], [41].

By embedding technical, economic, regulatory and socio-technical dimensions into a unified evaluation structure, this component provides the foundation for a realistic and actionable assessment model. It ensures that the overall framework reflects the operational complexity and compliance pressures of service-sector supply chains, addressing a core limitation in existing evaluations that treat blockchain performance in isolation from its adoption environment.

2. Incorporating Sector-Specific Contextualization

   Evaluation frameworks must acknowledge that blockchain adoption challenges differ widely across sectors, with maritime trade concerned about documentation integrity [24], [15], luxury spirits about authenticity [102], [119], [122], and healthcare about cold-chain compliance and patient privacy [94], [100], [99]. Generic, one-size-fits-all frameworks cannot capture these nuances. This section strengthens the overarching evaluation framework by embedding sector-specific criteria that enhance relevance, precision, and actionable applicability across the distinct industries examined in this research.

● Current Limitation: Many frameworks are generic, lacking customization for sector-specific challenges, such as counterfeiting in luxury spirits or cold chain integrity in healthcare [102], [119], [94], [100]. This limits their applicability to diverse operational contexts.

- Advancement:
  - Tailored Evaluation Criteria: Develop sector-specific evaluation criteria within the overarching framework:
    - Maritime Logistics: Focus on metrics like document processing time (e.g., bills of lading), customs clearance efficiency, and confidentiality preservation for commercial data.
    - Luxury Spirits Distribution: Emphasize provenance verification (e.g., accuracy of tokenized cask ownership), consumer engagement (e.g., NFT certificate usability), and anti-counterfeiting effectiveness (e.g., reduction in fraudulent products).
    - Healthcare Cold Chains: Prioritise real-time monitoring accuracy (e.g., IoT sensor data integrity), compliance with temperature regulations (e.g., for blood or gene therapies), and data security under HIPAA.
  - Case Study Validation: Test the framework through prototypes in each sector, measuring outcomes like error rates in tracking, compliance audit success rates, and stakeholder satisfaction.
- Contribution: By embedding sector-specific metrics, the framework becomes more actionable, enabling stakeholders to assess blockchain solutions in contextually relevant ways, unlike the one-size-fits-all approaches.

Embedding sector-tailored evaluation criteria ensures the framework can be meaningfully applied across diverse operational ecosystems. This contextualization increases the framework's diagnostic value, enabling stakeholders to identify sector-relevant strengths, weaknesses, and adoption pathways, thereby improving the framework's accuracy and practical utility in maritime logistics, spirits distribution, and healthcare cold chain operations.

3. Leveraging Simulation and Prototyping for Empirical Validation

A significant weakness of conventional blockchain evaluation models is their lack of predictive capability. Organizations often commit to costly implementations without insights into future performance or risks. Integrating simulation and prototyping into the evaluation framework provides a controlled environment for testing blockchain solutions before full deployment. This component enhances the framework by turning evaluation into a proactive process that anticipates operational dynamics rather than simply reacting to them.

- Current Limitation: Existing frameworks often rely on theoretical models or post-implementation evaluations, lacking predictive capabilities for pre-deployment assessment

[39], [53], [89]. This hinders proactive decision-making for blockchain adoption [31], [72], [106].

- Advancement:
  - Simulation-Based Evaluation: Develop simulation tools to model blockchain implementations before deployment, using real-world data from the three sectors. For example:
    - Simulate maritime logistics networks with digital document workflows to predict bottlenecks or compliance risks.
    - Model luxury spirits supply chains to assess NFT-based provenance tracking under various counterfeiting scenarios.
    - Test healthcare cold chain systems with IoT-blockchain integration to evaluate resilience against temperature excursions.
  - Prototyping and Iterative Testing: Deploy small-scale prototypes (e.g., Layer-2 blockchain with IoT sensors) in controlled environments, collecting data on performance, user feedback, and compliance. Use iterative feedback loops to refine the framework.
  - Tools: Employ agent-based modelling or discrete event simulation, integrated with blockchain platforms like Hyperledger Fabric or Ethereum, to quantify metrics like scalability and fault tolerance.
- Contribution: This approach bridges the gap between theoretical frameworks and practical deployment, providing predictive insights that enhance decision-making, unlike static evaluations [39], [29], [22].

By incorporating simulation, prototyping and iterative testing, this component closes the gap between theoretical evaluation and practical deployment. It strengthens the overall framework with predictive and empirical validation capabilities, enabling data-driven decision-making and reducing uncertainty, an essential requirement for blockchain adoption in complex, regulated supply chains.

4. Embedding Regulatory and Ethical Compliance

   Blockchain adoption in service-sector supply chains is tightly bound to regulatory obligations and ethical imperatives. From GDPR and HIPAA to maritime documentation rules, compliance failures represent a critical adoption barrier [15], [22], [94]. Existing evaluation frameworks often treat compliance as an afterthought rather than a core assessment dimension. This section integrates regulatory and ethical evaluation into the central structure of the framework, ensuring that solutions are judged not only on

performance but also on their capacity to operate responsibly within legal and societal constraints.

● Current Limitation: Many frameworks inadequately address regulatory compliance, particularly for privacy laws like GDPR or sector-specific standards (e.g., IMO for maritime, HIPAA for healthcare) [15], [22], [94. Ethical considerations, such as equitable access or bias in automated systems, are rarely integrated [41], [126], [49].

● Advancement:

○ Regulatory Compliance Module: Incorporate a dedicated module to evaluate adherence to legal frameworks, including:

■ GDPR compliance (e.g., data minimization via ZKPs, right-to-be-forgotten workarounds in immutable ledgers).

■ Sector-specific standards (e.g., IMO's digital documentation requirements, HIPAA's data security protocols).

■ Auditability metrics (e.g., frequency and success rate of regulatory audits).

○ Ethical Evaluation Criteria: Include metrics for fairness (e.g., access equity for smaller stakeholders), transparency in governance (e.g., clarity of consensus rules), and mitigation of biases in smart contract logic.

○ ZKPs for Privacy Evaluation: Quantify the effectiveness of ZKPs in enabling secure document validation without disclosing sensitive data, using metrics like proof generation time and verification accuracy.

● Contribution: This ensures frameworks are not only technically robust but also legally and ethically sound, addressing gaps and aligning with the research's focus on privacy-conscious solutions [44], [125], [49].

Integrating regulatory and ethical evaluation grounds the entire framework in real-world obligations, ensuring that blockchain solutions are assessed according to their ability to operate legally, transparently, and fairly. This addition strengthens the overall evaluation framework by making compliance and ethics intrinsic components rather than external considerations, critical for deployments in sensitive, highly regulated supply chains.

5. Developing Dynamic Governance Assessment

   Governance defines how blockchain systems evolve, who influences decisions, and how conflicts are resolved, making it a key determinant of long-term viability. Yet existing evaluation frameworks typically rely on static governance assessments that fail to capture

the dynamic, multi-stakeholder nature of distributed ecosystems [125], [127], [129]. This section enhances the broader framework by introducing governance metrics and simulation approaches that reflect the fluid realities of decentralized decision-making.

- Current Limitation: Governance models in blockchain frameworks are often static, failing to account for evolving stakeholder dynamics or interoperability challenges in decentralized systems [125], [127], [129].
- Advancement:
  - Dynamic Governance Metrics: Introduce metrics to evaluate distributed governance models, such as:
    - Consensus efficiency (e.g., time to reach agreement in PBFT or DPoS).
    - Stakeholder inclusivity (e.g., representation of small vs. large entities in decision-making).
    - Interoperability performance (e.g., data exchange success rates across heterogeneous blockchains).
  - Governance Simulation: Use game-theoretic models to simulate stakeholder interactions in distributed consensus, assessing trust, conflict resolution, and adaptability to regulatory changes.
  - DAO-Inspired Evaluation: Draw on Decentralised Autonomous Organization (DAO) principles to evaluate governance flexibility, testing how well proposed models support stakeholder collaboration in real-world pilots.
- Contribution: This dynamic approach enhances the framework's ability to evaluate governance in decentralised, multi-stakeholder environments, extending beyond the static analyses [128], [126], [20].

By incorporating dynamic governance metrics and simulation-based assessment, this component equips the overall framework to evaluate real-world governance performance rather than static governance design. It allows stakeholders to anticipate governance bottlenecks, assess inclusivity, and project adaptability, critical for blockchain systems deployed across multi-actor service-sector environments.

6. Advancing Scalability and Sustainability Analysis

   Scalability and sustainability are persistent barriers to blockchain adoption, especially in operationally intensive sectors like maritime logistics and healthcare. However, existing evaluation frameworks often consider scalability narrowly and treat sustainability superficially, despite growing regulatory and environmental pressures [17], [38], [75]. This

section expands the framework to systematically assess performance under scale as well as energy and carbon impacts, aligning blockchain evaluation with both industry requirements and global sustainability targets.

- Current Limitation: Scalability evaluations often focus on transaction throughput without considering energy efficiency or long-term sustainability, critical for adoption in regulated sectors [16], [46], [71].
- Advancement:
  - Scalability Metrics: Expand evaluation to include Layer-2 solutions (e.g., rollups, sidechains), measuring throughput, latency, and cost under high-volume scenarios (e.g., thousands of IoT updates in healthcare cold chains).
  - Sustainability Metrics: Quantify energy consumption of consensus mechanisms (e.g., PoS vs. PoW), aligning with global sustainability goals. Use carbon footprint estimates to compare blockchain solutions against traditional systems.
  - Benchmarking Tools: Develop standardized benchmarks for comparing blockchain platforms (e.g., Ethereum, Hyperledger) in terms of scalability and environmental impact, tailored to sector-specific workloads.
- Contribution: This addresses the environmental critique of blockchain while ensuring scalability for high-stakes applications [35], [16], [46], filling gaps.

By integrating expanded scalability testing and sustainability evaluation, this component ensures the overarching framework addresses performance demands and environmental responsibilities simultaneously. It fills a critical gap in existing models, making the framework suitable for sectors where energy efficiency, carbon impact, and high-volume operations are decisive factors for adoption.

7. Operationalizing the Framework with Practical Tools

   An evaluation framework is only useful if stakeholders can actually apply it. Many academic frameworks fail because they remain conceptual [40], [110]. This section transforms the proposed framework into a practical, operational tool through decision-support software, visualization mechanisms, and open-source dissemination. These elements ensure that industry actors, from port authorities to healthcare providers, can effectively deploy the framework without requiring deep blockchain expertise.

- Current Limitation: Many frameworks remain theoretical, lacking practical tools for stakeholders to apply them in real-world settings [40], [110].

- Advancement:
  - Decision Support Tool: Develop a software-based evaluation tool (e.g., a dashboard or open-source platform) that allows stakeholders to input sector-specific data and receive customized adoption recommendations. The tool would:
    - Calculate weighted scores for technical, economic, regulatory, and socio-technical metrics.
    - Visualize trade-offs (e.g., privacy vs. scalability) using charts or decision trees.
    - Provide actionable insights (e.g., optimal blockchain platform or governance model for a given use case).
  - Pilot Testing: Validate the tool through pilot implementations in the three sectors, collecting feedback from stakeholders (e.g., port authorities, distillers, healthcare providers) to refine usability.
  - Open-Source Contribution: Release the framework and tool as open-source resources to encourage industry adoption and further development.
- Contribution: This operationalizes the framework, making it accessible to non-technical stakeholders and bridging the gap between academia and industry [62], [118], [122].

Operationalizing the framework through practical tools and open-source resources bridges the gap between academic rigor and industry usability. This component enables real-world adoption of the framework and ensures it functions as a practical guide for decision-makers evaluating blockchain systems across service-sector supply chains. It reinforces the entire framework's mission: translating complex technical and regulatory insights into accessible, actionable evaluation pathways.

Chapter 4 – Stakeholder Survey Questions

In chapter 4, after the demonstration, the survey questions were crafted to align with each stakeholder's role and interactions with the blockchain-IoT system, reflecting real-world scenarios such as emergency donations, temperature breach alerts and regulatory audits. Each question was rated on a 1-5 Likert scale (1 = strongly disagree, 5 = strongly agree).

Mobile Blood Collection Team

Q1: The system's interface for registering blood units during mobile donation campaigns is intuitive and efficient;

Q2: IoT sensors seamlessly integrate with portable coolers, accurately capturing temperature (1–6°C for RBCs) and agitation data;

Q3: I trust the system to securely log environmental conditions (e.g., temperature, humidity) at temporary collection sites;
Q4: Real-time alerts for temperature breaches (e.g., >6°C for RBCs) are received promptly, enabling quick corrective actions;
Q5: The system reduces the time spent on manual documentation during the collection of blood.

Laboratory Technicians
Q1: The web interface for uploading blood screening results (e.g., pathogen tests) is user-friendly and error-free;
Q2: The system accurately links test results to the correct blood unit ID, preventing mismatches;
Q3: I can easily access prior to transportation and storage conditions (e.g., temperature logs) to validate unit eligibility;
Q4: Blockchain records ensure the integrity of test results, preventing unauthorised alterations;
Q5: The system minimises administrative effort in documenting and verifying blood test data.

Hospital Staff and Blood Bank Managers

Q1: The dashboard allows quick access to the full lifecycle history of any blood unit (e.g., donor to transfusion);
Q2: Real-time inventory updates help prioritise blood units nearing expiration (e.g., platelets <5 days);
Q3: I trust the blockchain's immutable records for accurate blood type and storage condition data;
Q4: The system supports rapid decision-making during emergencies (e.g., locating O-negative units);
Q5: Automated alerts for environmental breaches improve inventory management efficiency.

Regulatory Authorities
Q1: The system provides comprehensive audit trails for verifying compliance with WHO and GDPR standards;

Q2: Role-based access control ensures data privacy, limiting sensitive information to authorised users;
Q3: The blockchain ledger offers tamper-proof records, enhancing trust in compliance reports;
Q4: I can easily export compliance logs (e.g., JSON, PDF) for regulatory reviews;
Q5: The system aligns with EBSI and EUDI frameworks for cross-border data sharing and identity verification.

Donors (Public App Portal)

Q1: The public portal clearly informs me about the status of my donated blood (e.g., “used in transfusion on date”);
Q2: Transparent tracking of my donation’s life cycle increases my confidence in the blood supply chain;
Q3: I trust the system to securely manage my anonymous donor data, adhering to GDPR;
Q4: Real-time updates on donation outcomes (e.g., hospital delivery) encourage me to donate again;
Q5: The use of blockchain and IoT sensors reassures me about the safety and quality of donated blood.